

CA20N
P531
-V37



REGISTRATION REPORT

ONTARIO.

1885.

614.1


658

(1885)



Library
of the
Academy of Medicine,
Toronto.

6168



Digitized by the Internet Archive
in 2012 with funding from
University of Guelph, University of Windsor, York University and University of Toronto Libraries

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES & DEATHS

IN THE

PROVINCE OF ONTARIO.

FOR THE YEAR ENDING 31ST DECEMBER,

1885.

Printed by Order of the Legislative Assembly.



Toronto :

PRINTED BY WARWICK & SONS, 26 AND 28 FRONT STREET WEST.

1887.

6168



REGISTRAR GENERAL'S OFFICE, ONTARIO,
TORONTO, December 1st, 1886.

*To His Honour the Honourable John Beverley Robinson,
Lieutenant-Governor of the Province of Ontario.*

MAY IT PLEASE YOUR HONOUR :

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1885.

Respectfully submitted,

ARTHUR S. HARDY,
Registrar-General.

CONTENTS.

	PAGE.
Total Registrations of Births, Marriages and Deaths in 1885.....	1
Births.—Excess over deaths and ratio to population.....	2
“ Ratio in other countries.....	3
“ Proportion of males to females.....	3
“ Remarks on, by seasons.....	4
“ Plural and Illegitimate.....	4
Marriages.—Remarks on, Denominations.....	5
“ “ “ Months and ages.....	5
“ “ “ At advanced ages.....	6
“ “ “ Youthful marriages.....	6
“ “ “ Licenses and banns.....	6
Tables 1.—Births, Marriages and Deaths in each County.....	7-8
“ 2.—“ “ “ City.....	9
“ 3.—“ “ “ Town.....	10
“ 4.—“ by months and proportion of males to females.....	11
“ 5.—“ Priority by months.....	12
“ 6.—“ “ quarters.....	12
“ 7.—“ in specified periods, and difference between males and females.....	12
“ 8.—“ Illegitimate, Twins and Triplets.....	13
“ 9.—Marriages. Denominations.....	14-15
“ 10.—“ Months.....	16
“ 11.—“ Ages.....	17
“ 12.—“ Disparity of ages.....	18
“ 13.—Deaths. Ratio per 1,000 in each County.....	21
“ 14.—“ Quarterly and monthly.....	22
“ 15.—“ Ages at, with per centages.....	23
“ 16.—“ Average age by Counties.....	24
“ 17.—“ “ Cities and Towns.....	25
“ 18.—“ Nationalities of those over 60 years of age.....	26
“ 19.—“ Centenarians.....	27
“ 20.—“ Number, and ten highest causes in each County.....	28-29
“ 21.—“ “ “ “ “ City.....	30-31
“ 22.—“ “ “ “ “ Towns.....	30-31
“ 23.—“ By occupations.....	32
“ 24.—“ “ Statistical clasification.....	33-34

	PAGE.
Remarks on Death Tables. Number and Ratio.....	35
“ “ “ Sex.....	35
“ “ “ Seasons.....	35
“ “ “ Average age.....	36
“ “ “ Decedents over 60 years.....	36
“ “ “ Centenarians.....	36
“ “ “ Classified causes, Class I.....	37-38
“ “ “ “ “ II.....	38-40
“ “ “ “ “ III.....	40-41
“ “ “ “ “ IV.....	41-42
“ “ “ “ “ V.....	42
Diagrams 1, 2, 3 and 4.....	42
Explanations of diagrams.....	42-44
Remarks on Deaths by Occupations.....	44-45
Concluding remarks.....	46

APPENDIX.

Table A.—Births by Months.....	iv.
“ “ Cities.....	x.
“ B.—Marriages by Denominations.....	xiv.
“ C.— “ Months.....	xxiv.
“ D.— “ Ages.....	xxvi.
“ E.—Deaths: Causes of, months and ages.....	xxxiv.
“ “ Recapitulation of Table E.....	lxx.
“ F.—Deaths by Counties.....	lxxii.
“ G.— “ Cities and Towns.....	cii.
“ H.— “ Ages by Counties.....	cxxvi.
“ I.— “ “ Cities and Towns.....	clviii.
“ J.— “ Occupations.....	clxxxii.

ERRATA.

Appendix XLIV.—Phthisis—Months, August, should be females, 88; total, 148.

REPORT

RELATING TO THE

Registration of Births, Marriages and Deaths

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER, 1885.

PARLIAMENT BUILDINGS,

TORONTO, December 1st, 1886.

To the Honourable A. S. HARDY,

Registrar-General, Province of Ontario.

SIR,—I have the honour to present a Report of the Births, Marriages and Deaths returned as having been registered in the Province during the year ending 31st December, 1885.

The total number of Births registered in Ontario during the year 1885 was 45,228 ; of Marriages, 13,675 ; and of deaths, 22,105. These numbers are slightly in excess of the previous year. There were more births by 724 ; more marriages by 29, and more Deaths by 403, altogether a total increase in the number of registrations of Births, Marriages and Deaths, of 1,156.

The following Counties and Districts return the largest increases, viz.: Carleton, York, Grey, Leeds and Grenville (united), Prescott and Russell (united), Brant, Frontenac, Essex, the Districts of Algoma, and Muskoka and Parry Sound.

It may, however, be noted that in 1884 the year antecedent to this report, some of these Counties, particularly Carleton and Frontenac, returned a less number of registrations than in the previous year.

Several portions of the Districts of Muskoka and Parry Sound and Algoma have been lately opened for settlement; the population has therefore naturally increased by the influx of settlers, which accounts for the large increase in the number of registrations in those districts.

BIRTHS.

The general statistics of Births in the Province during the year 1885 may be found in Tables 1, 2, 3, on pages 7, 8, 9 and 10. The whole number reported was 45,228, as before stated, 724 more than in 1884.

EXCESS OF BIRTHS OVER DEATHS.

The excess of births over deaths for the last five years was as follows :

1881—17,893 or	78.4	per cent. more births than deaths.		
1882—20,629 or	94.6	"	"	"
1883—21,932 or	104.1	"	"	"
1884—22,802 or	105.0	"	"	"
1885—23,123 or	105.6	"	"	"

It is much larger than in other countries, as may be seen from the following abstracts taken from their Registration Reports :

England.....	375,922 or	70.8	per cent. more births than deaths.		
Ireland.....	25,239 or	27.8	"	"	"
Connecticut, U.S..	4,407 or	38.8	"	"	"
Massachusetts, " ..	10,696 or	28.7	"	"	"
Rhode Island, " ..	1,764 or	38.3	"	"	"

In the Cities and Towns the excess was not so great. The Cities returned 2,605 or 47.0 per cent. more births than deaths, and the towns 967 or 73.4 per cent. more.

The cause of this large excess of births over deaths in the whole Province is attributed to the incomplete returns of deaths from some of the outlying districts.

RATIO OF BIRTHS (PROVINCE).

(See Table 1.)

The ratio of Births to 1,000 living in the whole Province was 23.5. The rate was below 20 per 1,000 in the Counties of Haldimand, Leeds and Grenville (united), Lennox and Addington, Lanark, Northumberland and Durham (united), Norfolk, Peel, Prince Edward, and Stormont Dundas and Glengarry (united), and above 25 per 1,000 in Carleton, Dufferin, Essex, Prescott and Russell, (united), Renfrew, Waterloo, Wentworth and York; the lowest rates, as usual, being in the Agricultural Counties, and the highest, with a few exceptions, in the industrial counties.

The average birth rate for the last five years was 22.6 per 1,000 living.

RATIO (CITIES).

(See Table 2.)

The total number of births in the eleven Cities was 8,145; the ratio was 28.2 per 1,000. In the Cities of Ottawa, Toronto, Hamilton, Brantford and Guelph, the ratio was over 25 per 1,000; and below 20 in London and St. Catharines.

RATIO (TOWNS).

(See Table 3.)

The following Towns, viz.: Walkerton, Windsor, Owen Sound, Simcoe, Perth, Pembroke, Woodstock, Brampton and Berlin, returned a birth rate of over 25 per 1,000. Pembroke and Perth, whose rates were respectively 47 and 45 per 1,000, being the highest returned from any locality.

In six Towns, viz.: Goderich, Chatham, Whitby, Picton, Barrie and Lindsay, the rate was below 20 per 1,000, especially in Goderich and Whitby; the former returned only 13 per 1,000 and the latter 15 per 1,000.

BIRTH RATIO'S IN OTHER COUNTRIES.

England	33.4	per 1,000.
Scotland	33.4	"
Ireland	24.0	"
Denmark	33.4	"
Norway	31.0	"
Sweden	30.0	"
Austria	38.4	"
Hungary	46.0	"
Switzerland	28.1	"
German Empire	37.4	"
Prussia	36.9	"
Netherlands	34.9	"
Belgium	30.5	"
France	24.8	"
Spain	36.6	"
Italy	38.7	"
State of Massachusetts, United States	25.0	"
State of Connecticut, "	23.0	"
State of Rhode Island, "	39.0	"
State of Minnesota, "	40.0	"
State of New Hampshire "	18.0	"
Ontario, Canada	23.0	"

SEX.

PROPORTION OF MALE TO FEMALE BIRTHS.

(See Table 4.)

The male births numbered 23,587 and the female births 21,641, the former being to the latter in the proportion of 108.9 to 100. The mean proportion having been for the previous five years 107.2 to 100. In the Cities the proportion was not so great, being 105.8 to 100.

In England the proportion was	103.8	to 100.
In Ireland "	105.3	"
In Massachusetts, U.S. "	105.6	"
In Connecticut, U.S. "	105.7	"
In Rhode Island, U.S. "	103.3	"

The excess of male over female births was maintained in every month of the year in the returns for the whole Province, but in the separate return from the Cities the female births exceeded the male births in the months of August and September.

MONTHS AND QUARTERLY.

(See Tables 5, 6 and 7.)

As usual the greatest number of births was in the month of March and the least in November.

The first, second and third quarters were nearly equal in the number of births returned.

PLURAL BIRTHS.

(See Table 8.)

There were 245 cases reported during the year, of which 238 were twins and 7 triplets, or 497 children, 278 males and 219 females. The seven cases of triplets occurred in the following Counties: One in Essex, one in Frontenac, one in Lambton, one in Ontario, and three in York.

ILLEGITIMATE.

(See Table 8.)

The infants registered in the year as having been born out of wedlock, numbered 621, a decrease of 23 from the number returned in 1884; still the proportion was high—one in every 72 births.

In England it was one in every 21 births.		
In Ireland	"	36 "
In Massachusetts, U.S.	"	54 "
In Connecticut, U.S.	"	87 "
In Rhode Island, U.S.	"	140 "

MARRIAGES.

NUMBER AND RATIO.

(See Tables 1, 2 and 3.)

The marriages celebrated in Ontario during 1885 numbered 13,675, giving a ratio of 14.2 persons married to 1,000 living, a slightly higher rate than in 1884.

In England the ratio was	15.1 per	1,000 living.
In Ireland	"	8.6 "
In Rhode Island, U.S., the ratio was	16.8	"
In Connecticut, U.S.,	"	17.0 "
In New Hampshire, U.S.,	"	18.9 "

The gathering of the labouring and manufacturing classes into the Cities and large Towns, influences the marriage rate in those places. This is shown in Tables 2 and 3. In the Cities the rate was 21.3 persons married to 1,000 living, and in the Towns 25 to 1,000, while in the Agricultural Counties, excluding the Cities and Towns, the rate was only 12 to 1,000.

DENOMINATIONS.

(See Table 9.)

By reference to Table 9, page 14, it will be seen that those who declared themselves to be Methodists at the time of their marriage, far exceeded in numbers those claiming to belong to other denominations. They exceeded the Episcopalians and Presbyterians combined by 130, numbering 10,054 or 37 per cent. of all who were married in 1885. In 1881 they returned 35 per cent. of the whole, so that they have increased two per cent. in five years, while the Episcopalians and Presbyterians have remained, as regards per centage, about the same as in 1881. The Roman Catholic denomination, which in 1881 only returned 13 per cent. as belonging to their church, now return 15 per cent. of the whole number of marriages.

MONTHS.

(See Table 10.)

Out of the 68,096 marriages recorded during the last five years, 15,027, or 22 per cent. of them, took place in the months of October and December; 8,059, or 11.8 per cent. in December, and 6,968 or 10.2 per cent. in October. The months which returned the least number of marriages during the same five years were July and August; only 8,258 marriages or 12.1 per cent. of the whole were recorded in those two months; 3,856 or 5.7 per cent. in August and 4,402 or 6.6 per cent. in July.

AGES.

(See Table 11.)

The number of persons married in the different periods of life in this Province in the last five years is shown in Table 11. By examining the Table it will be found that of all the females married in that period, 13,641 or 20 per cent. were under 20 years of age, 34,035 or 49 per cent. were between 20 and 25 years, and 12,732 or 18 per cent. between 25 and 30 years; altogether there were 60,408 or 88 per cent. females married under 30 years, whereas of the males only 797 or 1.17 per cent. were under 20 years of age when married; 25,407 or 49 per cent. between 20 and 25 years, and 23,841 or 18 per cent. between 25 and 30 years; altogether 50,042 males were married under 30 years of age. In the other periods of life the males greatly exceeded the females in their ages when entering the married state.

In England.....	19	per cent.	of the females	were under	20 years	when married
In Rhode Island, U.S. ..	21	"	"	"	"	"
In New Hampshire, U.S.	27	"	"	"	"	"
In Connecticut, U. S....	17	"	"	"	"	"
In Massachusetts, U.S...	16	"	"	"	"	"

BACHELORS AND WIDOWERS—SPINSTERS AND WIDOWS.

Of the 13,675 men married in 1885, 12,161 were Bachelors and 1,514 widowers, or one widower to every eight bachelors, and of the 13,675 women married, 13,047 were spinsters and 628 widows, or one widow to every 20 spinsters, the proportion being the same for widowers as last year, but fewer widows were married in 1885 than in 1884.

MARRIAGES AT ADVANCED AGES.

(See Table 12.)

In 24 of the marriages 19 bridegrooms were 70 years of age and over when married, and in two cases the bridegrooms were 80 years old, and in one case the bridegroom was as far advanced in life as 82 years.

Only in one case was the bride the elder when married, she being 70 years old, and her husband half that age, viz. : 35 years. Marriages of persons advanced in years were not so numerous as in 1884.

YOUTHFUL MARRIAGES.

There were recorded in 1885 the marriages of three girls at 14 years of age, and 30 at 15 years, but no young man appears to have ventured into matrimony under the age of 17 years.

LICENSES AND BANNS.

Table B shews that 11,943 of the marriages were by License and 1,708 by Banns.

The number of Licenses issued by the Marriage License Department of Ontario for the year 1885, corresponds very closely with the number of marriages registered, a proof of what has several times been stated in the Reports of this Department, viz.: That the Clergymen of this Province, with a few exceptions, return all the marriages celebrated by them.

TABLE 1.

TABLE shewing the total number of Births, Marriages and Deaths in each County in 1885.

COUNTIES.	BIRTHS.			MARRIAGES.			DEATHS.			TOTALS.					RATIO TO 1,000 OF THE POPULATION.			
	Increase.		Number in 1885.	Increase.		Number in 1885.	Increase.		Number in 1885.	Number of Births, Marriages and Deaths in 1884.	Number of Births, Marriages and Deaths in 1885.	Increase.	Births.	Marriages.				Deaths.
	Number in 1884.	Number in 1885.		Number in 1884.	Number in 1885.		Number in 1884.	Number in 1885.							Decrease.	Decrease.		
	Population.	Number in 1884.	Number in 1885.	Decrease.	Number in 1884.	Number in 1885.	Increase.	Decrease.	Number in 1884.	Number in 1885.	Increase.	Decrease.	Number of Births, Marriages and Deaths in 1884.	Number of Births, Marriages and Deaths in 1885.	Increase.	Births.	Marriages.	Deaths.
Algoma...	20320	424	542	118	173	237	64	193	285	92	790	1064	274	26.6	11.6	14.0		
Brant...	33869	712	782	70	257	238	...	388	426	38	1357	1446	89	23.0	7.0	12.5		
Bruce...	64774	4464	1379	...	402	356	...	476	446	13	2342	2224	...	118	5.5	7.5		
Carleton...	64103	1795	2452	657	515	545	30	1270	1256	...	3580	4253	673	38.2	8.4	19.6		
Dufferin...	20536	478	548	70	142	137	...	187	177	...	807	862	55	26.6	6.6	8.6		
Elgin...	42361	808	846	43	337	334	...	351	371	20	1491	1551	60	20.0	7.8	8.7		
Essex...	46559	1407	1501	94	337	342	5	673	654	...	2417	2497	80	32.0	7.3	14.0		
Frontenac...	42555	837	887	50	305	331	26	553	559	6	1695	1777	82	20.8	7.7	13.1		
Grey...	70528	1384	1486	102	400	419	19	494	543	49	2278	2448	170	21.0	5.9	7.7		
Haldimand...	24991	533	477	...	168	192	24	223	236	13	924	905	...	19	19.0	7.6	9.4	
Halton...	21919	508	461	...	178	120	...	241	238	...	877	819	...	58	21.0	5.4	10.8	
Hastings...	55192	1126	1104	...	503	488	...	721	626	...	2350	2218	...	132	20.0	8.8	11.3	
Huron...	74525	1574	1582	8	424	477	53	615	611	...	4	2613	2670	57	20.6	6.2	8.0	
Kent...	54335	1098	1109	11	407	370	...	551	531	...	20	2056	2010	...	46	20.4	6.8	9.8
Lambton...	52034	1119	1130	11	268	301	33	544	479	...	65	1931	1910	...	21	21.7	5.7	9.0
Lanark...	33975	787	809	22	246	267	21	320	306	...	14	1353	1382	29	23.8	7.8	9.0	
Leeds and Grenville...	60164	975	962	...	400	420	20	550	701	151	1925	2083	158	16.0	7.0	11.6	8.6	
Lennox and Addington...	26484	448	425	...	210	185	...	232	225	...	7	890	836	54	16.0	7.0	8.6	
Lincoln...	31563	679	697	18	190	206	16	437	411	...	26	1306	1314	8	22.7	6.5	13.2	
Middlesex...	93081	2036	1988	...	599	586	...	1149	1085	...	64	3784	3659	...	125	21.3	6.2	11.6
Muskoka and Parry Sound...	27204	937	937	43	172	196	24	335	325	90	1301	1458	157	34.4	7.2	11.9	8.1	
Norfolk...	33527	761	643	...	222	236	14	309	297	...	12	1292	1176	...	116	19.1	7.1	8.1
Northumberland and Durham...	77390	1432	1417	...	548	470	...	742	856	114	2722	2743	21	18.3	6.0	11.0	10.2	
Ontario...	48812	1120	1058	...	277	290	13	542	502	...	40	1939	1850	...	89	23.7	5.9	10.2
Oxford...	50159	1098	1111	13	347	310	...	517	472	...	45	1962	1893	...	69	22.1	6.1	9.4
Peel...	26175	598	519	...	148	151	3	301	255	...	46	1047	925	...	122	19.8	5.7	9.7
Perth...	53686	1107	1128	21	338	332	...	416	440	24	1490	1512	22	24.8	7.8	11.0	8.2	
Peterborough...	34648	856	859	3	254	272	18	380	381	1	2148	2203	115	36.2	6.5	16.7	16.7	
Prescott and Russell...	38022	1483	1377	...	230	250	20	435	636	201	1900	1512	39	21.0	6.1	8.2	11.0	
Prince Edward...	21045	403	361	...	162	142	...	290	271	...	19	855	774	81	17.1	6.7	12.8	

TABLE 1.—Continued.

COUNTIES.	BIRTHS.						MARRIAGES.				DEATHS.				TOTALS.				RATIO TO 1,000 OF THE POPULATION.		
	Population.	Number in 1884.	Number in 1885.	Increase.	Decrease.	Number in 1884.	Number in 1885.	Increase.	Decrease.	Number in 1884.	Number in 1885.	Increase.	Decrease.	Number of Births, Marriages and Deaths in 1884.	Number of Births, Marriages and Deaths in 1885.	Increase.	Decrease.	Births.	Marriages.	Deaths.	
Renfrew	40246	1185	1204	19	321	316	5	338	373	35	1844	1893	49	30.0	7.8	9.2	
Sincoe	74903	1473	1639	166	538	481	57	642	601	41	2653	2721	68	21.9	6.4	8.0	
Stormont, Dundas and Glengarry	66017	1169	1139	30	438	382	56	582	610	28	2189	2131	58	17.2	5.7	9.2	
Victoria	35163	846	792	54	246	194	52	368	296	72	1460	1282	178	22.5	5.5	8.4	
Waterloo	42735	1366	1242	124	369	331	38	470	469	1	2205	2042	163	29.0	7.7	11.0	
Welland	31771	705	719	14	221	213	8	332	377	45	1258	1309	51	22.6	6.7	11.8	
Wellington	66189	1508	1357	151	347	408	61	715	645	70	2570	2410	160	20.5	6.1	9.7	
Wentworth	69952	1810	1807	3	547	609	62	1143	1097	46	3500	3513	13	27.0	9.0	16.3	
York	153098	4503	4752	249	1510	1540	30	2777	2993	216	8790	9285	495	31.0	10.0	19.0	
Totals	1923610	44504	45228	1802	1078	13646	13675	556	527	21702	22105	1136	733	79852	81008	2735	1609	23.5	7.1	11.4	
			Increase, 724.			Increase, 29.				Increase, 403.				Total increase in B., M. and D., 1156.							

TABLE 2.

Births, Marriages and Deaths in the eleven Cities in 1885.

CITIES.	Population as returned by Assessors.	BIRTHS.		MARRIAGES.		DEATHS.		Increase.	Decrease.	Total number of B, M. and D. in 1884.	Total number of B, M. and D. in 1885.	Increase.	Decrease.	RATIO TO 1,000 OF THE POPULATION.				
		1884.	1885.	1884.	1885.	1884.	1885.							Births.	Marriages	Deaths.		
Toronto.....	111800	2996	3324	328	1159	1216	57	2155	2393	238	6310	6933	29.7	10.8	21.4
Hamilton.....	39985	1095	1080	15	393	453	60	722	684	38	2210	2217	27.0	11.3	17.1
Ottawa.....	32857	1024	1481	457	377	375	2	1047	927	120	2448	2733	45.0	11.4	28.3
London.....	26254	476	497	21	212	232	20	332	386	54	1020	1115	18.9	8.8	14.6
Kingston.....	15109	366	350	16	185	163	22	268	272	4	819	785	34	23.1	18.0
Brantford.....	12167	270	312	42	127	110	17	143	175	32	540	597	25.6	8.9	14.3
St. Thomas.....	11157	305	254	51	155	154	1	91	115	24	551	523	28	22.7	13.8
Guelph.....	10134	311	258	53	66	96	30	175	159	16	552	513	39	25.4	15.6
St. Catharines.....	9882	195	180	15	86	95	9	189	156	33	470	431	39	18.2	9.6
Belleville.....	10171	188	209	21	132	116	16	194	184	10	514	509	5	20.5	10.4
Stratford.....	8764	155	200	45	89	68	21	76	89	13	320	357	22.7	7.7	10.1
	288280	7381	8145	914	150	2981	3078	176	79	5392	5540	365	217	15754	16763	145	28.2	19.2

Increase in Births, 764. Increase in Marriages, 97. Increase in Deaths, 148. Total increase in B., M. and D., 1009.

TABLE 3.

BIRTHS, MARRIAGES AND DEATHS IN THE PRINCIPAL TOWNS IN 1885.

PRINCIPAL TOWNS.		BIRTHS.		MARRIAGES.		DEATHS.		Total number of B., M. and D. in 1884.		Total number of B., M. and D. in 1885.	
		1884.	1885.	1884.	1885.	1884.	1885.				
Walkerton	75	75	75	38	25	13	22	145	122	10	23
Windsor	188	182	182	74	69	5	102	378	353	14	25
Owen Sound	119	150	150	86	65	21	55	273	270	13	3
Goderich	72	63	63	24	44	20	45	144	148	3	4
Chatham	144	134	134	135	132	23	113	427	379	15	48
Sarnia	110	112	112	44	49	5	46	201	207	1	6
Perth	134	112	112	58	57	1	62	238	231	16	7
Brockville	138	182	182	62	97	35	143	311	422	32	11
Napanee	84	72	72	57	62	5	56	201	190	4	11
Cobourg	118	100	100	60	49	11	38	226	187	10	39
Whitby	61	47	47	24	23	1	42	137	112	10	25
Woodstock	143	156	156	74	65	8	58	267	280	8	13
Brampton	92	77	77	43	49	6	66	210	192	9	18
Peterborough	178	160	160	99	115	16	102	386	377	7	9
Pictou	66	52	52	54	56	2	57	187	165	10	22
Pembroke	123	137	137	62	76	14	46	225	259	6	34
Barrie	112	89	89	100	82	18	59	269	230	2	39
Cornwall	112	112	112	80	68	12	72	254	259	17	5
Lindsay	110	99	99	84	57	27	61	255	228	11	27
Berlin	172	172	172	65	32	33	53	305	257	15	48
	2351	2283	2283	1343	1273	173	1316	5039	4872	92	344

Decrease in Births, 68.

Decrease in Marriages, 70.

Decrease in Deaths, 29.

Total decrease, 167.

TABLE 4.

BIRTHS by Months in the Province, 1885, shewing the proportion of Male to Female Births in the Province, and also in the Cities.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males.....	1989	1913	2090	2027	2067	1898	1952	2023	2021	1914	1805	1888	23587
Females	1716	1878	1976	1858	1920	1591	1803	1835	1916	1796	1608	1744	21641
Total	3705	3791	4066	3885	3987	3489	3755	3858	3937	3710	3413	3632	45228
Male births to 100 female births.....	115.9	101.8	105.7	109.09	107.6	119.3	108.2	110.2	105.4	106.5	112.2	108.2	108.9

BIRTHS by Months, in the Eleven Cities, during 1885, shewing the proportion of Male to Female Births.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males.....	340	340	363	343	390	334	354	351	347	361	339	327	4189
Females	318	270	329	338	345	303	348	357	349	328	326	345	3956
Total	658	610	692	681	735	637	702	708	696	689	665	672	8145
Male births to 100 female births.....	106.9	125.9	110.3	101.4	113.04	110.2	101.7	98.3	99.4	110.06	103.9	105.5	105.8

TABLE 5.
ORDER of Births, by Months, in 1884 and 1885.

MONTHS.	1884.			MONTHS.	1885.		
	Male.	Female.	Total.		Male.	Female.	Total.
March	2210	1953	4163	March	2090	1976	4066
September	1992	1926	3918	May	2067	1920	3987
August	2006	1890	3896	September	2021	1916	3937
April	1919	1838	3757	April	2027	1858	3885
July	1953	1755	3708	August	2023	1835	3858
May	1867	1833	3700	February	1913	1878	3791
February	1894	1785	3679	July	1952	1803	3755
October	1886	1784	3670	October	1914	1796	3710
January	1923	1726	3649	January	1989	1716	3705
June	1803	1680	3483	December	1888	1744	3632
November	1752	1708	3460	June	1898	1591	3489
December	1789	1632	3421	November	1805	1608	3413
Total	22994	21510	44504	Total	23587	21641	45228

TABLE 6.
QUARTERLY Return of Births, in 1884 and 1885.

QUARTERS.	1884.			1885.		
	Male.	Female.	Total.	Male.	Female.	Total.
Quarter ending March 31st	6027	5464	11491	5992	5570	11562
“ June 30th	5589	5351	10940	5992	5369	11361
“ September 30th	5951	5571	11522	5996	5554	11550
“ December 31st	5427	5124	10551	5607	5148	10755
Totals	22994	21510	44504	23587	21641	45228

TABLE 7.

The number of births within the several specified periods was as follows :

For the year	45,228	—Males, 23,587 ; Females, 21,641		
“ month	3,769	“	1,966	“ 1,803
“ week	869	“	453	“ 416
“ day	124	“	64	“ 60

The difference between the male and female births reported in each year, for the last ten years, is shewn to have been as follows :

In 1874 there were 1,073 more male than female births.

“ 1875	“	1,064	“	“
“ 1876	“	987	“	“
“ 1877	“	1,361	“	“
“ 1878	“	1,780	“	“
“ 1879	“	1,651	“	“
“ 1880	“	1,726	“	“
“ 1881	“	1,580	“	“
“ 1882	“	1,373	“	“
“ 1883	“	1,249	“	“
“ 1884	“	1,484	“	“
“ 1885	“	1,946	“	“

TABLE 8.
ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	ILLEGITIMATE BIRTHS.			No. of Pairs of Twins.	No. of cases of Triplets.
	No.	Proportion to the whole Num- ber of Births.	Ratio in every 1000 Births.		
1872	235	One in every 99 Births	10.0	76	0
1873	229	" " 129 "	8.3	200	1
1874	196	" " 144 "	6.9	255	2
1875	198	" " 131 "	4.8	264	1
1876	392	" " 98 "	10.1	349	1
1877	529	" " 75 "	13.2	411	5
1878	575	" " 70 "	14.2	425	9
1879	524	" " 78 "	12.7	378	1
1880	671	" " 63 "	15.8	407	6
1881	748	" " 54 "	18.3	384	3
1882	966	" " 43 "	22.7	389	5
1883	989	" " 43 "	23.0	377	8
1884	644	" " 69 "	14.4	382	8
1885	621	" " 72 "	13.7	238	7
Average for 14 years	536	One in every 83 Births	323	4.07

TABLE 9.

Marriages by Denominations, with Percentage and Proportion to the Whole.

DENOMINATIONS.	1881.				1882.				1883.			
	Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.	
Methodists	9147	35.29	1	in every 2.83	9496	35.66	1	in every 2.80	9907	35.04	1	in every 2.85
Presbyterians	5202	20.07	1	" 4.98	5469	20.59	1	" 4.87	5635	19.94	1	" 5.01
Episcopalians	4593	17.72	1	" 5.64	4673	17.54	1	" 5.69	5067	17.93	1	" 5.58
Roman Catholics	3526	13.60	1	" 7.35	3602	13.52	1	" 7.39	4106	14.53	1	" 6.89
Baptists	1519	5.85	1	" 17.06	1462	5.48	1	" 18.21	1454	5.14	1	" 19.50
Lutherans	578	2.23	1	" 44.85	506	1.89	1	" 52.63	561	1.98	1	" 50.37
Congregationalists	233	.90	1	" 111.26	237	.88	1	" 112.38	304	1.08	1	" 92.90
Evangelical Association					157	.58	1	" 169.64	174	.61	1	" 160.42
Mennonites	152	.58	1	" 170.55	145	.54	1	" 183.69	145	.52	1	" 194.22
Bible Christians	561	2.17	1	" 46.21	520	1.93	1	" 51.22	559	1.98	1	" 50.55
Quakers	15	.05	1	" 1728.33	9	.05	1	" 2359.33	27	.10	1	" 1046.74
Other Denominations	399	1.54	1	" 64.97	359	1.34	1	" 74.19	323	1.15	1	" 87.50
Total	25925	100.00			26635	100.00			28262	100.00		

Those marriages in which the denomination of the parties married were not given are omitted in this Table.

TABLE 9—*Continued.*
 Marriages by Denominations, with Percentage and Proportion to the Whole.

DENOMINATIONS.	1884.			1885.			Total Number of persons Married.	Per cent. of the whole.
	Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.	Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		
Methodists	10211	37.80	1 in every 2.64	10054	37.02	1 in every 2.70	48815	36.16
Presbyterians	5496	20.41	1 " 4.92	5267	19.38	1 " 5.15	27069	20.05
Episcopalians	4637	17.22	1 " 5.82	4657	17.15	1 " 5.83	23827	17.50
Roman Catholics	3890	14.40	1 " 6.94	4132	15.21	1 " 6.57	19256	14.26
Baptists	1291	4.74	1 " 20.92	1482	5.45	1 " 18.32	7208	5.34
Lutherans	504	1.84	1 " 53.59	534	1.96	1 " 50.86	2683	2.00
Congregationalists	294	1.08	1 " 91.87	237	.87	1 " 114.64	1305	1.00
Evangelical Association	170	.62	1 " 158.82	181	.66	1 " 150.77	682	.50
Mennonites	148	.54	1 " 182.5	138	.57	1 " 196.81	728	.53
Bible Christians	*	1640	1.21
Quakers	13	.04	1 " 2077.68	11	.04	1 " 2469.45	75	.05
Other Denominations	356	1.31	1 " 75.87	461	1.69	1 " 58.92	1898	1.40
Total	27010	100.00		27154	100.00		134986	100.00

*Bible Christians united with the Methodists.

TABLE 10.

Marriages by Months in numerical order, for five years

1881.		1882.		1883.		1884.		1885.	
December	1593	December	1573	December	1614	December	1543	December	1736
October	1314	October	1340	October	1547	October	1437	October	1330
November	1250	November	1330	January	1519	January	1271	September	1297
September	1180	January	1232	November	1263	November	1256	November	1252
March	1169	September	1202	March	1167	September	1147	January	1246
January	1165	March	1164	September	1139	February	1124	March	1114
February	1023	February	1158	April	1130	April	1109	February	1105
June	1010	April	1004	February	1044	March	1090	June	1065
April	918	May	921	June	1018	June	1066	April	1043
May	902	June	880	May	1014	July	961	July	941
August	801	July	834	July	942	May	855	May	768
July	724	August	753	August	821	August	735	August	746
No date given		No date given	58	No date given	59	No date given	52	No date given	32
Total	13049	Total	13449	Total	14277	Total	13646	Total	13675

The average number of marriages per annum for five years, was.

"	quarter	13630
"	month	3407
"	week	1135
"	day	262
"		37

TABLE 11.—Marriages by Ages for Five Years.

QUINQUENNIAL PERIODS OF LIFE.	1881.		1882.		1883.		1884.		1885.		Total No. of Marriages, 68,153.			
	Whole No. of Marriages, 13,106		Whole No. of Marriages, 13,449		Whole No. of Marriages, 14,277		Whole No. of Marriages, 13,646		Whole No. of Marriages, 13,675		Males	Per Cent. of whole.	Females	Per Cent. of whole.
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females				
Under 20 years.....	162	2793	175	2808	175	2841	141	2657	144	2542	797	1.17	13641	20.02
From 20 to 25 years.....	4859	6578	5072	6659	5341	7168	5125	6849	5007	6781	25404	37.29	34035	49.95
“ 25 to 30 “	4493	2272	4758	2516	4944	2599	4784	2580	4862	2765	23841	34.98	12732	18.68
“ 30 to 35 “	1738	652	1657	681	1869	771	1740	710	1752	746	8756	12.87	3560	5.24
“ 35 to 40 “	767	312	733	303	734	337	724	320	788	354	3746	5.49	1626	2.38
“ 40 to 45 “	374	186	381	174	429	212	381	189	410	178	1975	2.89	939	1.39
“ 45 to 50 “	241	108	207	96	240	117	247	109	229	106	1164	1.70	536	.79
“ 50 to 55 “	155	72	149	72	177	58	162	48	149	58	792	1.16	308	.45
“ 55 to 60 “	115	38	107	35	116	60	104	36	114	40	556	.82	209	.30
“ 60 to 65 “	74	29	77	22	87	22	66	23	70	19	374	.55	115	.16
“ 65 to 70 “	40	12	44	6	61	8	38	9	45	4	228	.33	39	.05
“ 70 to 75 “	31	5	26	7	31	5	22	4	14	2	124	.18	23	.03
“ 75 to 80 “	18	1	11	2	9	1	6	8	52	.07	4	.005
“ 80 and over	2	2	6	1	11	.02
Ages not given	37	48	50	68	64	78	100	112	82	80	333	.48	386	.56
Total	13106	13106	13449	13449	14277	14277	13646	13646	13675	13675	68153	68153

TABLE 12.

SHewing MARRIAGES of persons in advanced years and instances of disparity of age between Bridegroom and Bride.

COUNTIES.	BRIDEGROOM THE ELDER.						BRIDE THE ELDER.			
	Occupation of Bridegroom.	Age of Bride- groom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bride- groom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bride- groom.
Carleton	Printer	70	58	Northumberland and Durham	Farmer	72	61	Hastings	Farmer	35
Elgin	Mechanic	73	65	Peel	Gentleman	82	42			
Frontenac	Farmer	76	55	"	Gardener	70	63			
Grey	Laborer	79	61	Perth	Farmer	75	45			
Hastings	Gentleman	70	59	Renfrew	"	80	60			
Huron	"	74	61	Stormont, Dundas and Glengarry	"	75	55			
Kent	Pedlar	70	25	Waterloo	Cooper	71	70			
Lincoln	Civil Service	70	43	Welland	Labourer	73	60			
Middlesex	Farmer	70	51	Wentworth	Gentleman	79	65			
"	Grocer	70	52	"	Knitter	70	65			
"	Mechanic	73	35	"	Builder	80	34			
Northumberland and Durham	Farmer	77	48							

DEATHS.




TABLE 13.—Shewing the Death Rate per 1,000 of population, in each County of the Province, for five years ; also average for that time.

COUNTIES.	1881.	1882.	1883.	1884.	1885.	Average for the five years.
Algoma	5.9	6.7	6.7	9.5	14.02	8.56
Brant	12.9	10.4	11.3	11.4	12.5	11.7
Bruce	8.5	8.1	7.4	7.3	7.5	7.7
Carleton	17.9	23.6	23.0	19.8	19.5	20.7
Dufferin	8.4	9.1	8.4	9.1	8.6	8.7
Elgin	9.3	7.5	7.7	8.2	8.7	8.2
Essex	18.8	14.5	12.6	14.4	14.04	14.8
Frontenac	14.2	14.8	15.8	12.9	13.1	14.1
Grey	6.9	8.3	6.4	7.0	7.6	7.2
Haldimand	12.4	9.2	7.5	8.7	9.4	9.4
Halton	12.5	11.7	9.4	10.9	10.8	11.06
Hastings	11.5	10.6	10.4	13.0	11.3	11.3
Huron	10.0	8.9	8.2	8.0	7.9	8.6
Kent	10.6	10.0	9.2	9.9	9.7	9.8
Lambton	10.4	8.2	8.1	10.4	9.2	9.2
Lanark	8.1	7.2	7.5	9.4	9.0	8.2
Leeds and Grenville	11.4	10.7	9.4	9.1	11.6	10.4
Lennox and Addington	10.7	10.0	9.8	8.7	8.5	9.5
Lincoln	14.3	12.6	12.7	13.8	13.02	13.2
Middlesex	16.2	11.8	10.4	12.2	11.6	12.4
Muskoka and Parry Sound	8.5	10.5	9.4	8.6	11.9	9.7
Norfolk	11.7	10.2	8.8	9.2	8.8	9.7
Northumberland and Durham	9.7	9.0	8.9	9.5	11.06	9.4
Ontario	11.9	10.2	11.8	11.1	10.2	11.04
Oxford	11.3	12.0	11.2	10.3	9.4	10.8
Peel	10.7	12.8	10.0	11.5	9.7	10.9
Perth	10.5	9.5	8.2	7.7	8.1	8.8
Peterboro'	11.4	10.4	11.8	10.9	10.9	11.08
Prescott and Russell	9.9	11.4	10.2	11.1	16.7	11.8
Prince Edward	12.3	16.5	11.9	13.7	12.8	13.4
Renfrew	8.4	8.1	7.9	8.3	9.2	8.3
Simcoe	8.3	8.3	8.1	8.5	8.02	8.2
Stormont, Dundas and Glengarry	9.5	8.2	7.2	8.8	9.2	8.5
Victoria	8.9	9.5	10.3	10.4	8.4	9.5
Waterloo	13.9	13.5	11.5	10.9	10.9	12.1
Welland	12.8	12.1	10.0	10.4	11.8	11.4
Wellington	12.0	10.9	10.8	10.8	9.7	10.8
Wentworth	17.1	15.9	18.1	17.0	16.3	16.8
York	16.4	16.1	17.8	18.1	19.5	17.5
Total	11.8	11.3	10.9	11.2	11.4	11.3

Death Rate to 1,000 of population, during the last five years in the eleven Cities.

CITIES.	1881.	1882.	1883.	1884.	1885.	Average for the five years.
Toronto	19.5	20.0	21.3	20.4	21.4	20.5
Hamilton	18.0	17.7	20.9	18.4	17.1	18.4
Ottawa	30.7	44.9	39.4	34.0	28.3	35.4
London	18.9	16.0	13.3	15.8	14.7	15.7
Kingston	20.0	22.2	25.1	17.5	18.0	20.5
Brantford	18.4	16.2	13.5	12.0	14.3	14.8
St. Thomas	11.8	9.8	8.4	8.4	10.3	9.7
Guelph	18.5	17.0	14.7	17.1	15.6	16.5
St. Catharines	20.2	16.2	16.5	19.0	15.7	17.5
Belleville	17.7	18.0	16.8	20.0	18.0	18.2
Stratford	12.7	8.6	6.8	9.2	10.1	9.4
Total	19.9	21.3	20.2	19.7	19.2	20.0

TABLE 14.

Quarterly Return of Deaths in 1885.

QUARTERS.	Males.	Females.	Total.	Per Cent. of the Whole.
Quarter ending March 31st.....	3161	2994	6155	27.9
“ June 30th.....	2765	2641	5406	24.5
“ September 30th.....	2839	2514	5353	24.2
“ December 31st	2685	2506	5191	23.4
Totals	11450	10655	22105	100.0

Monthly Return of Deaths, arranged according to numbers.

MONTHS.	Males.	MONTHS.	Females.	MONTHS.	Totals.
March	1135	March	1129	March	2264
January.....	1025	April	972	February.....	1960
February.....	1001	February.....	959	April	1954
August.....	986	January.....	906	January.....	1931
April	982	May	889	August.....	1842
July	965	December	866	May	1825
May	936	August.....	856	July	1806
December	922	July	841	December	1788
October	909	October	839	October	1748
September	888	September	817	September	1705
November.....	854	November.....	801	November.....	1635
June	847	June	780	June	1627
Totals.....	11450		10655		22105

TABLE 15.

Deaths at different ages with percentage for five years from 1881 to 1885.

	1881.		1882.		1883.		1884.		1885.		Total in five years.	
	No. of Deaths.	Per cent. of the whole.	No. of Deaths.	Per cent. of the whole.	No. of Deaths.	Per cent. of the whole.	No. of Deaths.	Per cent. of the whole.	No. of Deaths.	Per cent. of the whole.	Total Deaths.	Per cent. of the whole.
Total under 1 year	5246	22.9	4874	22.3	4882	23.2	5242	24.1	4855	21.9	25099	22.9
“ from 1 to 5 years	3120	13.7	2952	13.6	2215	10.5	2157	9.9	2299	10.5	12743	11.6
Total under 5 years	8366	36.6	7826	35.9	7097	33.7	7399	34.0	7154	32.4	37842	34.5
Total from 5 to 10 years	1144	5.1	1150	5.2	825	3.9	806	3.7	951	4.3	4876	4.5
“ 10 “ 20 “	1499	6.5	1449	6.6	1377	6.5	1296	6.0	1336	6.0	6957	6.3
“ 20 “ 30 “	2027	8.9	1930	8.8	2105	10.0	2075	9.6	2203	9.9	10340	9.4
“ 30 “ 40 “	1451	6.3	1359	6.3	1519	7.2	1477	6.8	1605	7.3	7411	6.8
“ 40 “ 50 “	1302	5.7	1301	5.5	1249	5.9	1267	5.8	1375	6.2	6394	5.8
“ 50 “ 60 “	1278	5.6	1257	5.8	1283	6.1	1285	5.9	1358	6.1	6461	5.9
“ 60 “ 70 “	1549	6.8	1590	7.4	1557	7.4	1617	7.4	1701	7.7	8014	7.3
“ 70 “ 80 “	2059	9.1	1952	8.9	1903	9.1	2251	10.4	2176	9.8	10340	9.4
“ 80 “ 90 “	1269	5.6	1250	5.8	1254	6.0	1367	6.3	1371	6.4	6511	6.0
“ 90 “ 100 “ and over	265	1.1	273	1.2	223	1.1	266	1.4	287	1.3	1314	1.3
Age not given	613	2.7	563	2.6	657	3.1	596	2.7	588	2.6	3017	2.8
Totals	22821	100.0	21800	100.0	21049	100.0	21702	100.0	22105	100.0	109477	100.0

TABLE 16.

Shewing the average ages at death in 1885.

COUNTIES.	Including deaths under one year.						Deducting all who died under one year.					
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Deaths.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brant	192	40.8	222	39.9	414	40.5	143	54.5	193	45.7	336	49.4
Bruce	253	31.1	219	31.8	472	31.5	176	44.3	174	39.8	350	42.1
Carleton	645	24.5	604	22.4	1249	23.5	400	38.7	385	34.6	785	36.8
Dufferin	79	33.5	83	34.2	162	33.9	54	48.6	68	41.5	122	44.7
Elgin	174	40.3	177	34.1	351	37.1	139	50.1	139	42.2	278	47.0
Essex	341	24.1	295	20.7	636	22.6	235	34.6	216	28.1	451	31.4
Frontenac	267	36.0	263	33.2	530	34.6	226	42.4	226	38.4	452	40.4
Grey	279	35.1	245	31.3	524	33.3	217	44.8	197	38.7	414	42.8
Haldimand	113	36.5	105	35.0	218	36.6	93	46.3	89	41.0	182	43.7
Halton	105	32.7	116	39.3	221	38.9	80	50.1	97	46.8	177	48.2
Hastings	297	32.9	305	29.0	602	30.0	245	39.7	248	35.4	493	37.5
Huron	280	42.0	296	34.9	576	38.3	234	50.0	262	39.3	496	44.4
Kent	277	31.9	227	35.1	504	33.3	218	40.2	186	42.7	404	41.4
Lambton	247	33.7	215	27.7	462	30.4	198	40.6	176	33.8	374	37.4
Lanark	153	36.0	148	37.4	301	36.7	123	44.5	126	45.3	249	44.1
Leeds and Grenville ..	368	34.4	305	35.2	673	34.8	311	40.6	277	38.7	598	39.7
Lennox and Addington	111	38.7	96	38.5	207	38.5	95	45.0	86	42.8	181	44.7
Lincoln	197	29.1	191	35.5	388	32.2	148	38.4	157	43.0	305	40.8
Middlesex	537	37.6	506	36.5	1043	37.1	418	48.0	417	44.1	835	46.2
Norfolk	152	38.4	139	43.5	291	40.9	130	44.8	131	46.1	261	45.5
Northumberland and Durham	415	42.1	425	44.7	840	43.3	354	48.9	387	51.6	741	50.3
Ontario	244	34.1	234	33.3	478	33.7	193	42.9	190	40.8	383	41.9
Oxford	242	39.3	228	36.5	470	38.0	184	51.4	194	42.8	378	47.0
Peel	130	40.3	106	45.2	236	42.0	106	49.2	95	50.3	201	49.7
Perth	212	36.2	219	33.3	431	34.7	169	45.1	179	40.5	348	42.8
Peterborough	192	36.6	177	37.2	369	36.9	153	45.6	147	44.6	290	46.7
Prescott and Russell ..	303	20.1	324	16.8	627	18.4	218	27.4	252	22.3	470	24.1
Prince Edward	130	42.2	136	40.1	266	41.1	111	49.2	119	45.7	230	47.4
Renfrew	202	28.2	150	27.1	352	28.1	141	38.7	120	33.6	269	36.4
Simcoe	282	31.4	283	29.6	565	30.5	213	41.3	222	37.4	435	39.3
Stormont, Dundas and Glengarry	280	38.3	305	32.6	585	35.3	229	46.6	257	34.6	486	42.3
Victoria	161	37.5	116	27.1	277	33.1	124	48.4	85	36.7	209	43.6
Waterloo	229	36.0	240	36.0	469	36.1	166	49.4	187	46.1	353	47.6
Welland	187	39.1	190	38.6	377	38.8	152	47.8	162	45.1	314	46.4
Wellington	319	37.2	309	33.8	628	35.6	253	46.7	262	39.7	515	43.1
Wentworth	556	27.4	524	28.4	1080	27.9	396	38.1	391	37.7	787	37.9
York	1580	25.1	1332	26.7	2912	25.9	1044	37.6	921	38.2	1965	38.0
Totals	10731	32.7	10055	31.9	20786	32.3	8097	43.0	8020	39.8	16117	41.4

TABLE 17.

CITIES AND TOWNS.	Including deaths under one year.						Deducting all who died under one year.					
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brantford	81	29.5	94	36.3	175	33.2	51	46.7	79	43.1	130	44.5
Walkerton.....	17	20.4	5	49.6	22	27.4	11	31.0	4	61.7	15	38.8
Ottawa	490	22.01	437	21.3	927	21.6	288	36.8	258	35.3	546	36.2
St. Thomas	54	22.5	61	19.6	115	20.1	39	31.7	43	29.2	82	30.2
Windsor.....	54	25.09	48	17.3	102	21.5	35	37.8	30	27.9	65	33.5
Owen Sound	30	35.7	25	26.7	55	31.7	27	39.5	19	35.3	46	37.8
Kingston	147	29.2	125	30.5	272	29.8	126	34.7	106	37.0	232	35.8
Goderich	27	42.4	18	46.6	45	44.5	25	47.6	16	50.6	43	48.8
Belleville	91	26.1	93	30.2	184	28.1	66	35.7	72	40.1	138	37.9
Chatham	60	29.1	53	30.1	113	29.6	53	32.8	43	36.9	96	34.6
Sarnia	29	26.6	17	29.8	46	28.1	28	28.6	12	40.7	38	32.4
Perth.....	28	18.3	34	33.6	62	26.7	19	26.5	28	40.6	47	34.9
Brockville	79	21.3	64	35.5	143	26.1	60	27.1	58	37.3	120	32.8
Napanee	23	26.2	33	29.7	56	28.2	16	37.2	25	38.1	41	38.2
St. Catharines	81	28.6	75	34.3	156	31.3	62	37.9	62	41.9	124	39.9
London.....	194	29.2	192	33.4	386	31.3	130	42.4	144	42.5	285	42.4
Cobourg	17	45.1	21	40.3	38	42.4	17	45.1	18	46.8	35	46.2
Whitby.....	20	38.9	22	42.	42	40.5	14	55.1	19	48.4	33	51.3
Woodstock	23	42.9	35	29.3	58	34.6	20	49.2	31	32.8	51	39.2
Brampton	38	38.1	28	41.5	66	39.6	28	52.3	23	50.3	51	51.4
Stratford	46	29.5	43	22.2	89	26.07	33	41.1	28	34.5	61	38.1
Peterborough	51	33.9	51	35.7	102	34.8	40	43.2	43	42.1	83	42.6
Picton.....	25	44.9	32	20.9	57	31.1	20	55.9	28	23.1	48	36.7
Penbroke	34	23.2	12	16.9	46	21.5	22	35.3	7	28.2	29	33.6
Barrie.....	31	27.9	28	35.4	59	31.5	19	45.0	23	42.9	42	43.8
Cornwall	39	27.3	40	29.5	79	28.4	28	37.6	33	35.5	61	36.5
Lindsay	38	37.6	34	25.5	72	31.9	29	49.0	22	38.9	51	44.6
Berlin	32	40.1	21	38.04	53	39.3	21	60.6	19	41.9	40	51.7
Guelph	88	32.5	71	30.6	159	31.4	67	42.0	53	40.7	120	41.4
Hamilton	359	21.8	325	29.4	684	25.4	236	32.7	223	42.7	459	37.5
Toronto	1311	23.1	1082	25.0	2393	24.1	832	36.2	714	36.8	1520	36.5
Total	3637	25.5	3219	27.6	6856	26.5	2465	37.5	2315	38.3	4780	37.9

TABLE 18.
Nationalities of Decedents over Sixty Years of Age.

	English.	Irish.	Scottish.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Unknown.	Total.
Deaths between 60 and 70 years	380	476	251	424	65	75	21	3	4	2	1701
“ 70 “ 80 “ ..	435	676	380	441	128	85	22	1	6	2	2176
“ 80 “ 90 “ ..	254	451	267	207	101	65	9	2	10	5	1371
“ 90 “ 100 “ ..	36	84	52	40	24	16	1	4	3	4	264
“ at 100 years and upwards	2	11	5	1	3	1	23
Total Deaths over 60 years	1107	1698	955	1113	321	241	54	10	23	13	5535

TABLE 19.

List of Cent-narians, 1885.

No.	Name.	Sex.	Occupation.	Where Born.	Age at Death.	Where Died.	Cause of Death.
1	Sarah McGinnis	F.	Labourer's wife	Scotland	100	S. Dumfries, Brant County	Old age.
2	John Whittington	M.	Labourer	Indiana, U.S.	112	Brantford, Brant "	"
3	Moses Gambell	M.	Tailor	Ireland	100	N. Gower, Carleton "	"
4	Jane Walsh	F.	Farmer's wife	"	101	Artemesia, Grey "	"
5	John Gimley	M.	Farmer	England	101	Saravak, "	"
6	John McInnis	"	"	Scotland	104	Owen Sound, "	"
7	John Wolfe	"	"	Ireland	104	Marmora, Hastings "	"
8	Joseph Dezelch	"	Carpenter	Canada	101	Chatham, Kent "	"
9	John Kennedy	"	Labourer	Ireland	100	"	"
10	John Good	"	Farmer	"	112	Angusta, Leeds & Grenville Co.	"
11	Elizabeth L. McGrath	F.	Farmer's wife	"	102	Camden, "	"
12	Anne Steel	"	"	"	102	Niagara Town, Lincoln County	"
13	Caroline Logan (color'd)	"	Widow	Kentucky, U.S.	103	London, Middlesex "	A poplexy.
14	Andrew Menealy	M.	Farmer	Ireland	100	Adelaide, "	Old age.
15	Simon Little	"	"	"	104	Manvers, Northumberland and Durham Co.	"
16	Charlotte Chatfield	F.	Pauper	England	102	Blenheim, Oxford County	"
17	Peter Meiek	M.	Farmer	Ireland	104	Stafford, Renfrew "	"
18	Paulette Bressette	"	Mechanic	France	103	Tay, Simcoe "	"
19	Mary McPhee	F.	"	Scotland	100	Oro, "	"
20	Angus Sutherland	M.	Farmer	"	103	N. Gwillimbury, Simcoe Co	"
21	Hugh McDonald	"	"	"	100	Mariposa, Victoria County	"
22	George Cook	"	"	Ireland	103	Beverly, Wentworth "	"
23	Melinda Smith (color'd)	F.	"	United States	101	Barton, "	"

TABLE 20.—Shewing the Population and Deaths in each County ; also

COUNTIES.	Population by Census.	Total No. of Deaths.	Ratio to Population.	PHTHISIS.		OLD AGE.		ANEMIA.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Algoma	20320	285	14.0	18	.9	5	.2	32	1.5
Brant	33869	426	12.5	44	1.3	54	1.6	24	.6
Bruce	64774	489	7.5	42	1.6	57	.8	69	1.0
Carleton	64103	1256	19.6	103	1.6	76	1.1	188	2.9
Dufferin	20536	177	8.6	12	5.8	26	1.2	19	.9
Elgin	42361	371	8.7	36	.8	37	.8	19	.4
Essex	46559	654	14.0	49	1.0	47	1.0	64	1.3
Frontenac	42555	559	13.1	57	1.3	54	1.2	39	.9
Grey	70528	542	7.7	50	.7	60	.8	44	.6
Haldimand	24991	236	9.4	30	1.2	24	1.0	12	.5
Halton	21919	238	10.8	18	.8	20	.9	8	.3
Hastings	55192	626	11.3	93	1.3	58	1.0	24	.4
Huron	76525	611	8.0	69	.9	70	.8	18	.2
Kent	54335	531	9.8	63	1.1	41	.7	29	.5
Lambton	52034	479	9.0	60	1.1	34	.6	25	.4
Lanark	33975	306	9.0	37	1.0	42	1.2	19	.5
Leeds and Grenville	60164	701	11.6	100	1.6	74	1.2	38	.6
Lennox and Addington	26484	225	8.6	31	1.1	36	1.3	9	.3
Lincoln	31563	411	13.0	34	1.0	39	1.3	20	.6
Middlesex	93081	1085	11.6	134	1.4	112	1.2	53	.5
Muskoka and Parry Sound	27204	325	11.9	19	.7	22	.7	32	1.1
Norfolk	33527	297	8.8	35	1.0	34	1.0	9	.2
Northumberland and Durham	77390	856	11.0	136	1.7	118	1.5	33	1.0
Ontario	48812	502	10.2	56	1.1	54	1.1	31	.7
Oxford	50159	472	9.4	42	.8	53	1.5	12	.2
Peel	26175	255	9.7	26	1.0	37	1.4	9	.3
Perth	53686	440	8.1	48	.9	45	.8	32	.6
Peterborough	34648	381	11.0	41	1.2	39	1.1	25	.7
Prescott and Russell	38022	636	16.7	56	1.4	42	1.1	130	3.4
Prince Edward	21045	271	12.8	39	1.8	42	2.0	13	.6
Renfrew	40246	373	9.2	31	.7	31	.7	48	1.1
Simcoe	74903	601	8.0	61	.8	57	.7	47	.6
Stormont, Dundas and Glengarry	66017	610	9.2	97	1.4	83	1.2	31	.4
Victoria	35163	296	8.4	40	1.1	26	.7	16	.4
Waterloo	42735	469	11.0	44	1.0	48	1.1	21	.5
Welland	31771	377	11.8	41	1.3	37	1.2	8	.2
Wellington	66189	645	9.7	63	.9	83	1.2	44	.6
Wentworth	66952	1097	16.3	111	1.6	90	1.3	64	.9
York	153098	2993	19.5	247	1.6	166	1.08	239	1.5
Totals	1923610	22105	11.4	2313	1.2	2073	1.07	1597	.83

the ten highest Causes of Death, with their ratio to Population in 1885.

PNEUMONIA.		DIPHTHERIA.		HEART DISEASE.		CONVULSIONS.		PARALYSIS.		BRONCHITIS.		ENTERITIS.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
13	.6	25	1.2	4	.2	9	.4	1	.04	8	.4	9	.4
26	.7	9	.2	23	.7	12	.3	9	.12	10	.3	12	.3
46	.7	3	.04	14	.2	20	.3	7	.1	11	.1	8	.1
56	.8	44	.7	49	.7	20	.3	34	.5	44	.7	25	.4
15	.7	1	.04	6	.3	4	.2	3	.1				
26	.6	15	.3	17	.4	13	.3	10	.2	3	.07	12	.3
49	1.0	94	2.0	14	.3	24	.5	16	.3	6	.1	14	.3
23	.5	13	.3	35	.8	7	.1	23	.5	15	.3	10	.2
30	.4			33	.4	11	.1	13	.2	16	.2	8	.1
16	.6	8	.3	8	.3	8	.3	6	.2	7	.2	2	.08
22	1.0	3	.1	13	1.3	6	.3	9	.4	7	.3	4	.2
24	.4	37	.6	21	.4	15	.3	10	.2	12	.2	19	.3
52	.7	4	.4	37	.5	9	.1	32	.4	14	.2	16	.2
39	.7	29	.5	31	.5	6	.1	5	.9	17	.3	13	.2
32	.6	18	.3	24	.4	12	.2	15	.3	2	.04	15	.3
26	.7	8	.2	21	.4			5	.1	9	.2	6	.2
41	.6	59	1.0	33	1.0	7	.1	17	.3	3	.05	11	.2
8	.3	7	.2	6	.2	2	.7	9	.3	3	.1	4	.1
33	1.0	6	.2	11	.3	8	.2	10	.3	20	.6	7	.2
69	.7	24	.2	54	.5	25	.2	29	.3	27	.3	36	.4
16	.6	12	.4	11	.3	21	.7	6	.2	7	.2	10	.4
26	.8	6	.1	10	.3	5	.1	14	.4	1	.03	2	.06
42	.5	12	.1	31	.4	18	.2	19	.2	12	.1	21	.2
48	1.0	11	.2	23	.5	9	.1	13	.3	8	.2	13	.2
58	1.1	24	.4	20	.4	16	.3	13	.2	9	.2	14	.3
8	.3	8	.2	8	.3	5	.2	8	.3	10	.3	2	.07
33	.6	9	.2	18	.3	12	.7	8	.1	19	.3	15	.3
15	.4	7	.2	19	.5	10	.3	8	.2	8	.2	14	.4
14	.3	134	3.5	9	.2	6	.1	5	.1	11	.3	6	.1
15	.7	6	.3	13	.6	3	.1	8	.4	1	.05	7	.3
16	.4	23	.5	15	.4	4	.1	8	.2	8	.2	8	.2
24	.3	51	.7	33	.4	34	.4	7	.1	19	.2	10	.1
20	.3	49	.7	22	.3	9	.1	14	.2	19	.3	8	.1
19	.5	16	.4	17	.4	3	.1	9	.2	8	.2	15	.4
32	.7	4	.09	22	.5	17	.4	19	.4	11	.2	10	.2
19	.6	10	.3	14	.4	14	.4	23	.7	4	.1	5	.1
39	.6	22	.3	27	.4	15	.2	17	.2	9	.1	23	.3
58	.8	89	1.3	64	.9	30	.4	20	.3	24	.3	23	.3
200	1.3	106	.6	122	.8	100	.6	65	.4	79	.5	48	.3
1348	.70	1006	.52	952	.49	549	.28	547	.28	501	.26	485	.25

TABLE XXI.—

CITIES.	Population according to Assessors' returns for 1885.	Total number of Deaths.	Ratio to 1000 of the population.	ANÆMIA.		PHTHISIS.		PNEUMONIA.	
				Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.
Toronto	111800	2393	21.4	188	1.6	193	1.7	162	1.4
Hamilton	39985	684	17.1	49	1.2	56	1.4	35	.8
Ottawa	32857	927	28.3	157	4.7	66	2.0	38	1.1
London	26254	386	14.7	19	.7	52	1.9	24	.9
Kingston	15109	272	18.0	16	1.0	29	1.9	11	.7
Brantford	12167	175	14.3	19	1.5	18	1.4	7	.5
St. Thomas	11157	115	10.3	8	.7	7	.6	11	.9
Guelph	10134	159	15.6	15	1.4	14	1.3	7	.6
St. Catharines	9882	156	15.7	8	.8	12	1.2	12	1.2
Belleville	10171	184	18.0	10	.9	30	2.9	5	.4
Stratford	8764	89	10.1	19	2.1	6	.6	4	.4
Total	288280	5540	19.2	508	1.7	483	1.6	316	1.0

TABLE XXII.—

PRINCIPAL TOWNS.	Population by Census.	Total Number of Deaths.	Ratio per 1000 of population.	PHTHISIS.		OLD AGE.		ANÆMIA.	
				Number.	Ratio per 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.
Walkerton	2604	22	8.4	2	.7	3	1.1	3	1.1
Windsor	6561	102	15.5	6	.9	8	1.2	15	2.2
Owen Sound	4426	55	12.4	6	1.3	4	.9	3	.6
Goderich	4564	45	9.8	4	.8	8	1.7	2	.4
Chatham	7873	113	14.3	14	1.7	9	1.1	1	.12
Sarnia	3874	46	11.8	5	1.2	2	.5	3	.7
Perth	2467	62	25.1	8	3.2	5	2.0	4	1.6
Brockville	7609	143	18.7	16	2.1	11	1.4	10	1.3
Napanee	3680	56	15.2	10	2.7	6	1.6	3	.8
Cobourg	4957	38	7.6	5	1.0	3	.6		
Whitby	3140	42	13.3	7	2.2	5	1.5	8	2.5
Woodstock	5373	58	10.7	1	.1	9	1.6	1	.1
Brampton	2920	66	22.6	6	2.0	8	2.0	3	1.0
Berlin	4054	52	12.8	3	.7	14	3.4	4	.9
Peterborough	6812	102	14.9	16	2.3	5	.7	2	.2
Pictou	2975	57	29.1	8	2.7	8	2.7	3	1.0
Pembroke	2820	46	16.3	4	1.4	2	.8	1	.3
Barrie	4854	59	12.1	6	1.2	3	.6	5	1.0
Cornwall	4468	79	17.6	11	2.4	6	1.3	4	.9
Lindsay	5080	72	14.1	10	1.9	4	.7	4	.7
Total	91111	1315	14.4	148	1.6	123	1.3	79	.8

CITIES.

OLD AGE.		HEART DISEASE.		DIPHTHERIA.		DIARRHŒA.		BRONCHITIS.		CONVULSIONS.		CANCER.	
Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.	Number.	Ratio to 1000 of the population.
103	.9	98	.8	86	.7	86	.7	70	.6	77	.8	49	.4
42	1.0	36	.8	59	1.4	23	.5	19	.4	20	.5	26	.6
47	1.4	37	1.1	34	1.0	59	1.8	29	.8	17	.5	13	.3
27	1.0	16	.6	11	.3	17	.6	16	.6	15	.5	8	.3
12	.7	16	1.0	4	.2	3	.1	10	.6	5	.3	12	.7
20	1.6	7	.5	4	.3	7	.5	2	.1	7	.5	3	.3
3	.2	3	.2	10	.8	7	1	.01	6	.5	3	.2
14	1.3	6	.5	8	.7	2	.1	1	.1	2	.1	6	.5
14	1.4	4	.4	3	.3	9	.9	5	.5	3	.3
12	1.1	9	.8	3	.2	4	.3	4	.4	5	.4	2	.1
7	.7	4	.4	2	.2	0	.0	1	.1	2	.2
301	1.0	236	.8	224	.7	201	.6	161	.5	160	.5	127	.4

PRINCIPAL TOWNS.

PNEUMONIA.		HEART DISEASE.		DIPHTHERIA.		TYPHOID FEVER.		PARALYSIS.		DIARRHŒA.		BRONCHITIS.	
Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.	Number.	Ratio to 1000 of population.
.....	1	.3	2	.7	1	.3
4	.6	3	.4	4	.6	6	.9	1	.1	2	.3	1	.1
2	.4	8	1.8	4	.9	2	.4
2	.4	1	.2	2	.4	2	.4	1	.2
7	.8	6	.7	14	1.7	6	.7	4	.5	3	.3	5	.6
2	.5	2	.5	9	2.3	3	.7	2	.5
10	4.0	5	1.9	1	.4	4	1.6	2	.8	3	1.2
10	1.3	10	1.3	17	2.8	5	.6	6	.7	4	.5
5	1.3	3	.8	2	.5	2	.5
1	.2	3	.6	1	.2	1	.2	2	.4	2	.4
2	.6	1	.3	3	.9
8	1.4	1	.1	3	.5	2	.3	2	.3	1	.1	2	.3
5	1.7	3	1.0	1	.3	5	1.7	1	.3	4	1.3
2	.4	1	.2	1	.2	4	.9
3	.4	7	1.0	6	.8	5	.7	4	.5
2	.6	5	1.6	1	.3	2	.6	1	.3
4	1.4	3	1.0	3	1.0	1	.3	1	.3	4	1.4	5	1.7
1	.2	3	.6	4	.8	3	.6	2	.4	4	.8	4	.8
2	.4	3	.6	4	.9	3	.6	1	.2	1	.2	2	.4
4	.7	2	.3	1	.1	4	.7	1	.1	1	.1
76	.8	69	.7	65	.7	49	.5	41	.4	37	.4	35	.3

TABLE XXIII.

DEATHS BY OCCUPATIONS.

Over the Average Age, - - - - - 56.4 years.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Undertakers	3	72.3 yrs.	Gardeners	29	62.2 yrs.
Brewers and Distillers	6	70.3 "	Volunteers, Soldiers and Pensioners	46	61.8 "
Gentlemen	238	69.3 "	Weavers	35	61.8 "
Millwrights	7	66.9 "	Dentists	2	61.0 "
Provincial Land Surveyors.....	6	65.1 "	Physicians	32	59.7 "
Coopers	29	64.8 "	Public Officials	108	58.7 "
Clergymen	25	64.3 "	Shoemakers	77	57.7 "
Contractors and Builders.....	26	63.4 "	Masons	44	57.5 "
Farmers	2644	62.4 "	Millers	26	57.0 "

UNDER the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Tailors	54	55.3 yrs.	Teamsters.....	30	47.7 yrs.
Blacksmiths.....	69	55.3 "	Sailors	26	47.1 "
Carpenters	155	55.1 "	Artists	15	46.8 "
Cooks	3	55.0 "	Painters.....	44	46.7 "
Butchers	40	54.9 "	Agents	40	46.2 "
Plasterers	11	54.9 "	Lawyers	23	45.1 "
Pedlars	9	54.4 "	Lumbermen.....	19	44.3 "
Merchants.....	169	53.6 "	Editors	4	44.2 "
Bankers	12	52.4 "	Musicians	10	43.4 "
Hunters and Fishermen	12	51.7 "	Machinists	39	41.8 "
Labourers	866	51.4 "	Seamstresses.....	36	41.7 "
Tanners and Curriers	8	51.1 "	Railway Employees.....	55	41.2 "
Other Mechanics	61	51.0 "	Printers	17	40.1 "
Manufacturers.....	45	50.6 "	Tinsmiths.....	14	39.1 "
Miners.....	2	49.9 "	Watchmakers and Jewellers...	9	38.7 "
Saddlers and Harness-makers...	8	49.7 "	Barbers	10	38.7 "
Teachers (Male)	39	49.6 "	Servants	66	37.3 "
Tavern-keepers	61	49.4 "	Teachers (Female)	29	36.5 "
Cabinet-makers.....	22	48.9 "	Moulders.....	12	36.4 "
Bakers and Confectioners	20	48.8 "	Book-keepers and Clerks.....	120	35.1 "
Bricklayers.....	13	48.6 "	Chemists and Druggists.....	14	33.5 "
Stonecutters.....	21	48.6 "	Tobacconists and Cigarmakers.	9	33.3 "
Brickmakers	7	48.5 "	Milliners and Dress-makers....	39	32.8 "
Carriage and Waggon-makers...	35	48.2 "	Telegraph Operators.....	20	24.1 "
Engineers	37	47.8 "	Students	21	23.3 "

TABLE XXIV.

A STATISTICAL CLASSIFICATION of the number of Deaths of persons whose Occupations were specified, giving the Number, Aggregate and Average Age.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASSES AND OCCUPATIONS.			
I. CULTIVATORS OF THE SOIL.....	2673	166865 years.	62.4 years.
II. MECHANICS	936	49720 "	53.1 "
III. LABOURERS	905	46511 "	51.3 "
IV. MERCHANTS, FINANCIERS, ETC.....	500	22838 "	45.6 "
V. PROFESSIONAL MEN.....	589	33887 "	57.5 "
VI. OTHER EMPLOYMENTS	139	6960 "	50.0 "
VII. FEMALES AT WORK	141	5252 "	37.2 "
Total	5883	332033 "	56.4 "
CLASS I.—CULTIVATORS OF THE SOIL.			
Farmers.....	2644	165059 years.	62.4 years.
Gardeners.....	29	1806 "	62.2 "
Total Class I.....	2673	166865 "	62.4 "
CLASS II.—MECHANICS.			
Blacksmiths	69	3833 years.	55.3 years.
Brickmakers	7	340 "	48.5 "
Brewers and Distillers	6	422 "	70.3 "
Bricklayers.....	13	632 "	48.6 "
Barbers	10	387 "	38.7 "
Butchers	40	2199 "	54.9 "
Bakers and Confectioners	20	977 "	48.8 "
Carpenters	155	8541 "	55.1 "
Cabinetmakers.....	22	1076 "	48.9 "
Carriage and Wagonmakers.....	35	1688 "	48.2 "
Coopers	29	1881 "	64.8 "
Cooks	3	165 "	55.0 "
Contractors and Builders.....	26	1649 "	63.4 "
Masons	44	2533 "	57.5 "
Machinists	39	1634 "	41.8 "
Moulders.....	12	437 "	36.4 "
Millers	26	1462 "	57.0 "
Millwrights	7	469 "	66.9 "
Miners	2	99 "	49.9 "
Other Mechanics	61	3133 "	51.0 "
Painters.....	44	2057 "	46.7 "
Printers	17	683 "	40.1 "
Plasterers	11	604 "	54.9 "
Stonecutters	21	1022 "	48.6 "
Shoemakers	77	4442 "	57.7 "
Saddlers and Harnessmakers.....	8	398 "	49.7 "
Tinsmiths	14	548 "	39.1 "
Tobacconists.....	9	300 "	33.3 "
Tailors	54	2988 "	55.3 "
Tanners and Curriers	8	409 "	51.1 "
Undertakers.....	3	217 "	72.3 "
Watchmakers and Jewellers.....	9	349 "	38.7 "
Weavers	35	2166 "	61.8 "
Total Class II.....	936	49720 "	53.1 "

TABLE XXIV.—Continued.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASS III.—LABOURERS.			
Labourers	866	44589 years.	51.4 years.
Pedlars	9	490 "	54.4 "
Teamsters	30	1432 "	47.7 "
Total Class III.	905	46511 "	51.3 "
CLASS IV.—MERCHANTS, ETC.			
Agents	40	1847 years.	46.2 years.
Book-keepers, Salesmen and Clerks.	120	4212 "	35.1 "
Bankers	12	629 "	52.4 "
Chemists and Druggists.	14	469 "	33.5 "
Manufacturers.	45	2280 "	50.6 "
Merchants	169	9063 "	53.6 "
Tavern-keepers	61	3014 "	49.4 "
Telegraph Operators	20	482 "	24.1 "
Lumbermen	19	842 "	44.3 "
Total Class IV.	500	22833 "	45.6 "
CLASS V.—PROFESSIONAL MEN.			
Artists	15	703 years.	46.8 years.
Clergymen	25	1609 "	64.3 "
Dentists	2	122 "	61.0 "
Engineers	37	1769 "	47.8 "
Editors.	4	177 "	44.2 "
Lawyers	23	1038 "	45.1 "
Musicians	10	434 "	43.4 "
Physicians.	32	1912 "	59.7 "
Public Officials	108	6347 "	58.7 "
Provincial Land Surveyors	6	391 "	65.1 "
Teachers, Male.	39	1937 "	49.6 "
" Female	29	1061 "	36.5 "
Gentlemen	238	15897 "	69.3 "
Students	21	490 "	23.3 "
Total Class V.	589	33887 "	57.5 "
CLASS VI.—OTHER EMPLOYMENTS.			
Hunters and Fishermen.	12	621 years.	51.7 years.
Railroad Employees	55	2268 "	41.2 "
Sailors	26	1225 "	47.1 "
Volunteers, Soldiers and Pensioners.	46	2846 "	61.8 "
Total Class VI.	139	33887 "	57.5 "
CLASS VII.—FEMALES AT WORK.			
Domestic Servants.	66	2466 years.	37.3 years.
Milliners and Dressmakers	39	1282 "	32.8 "
Seamstresses.	36	1504 "	41.7 "
Total Class VII.	141	5252 "	37.2 "

REMARKS ON THE PRECEDING TABLES OF DEATHS.

NUMBER AND RATIO.

(See Tables 1, 2, 3, 12 and 13.)

The total deaths registered in 1885 numbered 22,105, an increase of 403, or .2 per 1,000 living.

The death rate for the whole Province was 11.4 per 1,000. In the different Counties the ratio of deaths to population did not vary to any great extent from that of 1884, the difference being less than one per 1,000 in some counties, and not more than two per 1,000 in the others, with the exceptions of the County of Prescott and Russell (united) and the Districts of Algoma and Muskoka and Parry Sound. In the former the ratio increased from 11.1 in 1884, to 16.7 per 1,000 in 1885, chiefly caused by an epidemic of diphtheria, and in the latter the ratio increased from 9.3 in 1884 to 12.8 in 1885, presumably on account of the ratios for these places having been calculated on somewhat imperfect data as to population, it being found difficult to obtain correct census in those newly settled portions of the Province. In the last five years the mean average ratio was 11.3 deaths per 1,000 living; the extremes were 11.8 in 1881 and 10.9 in 1883.

The total death rate for the eleven cities was 19.2 per 1,000—nearly the same as in 1884—and the variation in ratio in the different cities between 1884 and 1885 was the same as that in the counties, except in Ottawa, where the decrease was from 34 per 1,000 in 1884 to 28.3 in 1885. The average death rate for the last five years was 20 per 1,000; the extremes were 21.3 in 1882 and 19.2 in 1885. The highest average of any city during that period was in Ottawa, 35.4 per 1,000, and the lowest Stratford, 9.4 per 1,000; a difference of 26 per 1,000.

SEX.

(See Table 14.)

Of the total deaths registered, 11,450 were of males, and 10,655 of females, giving a male death rate of 11.7, and of females 11.2 per 1,000 living. The proportion of males to females was as 107 to 100 in the whole Province, while in the cities and towns it was as 113 to 100; It should, however, be borne in mind that the births of male children for 1885 exceeded those of females.

SEASONS.

(See Table 14.)

The bitter winds of March are fatal to those who have become enfeebled by the rigours of winter, and this to a great extent accounts for the high death rate in that month. The returns show that there were registered in March 2,264 deaths, or 10.2 per cent. of all the deaths in the year. In balmy June only 1,627, or 7 per cent. of all died. March and June have been for many years respectively the sickliest and healthiest months in the year. The first quarter of the year returned the greatest mortality, and the fourth the least.

AGES.

(See Table 15.)

The statistics given in this Table show that 4,855 children died in 1885 under one year, a decrease of 387, or 2 per cent. from 1884; 2,299 died between one and five years, 142 more than in 1884; altogether there were 7,154 deaths under five years, 32 per cent.

of all. In the last five years there were 109,477 deaths registered, of which 25,099 were of infants under one year; 12,743 between one and five years—a total of 37,842 deaths under five years, 34.5 per cent. of all.

In the remaining decennial periods of these five years, those between 20 and 30 years and between 70 and 80 returned more than the average mortality. The former may be considered the consumptive period and the later the senectal period.

In England.....	29.0	per cent.	died under one year.
Do	40.0	"	" five years.
In Ireland	12.0	"	" one year.
Do	21.3	"	" five years.
In Connecticut, U.S.....	19.4	"	" one year.
Do	29.0	"	" five years.
In Massachusetts, U.S.	20.0	"	" one year.
Do	31.4	"	" five years.
In New Hampshire, U.S.....	20.0	"	" one year.
Do	23.5	"	" five years.
In Rhode Island, U.S.....	20.1	"	" one year.
Do	32.3	"	" five years.
In Ontario	21.0	"	" one year.
Do	32.0	"	" five years.

AVERAGE AGE.

(See Tables 16 and 17.)

The average duration of life in this Province was, in 1885, 32.3 years—of males 32.7 and of females 31.9 years—a slightly less average than in former years. Deducting all who died under one year, the length of life becomes much larger, the average then became 41.4 years—for males, 43.0 years and for females 39.8 years.

In the cities and towns life was much shorter (*see Table 17*), which shows that the average age at death in those places was only 26.5 years. The males did not live as long as the females, the proportion being as 25.5 to 27.6 years. When those who died under one year were deducted the proportion was 37.5 years for the males to 38.3 years for the females.

NATIONALITIES OF DECEDENTS OVER SIXTY YEARS.

(See Table 18.)

Of the 5,535 persons who died when over 60 years or age, the Irish predominated; they numbered 1,698; Canadians were next with 1,113, closely followed by the English with 1,107; the Scotch next with 955. The Irish being more numerous than the natives of other countries living in Ontario, accounts for there being more deaths amongst them over 60 years of age.

CENTENARIANS.

(See Table 19.)

Amongst the deaths registered were 23 reputed centenarians, of whom 15 were males and eight females. Of these 23 persons 10 were stated to have been 100 or 101 years old, but three claimed to have been 102, four to have reached 103, four to have reached 104, and two men to be no less than 112 years old at the time of their death.

The number of those who claimed to be centenarians varied considerably during the last five years. In 1881 only 22 were reported, in 1882, 26, in 1883 the number increased to 35, in 1884 the number fell to 26, and in 1885 to 23. The remarks made by the Registrar-General of England in his report for 1884 on these deaths are applicable

to this Province, and were as follows: "As education becomes more generally diffused there is an increasing unwillingness to accept statements of marvellous longevity without substantial evidence."

CLASSIFIED CAUSES OF DEATH.

(See Table E—Appendix.)

The five classes into which the various deaths have been divided and adopted by the Provincial Board of Health are fully explained on Diagram 2. As the different classes include the same diseases every year, the remarks upon them must necessarily be somewhat similar unless some striking increase in mortality from some special disease takes place.

Diagrams 2 and 3, which show the variations of mortality in the different classes, are well worthy the attention of all, especially those interested in vital or sanitary statistics

CLASS I.—ZYMOTIC DISEASES.

(See Appendix Page xxxiv to xli, and Tables 20, 21 and 22.)

The total deaths registered in this class in 1885 numbered 3,898—only ten more than in 1884.

Diphtheria, the principal disease, shows a large increase. In some counties it assumed an epidemical form—particularly in Essex, Leeds and Grenville (United), Wentworth, and Prescott and Russell (United). In the latter county the mortality was very high from this disease, numbering 134 deaths, with a ratio of 3.5 per 1,000 living.

It was also above the average ratio for the Province, .52 per 1,000, in the following counties, viz.: Carleton .70 per 1,000, Simcoe .70, Stormont, Dundas and Glengarry (United) .70, York .65, and Hastings, .63. Increased returns of deaths from this cause were received from 22 out of the 39 counties of the Province.

The discussion of the cause of this sudden increase in deaths from diphtheria is not within the province of a report on vital statistics, but rather with the Provincial Board of Health. Most assuredly, however, the startling figures demand serious consideration.

Deducting the population in the eleven cities and principal towns, and also the deaths from diphtheria in those places, from the totals for the whole province, the following results appear: The deaths from diphtheria in the cities and towns numbered 289, or 4.2 per cent. of all the deaths in those places, and the ratio to population was .74 to 1,000. In the remaining or suburban portions of the province the deaths from this cause numbered 717, or 4.7 per cent., but the ratio to 1,000 living was only .46, showing that the mortality from diphtheria was greater in the cities than in the rural districts. The returns for the last five years show the same results.

The deaths from diphtheria, exclusive of the cities, for the last five years amounted to 4,004, or an average ratio of .47 per 1,000. In the cities during the same period the deaths were 789, with an average ratio of .61 per 1,000.

FEVERS.

The mortality from the various types of fevers was 1,000, which was 125 less than the number reported in 1884. The decrease was principally observable in the deaths from typhoid and scarlet fever.

TYPHOID FEVER.

The returns show a decrease in the deaths from this fever of 35. It does not appear on the list of ten highest causes of deaths for the province or for the cities, either in 1884 or 1885, but ranks seventh in the list for the principal towns.

Comparing the death-rate from this fever in the cities and towns with that of the rest of the province, the following fact appears: The total deaths in the cities and towns numbered 149 from this fever, with a ratio of .38 per 1,000. In the province, after

deducting the returns from the cities and towns, the mortality was 313 deaths, or .2 per 1,000 living, a less ratio of .18 in the rural districts than in the cities and towns.

In 1881 the deaths from typhoid fever in the cities and towns were 172, or .44 per 1,000 living, and in the rural districts 444, or .21 per 1000, so that owing to the better enforcement of sanitary regulations in the cities and towns a marked decrease in their mortality from this fever is observable. The decrease in the rural districts is small in comparison with that shown in the cities and towns.

The death-rate from this fever was the highest in the last quarter of the year, and more died between 20 and 30 years of age than during any other period of life.

SCARLET FEVER.

In those counties where diphtheria was prevalent a decrease in the deaths from scarlet fever was observable. Thus, in the Counties of Prescott and Russell (United), Essex, Hastings, Oxford, Wentworth, Stormont, Dundas and Glengarry (United), and York together returned 533 deaths from diphtheria, while they only registered 83 deaths from scarlet fever, an increase in the deaths from diphtheria in those counties of 282, and a decrease in scarlet fever of 43, and correspondingly those counties which returned fewer deaths from diphtheria returned more from scarlet fever.

There were 21 more deaths from intermittent and remittent fever in 1885 than in 1884.

DIARRHŒA.

Compared with the returns from 1884, the deaths in 1885 from this disease show a large decrease, principally amongst the young, as the deaths from this disease of children under five years were in 1885 only 347, while in 1884 they were 426, a decrease of 79, or 18 per cent.

SMALLPOX.

In 1884, 63 persons died of smallpox in this province; in 1885 only 30 deaths were so reported. The highest return, 11 deaths, was from the County of Carleton; the next highest, four, from Wentworth. Of the 30 deaths from this disease 17 were in the cities—11 in the City of Ottawa, four in Hamilton and two in Toronto. No deaths from this cause were reported from any of the towns. There was a serious outbreak of this disease in the adjoining Province of Quebec in 1885, which was prevented from spreading to this province to any great extent, by the precautionary measures adopted by the Provincial Board of Health of Ontario by stationing officers at the borders between the two provinces to enforce the rules and regulations which were issued in reference to persons and goods passing from Quebec to Ontario.

CLASS II.—CONSTITUTIONAL DISEASES.

(See Appendix Page xlii to xliv.)

The deaths in this class numbered 5,412, an increase of 101, principally in the number of deaths registered from cancer.

Phthisis, or consumption, the chief disease in this class was the cause of the deaths of 2,313 persons. It continues to be the principal cause of death in the province, although the returns show a small decrease in the number of its victims in 1885. The mortality from phthisis was not, however, greater than in other countries, as the following extracts show:—

In England	one in every 5.5 deaths, or 1.8 per 1,000 living were from consumption.
" Ireland	" 8.4 " 2.1 " " "
" Massachusetts, U.S.	" 6.4 " 3.06 " " "
" Connecticut " "	" 8.0 " 2.3 " " "
" Minnesota " "	" 10.8 " 1.3 " " "
" Rhode Island " "	" 7.0 " 2.1 " " "
" Ontario	" 9.5 " 1.2 " " "

During the year 1885, of the 2,313 decedents from consumption 845, or over one-third, were between the ages of 20 and 30 years, and 452, or nearly one-fifth, were between the ages of 30 and 40 years. It will, therefore be seen that consumption was most fatal during those two periods. In order to show more concisely the relation of age to mortality from phthisis during 1885, the following summary is presented :—

Under 10 years of age	89 died from phthisis.
Between 10 and 20 years	234 “ “
“ 20 “ 30 “	845 “ “
“ 30 “ 40 “	452 “ “
“ 40 “ 50 “	255 “ “
“ 50 “ 60 “	176 “ “
“ 60 “ 70 “	131 “ “
“ 70 “ 80 “	65 “ “
“ 80 “ 90 “	9 “ “
Age unknown	57 “ “
2,313	

In some counties consumption appears to prevail to the same extent every year, while in others there is considerable variation.

The Counties of Carleton, Hastings, Dufferin, Frontenac, Haldimand, Leeds and Grenville (United), Essex, Wentworth and York, have for several years returned a death-rate above the average for the whole province ; probably there is some climatic cause in these counties for this excess of mortality from consumption.

In the cities and towns the deaths from phthisis were not so numerous as in 1884, but they return a higher ratio per 1,000 living than the remaining portions of the province, as will be seen by the following details : In the cities and towns the deaths from this cause numbered 631, or 1.7 per 1,000 living ; in the rest of the province the deaths were 1,682, or 1.1 per 1,000, showing clearly that consumption was more fatal in the cities and towns than in the suburban parts of the province. Of these cities and towns Belleville returned the highest ratio, 2.9 per 1,000. Ottawa, London, and Kingston each returned 1.9 per 1,000, a death-rate considerably higher than the average for the whole province (1.2 per 1,000), while St. Thomas and Stratford only returned a death-rate of .6 per 1,000 from this cause.

CANCER.

The steady increase in the number of deaths from this disease every year during the last five years calls for more than cursory notice. The following extracts show the number of deaths from cancer during the last five years :—

1881	131 males, 182 females.	Total 313
1882	173 “ 224 “	“ 397
1883	193 “ 210 “	“ 403
1884	187 “ 237 “	“ 422
1885	197 “ 266 “	“ 463

The conspicuous facts in this table are the gradual increase of cancer mortality in each successive year—an increase common to both sexes, with the exception of the males in 1884 and the females in 1883, and the very much higher mortality of females than of males. Although the female deaths from cancer are more numerous than the males, yet their deaths have not increased at the same rate as the males—the male decedents showing an increase of 50 per cent. since 1881, while the female deaths only increased 46 per cent. This rather rapid increase in the deaths of males may be attributed to improved diagnosis. The Registrar-General of England in his report for 1884, states : “That the cancerous affections of males are in a much larger proportion internal or inaccessible than are those of females, and consequently are more difficult of recognition, so that any improvement in medical diagnosis adds more to the male than to the female deaths.”

Between the ages of 20 and 30 years, ten males and seven females died from cancer, while in the next four decennial periods, 73 more females than males died from cancer.

The mortality of both males and females reached its maximum in the period between 60 and 70 years, numbering 58 males and 60 females.

The industrial counties—such as York, Wentworth, Wellington and Frontenac—return the highest death-rate from cancer, averaging .4 per 1,000 living, while the rate for the whole province was only .2. Haldimand returned the highest ratio of any county, viz., .5 per 1,000.

Over one-fourth of all the cases of cancer in the province occurred in the 11 cities. Toronto returned the largest number, 49, but this may be explained in part by Toronto being a place to which persons resort when surgical operations are required.

There was a decrease in the deaths from anæmia, also in hydrocephalus, and a small increase in rheumatism and dropsy.

CLASS III.—LOCAL DISEASES.

(See Appendix Page xliv to lx.)

The deaths in this class numbered 7,841, an increase of 335.

The diseases in this class may be divided, as in former reports, into four divisions viz.: Nervous system; circulatory system; lungs and throat; liver, digestive and urinary organs.

1ST.—NERVOUS DISEASES.

In this division are included apoplexy, convulsions, paralysis, and other diseases of the brain, together, they were the cause of 2,191 deaths.

In 1881 only 1,550 deaths were recorded from these diseases. In 1885 the number increased to 2,191, an increase of 41 per cent.

It therefore appears that the mortality from these affections of the nervous system has increased rapidly in this province during the last five years. Whether this increase is due to over-pressure in work, to over-pressure in recreation, or to a combination of both of these hygienic errors does not come within the province of a report on vital statistics to determine.

The counties in which these diseases principally prevailed were Carleton, Essex, Middlesex, Northumberland and Durham (United), Wentworth and York, as will be seen by comparing their ratio of deaths to population with that for the whole province. For the province the ratio was one and one-tenth deaths to 1,000 living, from nervous diseases; while for the counties above specified it ranged from 2.0 in York to 1.3 in Middlesex. In the cities these diseases caused the death of 565 persons, being a ratio of nearly 2.0 per 1,000 living in those places, but this was partly caused by the large mortality amongst children from convulsions. Separating the cities from the Province, as before done, the result shows that the ratio of deaths of a nervous character was only .8 per 1,000 in the province after excluding the returns from the cities.

The habits and callings of those living in cities may be the cause of this excess of nervous diseases in those localities.

Two of the diseases in this class, convulsions and paralysis, rank seventh and eight in the list of ten highest causes of death.

The mortality from these two diseases was most severe in the months of March and April, and the number of deaths from each disease in the two months was nearly the same—from paralysis 117, and from convulsions 123—but the ages of these decedents were very different, 535 or nearly all who died from convulsions were under one year of age at the time of their death, while those who died from paralysis were between 60 and 80 years of age.

2ND—CIRCULATORY SYSTEM.—HEART DISEASE.

Amongst the various diseases under this division, heart disease was the most prominent. It ranks sixth in the ten highest causes of death for the province, and fifth in list of the cities, and like diseases of the nerves appears to be increasing. In 1881, 886 deaths were registered from it; in 1885 the number had increased to 952, an increase of 7.4 per cent.

The highest mortality from this cause was in the Counties of Halton, Leeds and Grenville (united), Wentworth, York, Frontenac, Carleton and Brant, the ratio being .7 per 1,000 in Brant and Carleton, increasing in every county until the highest ratio is reached, 1.3 per 1,000 in Halton.

The ratio was .49 per 1,000 for the whole province, for the cities it was much higher, reaching .8 per 1,000. Ottawa and Kingston returned the highest ratios, 1.1 and 1.0 respectively; Toronto, Hamilton and Belleville returned .8 per 1,000 each, while the lowest, .2 per 1,000, was from St. Thomas.

3RD—LUNGS AND BRONCHIAL TUBES.

Pneumonia and bronchitis are the principal diseases of the lungs and throat, the two combined causing 1,849 deaths in 1885, being an increase of 168 over the number returned in 1884. Pneumonia was fourth in the list of ten highest causes of death, and bronchitis ninth.

The ratio of deaths to the living were—for pneumonia .7 and for bronchitis .26 per 1,000. The following counties returned the highest mortality from these causes, viz:—York, Oxford, Ontario, Lincoln, Halton and Essex; the lowest from Lennox and Addington, Prescott and Russell (United), Simcoe, Peterboro', Wellington and Welland. Those localities which returned the highest death rate from pneumonia generally returned a low rate from bronchitis. In the cities the rate was 1.0 per 1,000 for pneumonia, and .5 for bronchitis. Toronto, Ottawa and St. Catharines returned the highest death rate, being 1.4 in Toronto, 1.2 in St. Catharines, and 1.1 in Ottawa, from pneumonia, and .6, .9 and .8 per 1,000 respectively from bronchitis.

The first three months of the year invariably returned the highest number of deaths from pneumonia and bronchitis, and the period of infancy was also the most fatal, as 477 or 25 per cent. of all the deaths from these two diseases were of infants under the age of one year.

4TH—LIVER, DIGESTIVE AND URINARY ORGANS.

Diseases of the stomach, liver and kidneys, are the prominent diseases in this division. There was a decrease in the deaths from liver disease, but an increase in Bright's disease.

Diseases of the stomach show very little variation from the return of 1884, and the other causes of death in this class do not present any features calling for particular notice.

CLASS IV.—DEVELOPMENTAL DISEASES.

(See Appendix Page lx to lxiv.)

Developmental diseases of old people caused the largest number of deaths in this class.

The deaths from old age were very nearly the same in number as in 1884—the returns showing that in 1885 there were 2,073 deaths—eight more than in 1884. This class maintains the second place in the list of the ten highest causes of death, the same as in 1884. In the cities it did not rank so high, being fourth with a less ratio.

The largest death rate from old age was in the following Counties:—Prince Edward 2. per 1,000, Brant 1.6, Northumberland and Durham (United) 1.5, Oxford 1.5, and Peel 1.4 per 1,000. The ratio for the whole province was 1.07 per 1,000.

Diseases incidental to child-birth, caused the death of nearly 400 women in 1885, a slight increase over the number returned in the previous year.

There were 54 less premature and still-births.

Twenty more children died in 1885 than in 1884, while passing through the painful ordeal of teething.

In the other diseases in this class there was not much change in numbers.

CLASS V.—VIOLENT DEATHS.

(See *Appendix Page* lxiv. to lxviii.)

The total number of these deaths was 812, an increase of 34. In the cities they numbered 215. Of the various ways in which so many persons met with violent deaths, that by wounds of various kinds was the principal cause. Deaths from drowning were the next highest cause, and they numbered 195—28 more than in 1884. The victims of railway accidents were fortunately less numerous than in 1884, as only 59 were killed, a decrease of 27. The cases of murder and manslaughter have increased, and the number of persons frozen was also larger. The increase in the former cause of death being 10, and in the latter 18.

In the other enumerated kinds of violent deaths, there was little or no change in the number of deaths. No executions took place in the province in 1885, although there were four in 1884.

SUICIDE.

Fifty-one unfortunate persons terminated their lives by their own acts in 1885, two less than in 1884; 29 of them resorted to hanging as a means of death, eight inflicted wounds on themselves, seven took poison, and seven drowned themselves. Thirty-nine were males and 12 females.

REMARKS ON THE DIAGRAMS.

(*Diagram No. 1.*)

The first part of this diagram presents the wave of mortality in the different months of the year during the last five years, and the second part, that for 1885, distinguished by black lines for the five years, and red lines for 1885.

It will be seen that the two highest points in the wave for the five years were in March and August, and the two lowest points in June and November, for both sexes. The difference in the mortality between the highest and lowest points was very large. The total deaths in the two high points in the five years was 20,290, whereas in the two low points it was only 16,135, or 4,155 less deaths.

In comparing the two waves it will be seen that their rising and falling were nearly the same. The only variation was from January to March, and from September to October. In the wave for the five years there is a fall from January to February, while in the year 1885 there is a rise, but the fall in the wave for the five years is confined to the females; again there is a steady fall in the wave for five years from August to November, while in the wave for 1885 it rises in October but falls again in November.

(*Diagrams 2 and 3.*)

The mortality in four of the five classes of diseases in the different months of the year, and also through the different periods of life, is shown in these diagrams.

The continuous black line shows the course of the wave for the total deaths in the Zymotic Class, the dotted line, the Constitutional; the short straight lines, the Local, and the crosses, the Developmental.

Similar lines in red show the wave of mortality in 1885.

Death Wave for five years from 1881 to 1885 inclusive, also for 1885 separately.






Diagram showing the Total Mortality in each of the Four Classes of Diseases.


CLASS I.—Zymotic; includes Measles, Scarlet Fever, Diphtheria, Dysentery, Cholera Infantum, Fevers, etc.
 “ II.—Constitutional; includes Anemia, Cancer, Rheumatism, Dropsy, Gout, Abscess, Phtisis, etc.
 “ III.—Local; includes Epilepsy, Apoplexy, Convulsions, Paralysis, Heart Disease, Lungs, Bronchitis, etc.
 “ IV.—Developmental; includes diseases of women, children and old people.



In each month and period of life for five years from 1881 to 1885 inclusive, also for 1885 separately.



Diagrams showing the Total Mortality from Four Diseases by Months for five years from 1881 to 1885 inclusive, also for 1885 separately.



ZYMOTIC LINE.

This line ascends very high in July and August, both for the five years, and for 1885 ; but Zymotic diseases include Cholera Infantum, Dysentery and Diarrhœa, so fatal to children in these months, and this is shown by the height the line ascends to in Diagram No. 3, in the period of deaths under one year, and between one and five years.

The highest points in the line for the year 1885 was also in July and August.

CONSTITUTIONAL LINE.

.....

This line of mortality for the five years is not so varied in the different months of the year as the line for the Zymotic Class.

In March, however, it rose to a very high point, caused by the large death rate from Consumption. In Diagram No. 3, showing the ages of those who died in this class, this line is the highest of all in the period under one year, but it fell very rapidly through the next three periods from 1 to 5, and from 5 to 10, but in the following period the line commenced to ascend, and in the period between 20 and 30 years it reached its highest point, marking over 3,000 more deaths than the Zymotic line did in the same period. The line then gradually descends through the remaining periods of the year with the exception of that between 60 and 70 years, where there was a slight ascent. The line for 1885, in this class, does not present any material difference from that for the five years.

LOCAL LINE.

This line was the highest of the four lines in every month of the year, except in August and September.

In the different periods of life, as seen in Diagram No. 3, the line for the Local Class rises to the second highest position in the period under one year, but a very rapid descent takes place in the next three decades. In the period between 15 and 20 years the line rises, and continues to do so through the following periods up to that between 70 and 80 years, where it reaches the highest point of any of the four lines in that and the next period.

DEVELOPMENTAL LINE.

++++++

With the exception of the high point in March, the rise and fall in this line of mortality in the months of the year for five years was not very great ; it neither ascends very high nor descends very low ; but in the different periods of life the variations were more marked, as will be seen by reference to Diagram No. 3. In that diagram the highest points in this class were under one year, between 70 and 80 years, and 80 and 90 years, accounted for by the large number of Premature and Still Births registered in this class in the first period, and for the deaths of old people in the latter periods. Between these two periods the line rises and falls several times. The line for 1885 runs nearly parallel to that for the five years.

(Diagram No. 4.)

In this diagram the mortality of four preventable diseases is shown by lines similar to those in Diagram No. 2.

The line of mortality for Phthisis for the five years rises high in March, still higher in April, but descends in May and June. In the remaining months of the year there is not much rise or fall in the line. The same variations are observable in the line for 1885.

The line for Diphtheria for the five years has many changes through the different months of the year. Commencing at a high point in January, it descends in February to rise again in March, but again descends in April, and continues a downward course through the next four months, until it reaches September, when it commences to rise again, and continues rising, until in December it reaches its highest point.

The variations between the highest and lowest point in this line was from 585 deaths in December to 252 in August. The line for 1885 was nearly the same as that for the five years.

The line for Diarrhœa for the five years was low in January, and remained so during the first four months of the year; but in May it began to ascend, and continued so through June, July, and August. In September it descended slightly, but its descent was accelerated as it approached the colder months, until in December it was as low as in January. The high and low points in the line for 1885 were the same as for the five years.

The line for Typhoid Fever, the last of the four diseases in the diagram for the five years, was rather high in January, but it fell during the next five months, especially in June. In July the line had an upward tendency, and continued in that direction through August and September, and arrived at its highest point in October. In 1885 the highest point was in September, and the lowest in June; in the other months the line was similar to that for the five years.

DEATHS BY OCCUPATIONS.

(See Table 23.)

The occupations of 9,918 decedents of 21 years of age and over, are given in this Table. Their aggregate ages were 556,975 years. The average age 56.1 years, less by 1.6 years than in 1884.

Deducting those returned as "Farmers' Wives," "Housewives," and "Occupations Unknown," there remain 5,883 legitimate workers. Their average age was 56.4 years, and 3,383 of them, belonging to 18 different occupations, lived to be over the average age. The remaining 2,500, engaged in 50 different occupations, died before reaching that age.

Undertakers lived to the greatest age, 72 years; but only 3 of them died during the year. Students were the youngest at the time of their death, 23 years.

STATISTICAL CLASSIFICATION.

(See Table 24.)

CLASS I.—CULTIVATORS OF THE SOIL.

There were 2,673 of these workers of the soil; 2,644 farmers and 29 gardeners. Their average age was 62.4 years, the highest of any of the classes.

CLASS II.—MECHANICS.

This class includes 33 different mechanical trades, and of these Undertakers lived the longest, but only 3 of them died. There was a slight increase in the number and length of life of the decedents in this class. Grouping the same mechanical trades together as in former reports for comparison, viz., Carpenters, Shoemakers, Blacksmiths and Tailors, the returns show that combined their deaths numbered 355, or 41 less than in 1884, caused by the decrease in the number of deaths of Carpenters and Tailors. The average age of these four trades was 55.7, not quite equal to the average age of all the classes. Nearly the same number of Weavers died in 1885 as in 1884, but there was a decrease in their average age of 7.8 years. There are more Weavers employed in factories now than formerly, and they are not as long

lived as those who worked at home on their own looms. Painters and Printers are short lived ; their occupations are generally considered to be injurious to health.

The Tables of Deaths by Occupations, for the last five years, prove that those mechanics who worked out of doors lived longer than those confined within factories, shops, etc.

Classifying all the out-door workers into one class, and those who worked in doors into another, for the last five years, the returns show that there were 2,031 deaths of the former, at an average of 56 years, and 2,190 deaths of the latter, at an average of 51 years, showing a difference of five years in the length of life in favour of those working out of doors ; but there were some notable exceptions to this rule, thus : The following mechanics belonging to the second or in-door class, viz., Weavers, Millers, Coopers and Shoemakers, had a larger average age at death than the average age of those belonging to the first or out door class.

The average age of Undertakers, Brewers, and Distillers, was the highest of any occupations in this class, but as so few of them died it would not be right to conclude that their occupations were the healthiest or most conducive to long life. The returns for the last five years prove that Farmers, Gentlemen, and Clergymen, are the longest lived.

CLASS III.—LABOURERS.

There were 905 deaths of the three occupations included under this class ; their average age was 51.3 years.

CLASS IV.—MERCHANTS, ETC.

The number of decedents in this class was nearly 100 more than in 1884, but their length of life was shorter by 1.4 years.

There was an increase in the number of deaths in eight out of the nine occupations composing this class.

The largest increase was in the deaths of Merchants and Book-keepers, numbering 62 more than in 1884, and their average age was nearly five years less. Twelve Bankers died in 1885, at an average age of 52 years, ten years more than the average for 1884.

The deaths of Manufacturers were larger in number, although their average was about the same ; there was also an increase in the death of Tavern-keepers ; their average age, however, was less by two years. The deaths of 20 Telegraph Operators, at the early average age of 24 years, were reported, nine more than in 1884.

CLASS V.—PROFESSIONAL MEN.

The prominent members of this class are the three professions, Law, Divinity, and Medicine. The total deaths of these professional men numbered 80, eleven less than in 1884. There was a decrease in the deaths of Clergymen of 20, but an increase in the deaths of Lawyers of 6, and of Physicians of 3.

The average age of the three professions was nearly two years less than in 1884. Clergymen, however, lived the longest, their average age was 69.3 years. The deaths of Public Officials numbered 108, and their average age was 58.7 years ; amongst them were several superannuated members of the civil service.

Thirty-nine male and twenty-nine female Teachers died in 1885, eleven more than in 1884, three more males and eight more females. The average age of the male teachers was about the same as in 1884, that of females was nearly two years less.

CLASS VI.—OTHER EMPLOYMENTS.

There was only a difference of one in the number of deaths in this class between 1885 and 1884. Four more deaths were recorded of Hunters and Fishermen ; one less of Railroad Employees ; five less of Sailors, and three more of Volunteers, Soldiers and

Pensioners. The average age of the whole class was 50 years in 1885. In 1884 it was 53 years. There was an increase in the age of Railroad Employees; in the other three occupations of this class there was a decrease in the average age.

CLASS VII.—FEMALES AT WORK.

The deaths of Domestic Servants numbered about the same as in 1884, but their average age was four years less in 1885. Eleven more Milliners and Dressmakers died in 1885 than in 1884, their average age, however, was three years less. There was an increase of five more deaths of Seamstresses at an increased average age of six years. The average age of the whole class was in 1885, 37 years; in 1884, 39 years.

In conclusion I might add that the returns from a majority of the Division Registrars in 1885 show a marked improvement both as regards completeness and legibility. There are still, however, quite a number of Registrars who fail to obtain the full particulars of Deaths, as required by the Act. It would appear that these officers labour under the impression that when they enter the name of a deceased person and cause of death (furnished by the Doctor,) their duty is completed as far as that particular return is concerned, although it has been frequently pointed out in former Reports that it is absolutely necessary in all returns that they should obtain the full information required by the Act.

I have the honour to be, sir,

Your obedient Servant,

H. S. CREWE,

Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1885.

COUNTIES.	MONTHS.												Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.					
Algoma and Thunder Bay :																	
	Males	24	17	20	33	29	23	24	23	29	14	23	287	3	3	2
	Females	28	20	15	24	24	17	17	23	26	15	20	255	1	2	3
Total	52	37	35	52	59	53	40	41	46	55	29	43	542	2 pairs	5	5
Brant :																	
	Males	33	28	41	37	39	41	33	48	29	33	36	433	4	8	10
	Females	25	24	42	31	33	26	21	46	28	18	24	349	9	8
Total	58	52	83	68	66	72	67	54	94	57	51	60	782	2 pairs	17	18
Bruce :																	
	Males	65	68	62	53	50	45	62	65	53	57	62	689	5	2	4
	Females	63	60	67	70	57	61	57	55	47	37	66	690	3	4	2
Total	128	128	129	123	104	100	106	119	120	100	94	128	1379	4 pairs	6	6
Carleton :																	
	Males	123	101	76	112	111	105	88	97	101	85	115	1237	15	104	27
	Females	83	171	91	77	88	113	112	95	86	92	103	1215	11	80	17
Total	206	272	167	189	227	199	218	200	192	187	177	218	2452	13 prs	184	44
Dufferin :																	
	Males	21	21	34	27	28	27	28	24	24	16	26	302	6	1	2
	Females	23	14	25	26	19	20	18	22	24	19	24	246	2	3
Total	44	35	59	53	45	40	47	46	46	48	35	50	548	4 pairs	4	2
Elgin :																	
	Males	38	35	37	32	42	39	26	42	27	28	43	436	3	1
	Females	28	31	42	38	32	30	39	44	39	30	30	410	5	2	2
Total	66	66	79	70	74	74	69	65	86	66	58	73	846	4 pairs	3	2

TABLE A.—BIRTHS BY MONTHS, 1885.—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Lambton :																	
Males	49	49	49	57	41	45	40	48	50	46	59	55	588	5	2	2	3
Females	34	39	54	51	45	37	38	41	73	38	39	53	542	7	1	1
Total	83	88	103	108	86	82	78	89	123	84	98	108	1130	6 pairs	1 case.	2	4
Lanark :																	
Males	35	50	39	42	38	39	30	44	34	38	40	27	456	4	4	6
Females	30	30	30	34	34	31	21	36	31	30	26	20	353	2	3	2
Total	65	80	69	76	72	70	51	80	65	68	66	47	809	3 pairs	7	8
Leeds and Grenville :																	
Males	38	41	43	42	54	41	39	51	36	38	42	48	513	5	2	3
Females	36	36	42	44	48	36	44	34	37	33	28	31	449	3	1	3
Total	74	77	85	86	102	77	83	85	73	71	70	79	962	4 pairs	3	6
Lennox and Addington :																	
Males	21	12	13	15	23	13	16	15	28	17	16	17	206	2	2	2
Females	17	19	23	13	20	13	22	15	22	19	16	20	219	2	1	2
Total	38	31	36	28	43	26	38	30	50	36	32	37	425	2 pairs	3	4
Lincoln :																	
Males	38	25	43	25	33	28	33	37	34	26	29	19	370	4	2	2
Females	27	28	38	19	29	24	28	25	30	25	26	28	327	4	1	1
Total	65	53	81	44	62	52	61	62	64	51	55	47	697	4 pairs	3	3
Middlesex :																	
Males	84	75	91	90	95	74	90	91	97	82	95	86	1050	14	8	8
Females	83	62	97	71	82	61	88	85	79	78	82	70	938	10	9	12

Muskoka and Parry Sound :	42	51	42	46	49	41	43	43	34	35	42	37	505	1	2
	30	44	36	31	46	37	37	37	41	25	35	25	432	1	4
	Females.....															
Total.....	72	95	78	77	95	78	88	80	75	60	77	62	937	1 pair	6
Norfolk :																
	21	32	42	34	34	24	44	37	29	30	27	21	375	2	3
	10	19	22	27	30	17	30	27	23	19	23	21	268	1
Total.....	31	51	64	61	64	41	74	64	52	49	50	42	643	1 pair	4
Northumberland and Durham :																
	63	58	60	63	52	77	64	57	73	72	50	70	759	4	3
	52	64	64	59	49	52	55	66	51	55	40	51	658	2	1
Total.....	115	122	124	122	101	129	119	123	124	127	90	121	1417	3 pairs	4
Ontario :																
	59	49	48	48	46	44	41	47	43	47	36	43	551	7	2	4
	41	58	38	36	34	29	47	36	46	49	44	49	507	1	1	3
Total.....	100	107	86	84	80	73	88	83	89	96	80	92	1058	4 pairs	1 case.	7
Oxford :																
	58	50	50	55	48	53	52	44	35	51	40	37	573	5	4
	56	45	55	56	41	46	31	40	48	47	29	44	538	11	2
Total.....	114	95	105	111	89	99	83	84	83	98	69	81	1111	8 pairs	6
Peel :																
	28	25	28	25	18	22	23	25	23	24	13	25	279	4	3
	20	19	25	16	24	26	22	23	18	16	16	15	240
Total.....	48	44	53	41	42	48	45	48	41	40	29	40	519	2 pairs	3
Perth :																
	47	47	60	49	51	41	51	54	47	51	36	32	566	5	5
	43	46	45	50	49	34	45	45	61	55	49	40	562	5	3
Total.....	90	93	105	99	100	75	96	99	108	106	85	72	1128	5 pairs	8
Peterborough :																
	31	35	41	36	41	35	42	43	39	34	40	36	453	3	4
	26	39	30	46	32	33	32	41	31	37	36	23	406	7	4
Total.....	57	74	71	82	73	68	74	84	70	71	76	59	859	5 pairs	8

TABLE A.—BIRTHS BY MONTHS, 1885.—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triples.	Illegitimate.	Still Born.
Prescott and Russell :																	
Males	58	60	81	65	42	48	60	70	57	52	52	65	710	4	4	2
Females	47	61	66	69	51	44	62	77	44	53	47	46	667	2	3	3
Total	105	121	147	134	93	92	122	147	101	105	99	111	1377	3 pairs	7	5
Prince Edward :																	
Males	11	27	14	20	10	18	16	16	18	13	14	14	191	1	1	2
Females	13	9	22	14	19	12	13	17	13	12	15	11	170	1
Total	24	36	36	34	29	30	29	33	31	25	29	25	361	1 pair	1	2
Renfrew :																	
Males	51	60	55	54	78	63	46	49	42	45	44	43	630	14	4	5
Females	47	53	43	48	75	51	40	45	46	36	42	48	574	10	6	4
Total	98	113	98	102	153	114	86	94	88	81	86	91	1204	12 prs	10	9
Simcoe :																	
Males	70	62	62	82	67	76	60	76	75	69	67	78	844	7	3	5
Females	64	86	67	63	63	53	67	73	69	57	57	76	795	7	5	6
Total	134	148	129	145	130	129	127	149	144	126	124	154	1639	7 pairs	8	11
Stormont, Dundas and Glengarry :																	
Males	53	46	52	49	46	41	47	47	62	51	48	45	587	7	2	2
Females	44	57	54	41	46	40	38	47	52	49	40	44	552	7	3	2
Total	97	103	106	90	92	81	85	94	114	100	88	89	1139	7 pairs	5	4
Victoria :																	
Males	39	41	34	28	38	35	45	40	40	25	31	28	424	4	3	5
Females	31	34	30	30	29	24	37	32	39	26	26	30	368	4	4	3
Total	70	75	64	58	67	59	82	72	79	51	57	58	792	4 pairs	7	8

Waterloo:	Males	57	41	65	65	47	52	48	61	59	60	56	48	659	6	4	4
	Females	38	65	50	51	48	39	42	41	48	55	62	44	583	8	3	4
	Total	95	106	115	116	95	91	90	102	107	115	118	92	1242	7 pairs	7	8
Welland:	Males	31	32	30	26	39	36	32	25	32	33	38	27	381	3	3	2
	Females	26	31	24	34	25	20	25	21	30	44	30	28	338	3	2	2
	Total	57	63	54	60	64	56	57	46	62	77	68	55	719	3 pairs	5	4
Wellington:	Males	59	50	58	61	67	58	56	62	68	60	54	49	702	24	6	11
	Females	56	43	67	53	64	49	46	56	57	65	43	56	655	6	5	8
	Total	115	93	125	114	131	107	102	118	125	125	97	105	1357	15 prs	11	19
Wentworth:	Males	79	72	91	68	77	63	79	76	89	83	89	66	932	18	15	10
	Females	62	60	70	77	71	81	77	83	75	71	69	79	875	8	24	11
	Total	141	132	161	145	148	144	156	159	164	154	158	145	1807	13 prs	39	21
York:	Males	203	217	226	217	233	183	177	209	174	194	205	230	2468	38	115	43
	Females	206	186	203	219	218	155	192	191	165	179	171	199	2284	48	79	37
	Total	409	403	429	436	451	338	369	400	339	373	376	429	4752	43 prs	194	80
Total Males		1989	1913	2090	2027	2067	1898	1952	2023	2021	1914	1805	1888	23587	266	12	340
Total Females		1716	1878	1976	1858	1920	1591	1803	1835	1916	1796	1608	1744	21641	210	9	281
Grand Total		3705	3791	4066	3885	3987	3489	3755	3858	3937	3710	3413	3632	45228	238 prs	621	420

H. S. CREWE,
Inspector.

TABLE A.—BIRTHS BY MONTHS, 1885—CITIES.

CITIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Toronto :																	
Males	122	166	153	142	156	126	131	156	120	142	155	161	1730	26	107	13
Females	131	124	130	151	148	95	129	144	120	145	127	150	1594	36	72	15
Total	253	290	283	293	304	221	260	300	240	287	282	311	3324	31 pairs.	179	28
Hamilton :																	
Males	50	42	62	39	47	36	49	40	58	56	57	27	563	10	11	10
Females	33	33	43	45	42	50	46	51	47	42	43	42	517	4	14	7
Total	83	75	105	84	89	86	95	91	105	98	100	69	1080	7 pairs.	25	17
Ottawa :																	
Males	73	62	42	65	89	68	71	62	63	62	42	56	755	8	31	12
Females	58	42	51	49	72	59	79	75	61	59	57	64	726	6	25	6
Total	131	104	93	114	161	127	150	137	124	121	99	120	1481	7 pairs.	56	18
London :																	
Males	16	12	22	18	26	20	29	25	23	24	22	17	254	2	3	4
Females	26	20	17	13	16	20	27	23	23	16	24	18	243	2	5	3
Total	42	32	39	31	42	40	56	48	46	40	46	35	497	2 pairs.	8	7
St. Catharines :																	
Males	6	5	8	7	11	7	8	9	11	8	6	4	90	4	1
Females	13	7	14	5	6	2	9	8	7	4	5	10	90	2
Total	19	12	22	12	17	9	17	17	18	12	11	14	180	3 pairs.	1
Kingston :																	
Males	11	13	22	13	9	16	15	13	11	16	9	12	160	3	1
Females	9	11	16	20	17	19	13	11	27	11	19	17	190	1	1
Total	20	24	38	33	26	35	28	24	38	27	28	29	350	2 pairs.	2

Belleville:	15	3	10	10	12	6	8	12	10	12	1	8	107	4	1	4
Males	3	6	7	4	11	18	4	7	7	17	11	7	102	2	1	4
Females	18	9	17	14	23	24	12	19	17	29	12	15	209	3 pairs,	2	8
Total																	
Brantford:	13	11	13	21	18	21	17	9	16	11	11	17	178	4	7	6
Males	11	6	17	15	8	17	11	7	19	10	6	7	134	7	5
Females	24	17	30	36	26	38	28	16	35	21	17	24	312	2 pairs,	14	11
Total																	
Guelph:	11	6	11	11	9	14	10	11	14	9	15	10	131	4	2	2
Males	14	4	17	16	14	2	8	9	12	9	9	13	127	2	1	2
Females	25	10	28	27	23	16	18	20	26	18	24	23	258	3 pairs,	3	4
Total																	
St. Thomas:	11	13	14	9	9	15	14	8	12	9	11	11	136	1
Males	11	10	12	10	8	9	9	12	15	4	10	8	118	2
Females	22	23	26	19	17	24	23	20	27	13	21	19	254	1	2
Total																	
Stratford:	12	7	6	8	4	5	2	6	9	12	10	4	85	3	2
Males	9	7	5	10	3	12	13	10	11	11	15	9	115	1	1
Females	21	14	11	18	7	17	15	16	20	23	25	13	200	2 pairs,	1	2
Total																	
Total Males	340	340	363	343	390	334	354	351	347	361	339	327	4189	68	163	55
" Females	318	270	329	338	345	303	348	357	349	328	326	345	3956	56	126	45
Grand Total	658	610	692	681	735	637	702	708	696	689	665	672	8145	62 pairs,	289	100

H. S. OREWE,
Inspector.

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS, 1885.

The following Table shews the number of Marriages returned as having been solemnized during the year 1885, the religious denomination of the parties married, and whether by license or banns.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.										HOW MARRIED.				Total.	Total Marriages.	Widowers	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.	No Denomination given.	License.	Banns.	Not Stated.			
Algoma and Thunder Bay :																		
Males	49	50	43	65	7	3	17	3
Females	45	50	44	68	8	1	17	2
Total	94	100	87	133	15	4	34	5	202	35	237	22	19
Brant :																		
Males	22	40	84	12	57	13	2	1	238
Females	22	25	104	16	56	11	238
Total	44	65	188	28	113	24	2	1	228	7	3	476	21	11
Bruce :																		
Males	22	109	133	24	17	5	16	6	336
Females	29	107	129	24	19	3	12	9	336
Total	51	216	262	48	36	8	28	15	305	31	672	27	12
Carleton :																		
Males	103	80	83	246	10	1	15	545
Females	100	70	82	258	15	2	13	545
Total	203	150	165	504	25	3	28	360	183	2	1090	69	37

[illegible]

TABLE B.—MARRIAGES BY DENOMINATIONS, 1885—Continued.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.											HOW MARRIED.				Total.	Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Associa- tion.	Quaker.	Mennonite.	Other Denominations.	No Denomination given.	License.	Banns.	Not Stated.				
Hastings:																			
Males.....	76	52	280	52	5	2	6
Females.....	70	48	299	49	5	5
Total	146	100	579	101	10	2	7	11	437	38	3	478	58	27
Huron:																			
Males.....	67	172	185	15	6	3	11	13	2	6	7
Females.....	65	168	197	20	9	1	7	12	5	3
Total	132	340	382	35	15	4	18	25	2	11	10	470	17	487	50	23
Kent:																			
Males.....	57	54	156	41	24	1	1	12	4
Females.....	36	55	169	47	22	2	1	14	4
Total	93	109	325	88	46	3	2	26	8	316	34	350	49	18
Lambton:																			
Males.....	52	76	120	9	28	3	1	10	2
Females.....	50	80	116	12	28	4	1	10
Total	102	156	236	21	56	7	1	1	20	2	294	7	301	30	10

TABLE B.—MARRIAGES BY DENOMINATIONS, 1885.—Continued.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.										HOW MARRIED.				Total.	Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.	No Denomination given.	License.	Banns.	Not Stated.			
Northumberland and Durham :																		
Males.....	75	86	274	25	6	5	6	3	480
Females.....	79	77	282	27	5	4	5	1	480
Total	154	163	556	52	11	9	11	4	960	18	480	52	30
Ontario :																		
Males.....	42	53	137	28	19	2	2	2	3	2	290
Females.....	35	64	132	27	23	2	2	2	2	1	290
Total	77	117	269	55	42	4	4	4	5	3	580	21	2	290	22	10
Oxford :																		
Males.....	53	65	122	2	38	8	5	2	2	9	4	310
Females.....	34	60	134	1	56	9	3	1	1	9	2	310
Total	87	125	256	3	94	17	8	3	3	18	6	620	3	1	310	30	18
Peel :																		
Males.....	25	35	73	2	11	3	1	1	151
Females.....	23	34	76	2	12	2	1	1	151
Total	48	69	149	4	23	5	2	2	302	1	151	16	5

[illegible]

TABLE B.—MARRIAGES BY DENOMINATIONS, 1885.—Continued.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.											HOW MARRIED.			Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.	No Denomination given.	Total.	License.			
Victoria :	33	43	88	19	4	2	1	1	1	3	194
Males.....	37	37	96	19	3	1	1	1	194
Females.....																	
Total	70	80	184	38	7	2	1	2	2	4	388	179	15	194
Waterloo :																	
Males.....	16	55	38	42	11	79	18	1	29	18	24	331
Females.....	12	56	43	43	9	80	19	32	20	17	331
Total	28	111	81	85	20	159	37	1	61	38	41	662	227	104	331
Welland :																	
Males.....	38	26	93	13	10	1	9	1	5	14	3	213
Females.....	40	26	97	15	10	1	9	5	9	1	213
Total	78	52	190	28	20	2	18	1	10	23	4	426	198	15	213
Wellington :																	
Males.....	45	131	153	49	17	8	4	10	1	418
Females.....	39	138	148	46	23	8	4	1	10	1	418
Total	84	269	301	95	40	16	8	1	20	2	836	378	40	418

H. S. CREWE,
Inspector.

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1885.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of Couples Married.
Algoma and Thunder Bay	14	14	12	23	12	33	19	21	33	26	11	17	2	237
Brant	19	28	15	22	10	12	14	9	27	32	23	27	238
Bruce	45	34	46	24	28	16	19	19	29	30	20	46	336
Carleton	39	45	23	56	35	64	54	43	62	46	50	24	4	545
Dufferin	16	13	23	7	7	8	7	4	5	10	14	23	137
Elgin	21	28	30	29	22	22	21	19	34	23	33	52	334
Essex	36	32	12	34	32	36	20	14	25	28	43	29	1	342
Frontenac	40	23	20	20	17	27	21	17	39	26	32	45	4	331
Grey	57	38	42	34	16	33	33	18	26	37	36	49	419
Haldimand	17	24	9	12	9	15	13	13	15	18	19	28	192
Halton	13	9	14	5	6	14	9	5	12	7	5	21	120
Hastings	55	34	43	30	18	33	40	36	47	34	48	70	488
Huron	38	32	58	29	29	36	25	22	46	51	32	77	2	477
Kent	41	27	42	33	28	32	18	16	21	33	37	38	4	370
Lambton	25	13	25	25	14	23	16	13	26	35	30	56	301
Lanark	23	21	14	31	22	16	26	17	30	12	15	40	267
Leeds and Grenville	36	29	47	29	32	33	27	13	39	35	46	54	420

Lennox and Addington	15	15	13	14	10	19	12	10	12	25	13	27	1	186
Lincoln	18	10	6	17	9	17	14	10	22	27	27	28	1	206
Middlesex	61	44	52	48	25	45	33	26	39	69	52	91	1	586
Muskoka and Parry Sound	10	14	16	18	17	12	16	9	16	17	17	32	2	196
Norfolk	18	20	22	12	18	12	9	16	15	24	26	44	236
Northumberland and Durham	54	49	56	24	17	29	26	17	32	39	44	82	1	470
Ontario	20	36	33	29	10	13	14	9	24	23	25	54	290
Oxford	22	23	32	27	20	20	15	8	21	39	35	47	1	310
Peel	20	11	19	15	8	8	10	4	11	12	13	19	1	151
Perth	22	48	30	26	14	21	17	13	32	34	32	43	332
Peterboro'	25	13	17	19	14	22	26	24	33	28	25	26	272
Prescott and Russell	20	26	9	17	10	34	26	26	31	30	15	6	250
Prince Edward	10	8	18	10	5	5	8	4	10	14	20	30	142
Renfrew	19	21	19	30	17	35	28	25	36	34	28	22	2	316
Simcoe	61	40	37	28	21	27	35	25	48	57	47	52	3	481
Stormont, Dundas and Glengarry	39	42	30	22	17	30	17	21	50	40	46	28	382
Victoria	19	18	31	13	8	14	12	16	18	19	13	13	194
Waterloo	34	30	25	22	22	27	24	14	29	42	24	38	331
Welland	15	18	12	11	16	20	22	11	20	20	18	30	213
Wellington	40	29	41	23	31	26	26	17	31	44	45	54	1	408
Wentworth	37	38	34	50	42	43	45	34	64	63	68	91	609
York	132	108	87	125	80	133	124	108	187	147	125	183	1	1540
Total	1246	1105	1114	1043	768	1065	941	746	1297	1330	1252	1736	32	13675

H. S. CREWE,
Inspector.

TABLE D.—MARRIAGES BY AGES, 1885.

COUNTIES.		Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	Total.
Algona and Thunder Bay :																	
Males	2	95	89	24	11	5	2	1	1	1	6	237
Females	67	108	36	11	4	1	2	2	6	237
Total	69	203	125	35	15	6	2	3	3	1	12	474
Brant :																	
Males	5	87	84	32	12	7	2	5	3	1	238
Females	51	123	42	10	4	5	1	1	1	238
Total	56	210	126	42	16	12	3	6	4	1	476
Bruce :																	
Males	2	137	124	55	18	9	5	1	2	1	2	356
Females	57	204	66	19	3	1	1	2	1	1	1	356
Total	59	341	190	74	21	10	6	2	2	3	1	3	712
Carleton :																	
Males	12	176	177	83	30	28	13	3	2	3	1	1	16	545
Females	79	253	118	47	16	11	3	2	3	13	545
Total	91	429	295	130	46	39	16	5	5	3	1	1	29	1090
Dufferin :																	
Males	1	50	57	12	5	3	3	4	1	1	137
Females	28	80	19	4	3	1	1	1	137
Total	29	130	76	16	8	3	4	5	1	1	1	274
Elgin :																	
Males	4	129	118	29	27	13	6	2	3	1	2	334
Females	82	160	55	13	11	3	6	1	1	2	334
Total	86	289	173	42	38	16	12	3	4	1	4	668

[illegible]

TABLE D.—MARRIAGES BY AGES, 1885.—Continued.

COUNTIES.	AGES.														Total.	
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.		Ages not given.
Lambton :																
Males.....	3	101	121	46	16	7	3	3	3	3	1	301
Females.....	56	165	51	15	6	3	3	1	1	301
Total.....	59	266	172	61	22	10	6	4	2	602
Lanark :																
Males.....	3	87	95	33	15	10	5	5	2	1	1	10	267
Females.....	35	125	69	11	4	9	2	2	10	267
Total.....	38	212	164	44	19	19	7	7	2	1	1	20	534
Leeds and Grenville :																
Males.....	4	149	156	54	16	21	9	2	5	2	2	420
Females.....	73	214	79	28	16	5	1	1	1	2	420
Total.....	77	363	235	82	32	26	10	3	6	2	4	840
Lennox and Addington :																
Males.....	1	62	69	23	18	5	2	3	2	1	186
Females.....	42	85	39	8	3	3	2	2	1	1	186
Total.....	43	147	108	31	21	8	4	5	2	2	1	372
Lincoln :																
Males.....	4	70	55	35	8	7	2	2	5	3	1	14	206
Females.....	36	94	34	14	3	5	2	4	14	206
Total.....	40	164	89	49	11	12	4	6	5	3	1	28	412
Middlesex :																
Males.....	4	186	206	90	38	21	14	10	9	3	2	3	586
Females.....	67	286	132	55	22	13	3	7	1	586
Total.....	71	472	338	145	60	34	17	17	10	3	2	3	1172

Muskoka and Parry Sound :	Males.....	3	67	79	28	6	4	3	2	1	1	1	1	1	1	1	196
	Females.....	73	82	23	7	5	2	2	1	1	196
	Total	76	149	102	35	11	6	3	2	3	2	1	2	392	
Norfolk :	Males.....	3	103	65	19	16	10	6	1	7	4	1	1	236	
	Females.....	59	102	45	16	2	1	1	6	3	1	236	
	Total	62	205	110	35	18	11	7	7	10	5	1	1	472	
Northumberland and Durham :	Males.....	3	162	194	54	24	12	7	5	3	2	1	1	1	1	1	470
	Females.....	72	251	95	27	6	8	6	1	1	1	2	470	
	Total	75	413	289	81	30	20	13	6	4	3	1	1	1	3	940	
Ontario :	Males.....	2	103	102	52	12	4	5	1	2	3	4	290	
	Females.....	47	150	61	13	9	2	3	4	1	290	
	Total	49	253	163	65	21	6	8	5	2	4	4	580	
Oxford :	Males.....	4	119	111	42	9	11	4	5	1	3	1	310	
	Females.....	60	159	58	12	9	6	4	2	310	
	Total	64	278	169	54	18	17	8	7	1	3	1	620	
Peel :	Males.....	42	62	25	7	4	2	1	2	1	3	1	1	151	
	Females.....	13	77	37	11	6	1	3	1	1	1	151	
	Total	13	119	99	36	13	5	5	2	3	2	3	1	1	302	
Perth :	Males.....	115	129	48	19	7	4	5	3	1	1	332	
	Females.....	34	175	85	25	5	2	3	1	2	332	
	Total	34	290	214	73	24	9	7	6	5	1	1	664	
Peterborough :	Males.....	2	105	91	30	17	8	3	4	7	1	1	3	272	
	Females.....	50	135	56	10	8	2	4	3	1	3	272	
	Total	52	240	147	40	25	10	7	7	8	1	1	6	544	

TABLE D.—MARRIAGES BY AGES, 1885.—Continued.

COUNTIES.	AGES.														Total.	
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.		Ages not given.
Prescott and Russell :																
Males.....	8	118	64	18	16	13	3	4	1	1	4	250
Females.....	76	118	26	15	9	3	8	250
Total	84	236	90	33	25	16	3	4	1	1	7	500
Prince Edward :																
Males.....	2	64	44	12	7	4	3	1	1	1	1	2	142
Females.....	34	68	23	6	6	1	2	2	142
Total	36	132	67	18	13	5	3	1	3	1	1	4	284
Renfrew :																
Males.....	2	106	123	44	24	5	6	3	1	1	1	316
Females.....	59	157	67	17	8	4	1	1	2	316
Total	61	263	190	61	32	9	6	3	2	1	1	3	632
Simcoe :																
Males.....	2	186	168	71	28	11	6	8	1	481
Females.....	121	222	100	21	9	5	2	1	481
Total	123	408	268	92	37	16	8	9	1	962
Stormont, Dundas and Glengarry :																
Males.....	2	140	127	53	24	9	5	3	6	2	1	1	9	382
Females.....	66	185	84	17	4	8	4	2	2	10	382
Total	68	325	211	70	28	17	9	5	8	2	1	1	19	764
Victoria :																
Males.....	60	85	20	13	2	6	4	2	2	194
Females.....	43	92	40	10	6	2	1	194
Total	43	152	125	30	19	4	7	4	2	2	388

DEATHS.

TABLE E.—

Distinguishing by Months, by Ages, by Sex and by Diseases, the Registered Number

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
CLASS I. ZYMOTIC DISEASES, <i>Zymotici</i> .													
ORDER I. MIASMATIC DISEASES, <i>Miasmatici</i> .													
Anthrax (Carbuncle).....M	1		1		1					1			4
““.....F													
Total	1		1		1					1			4
Cholera InfantumM	3	2	3	6	10	10	31	69	34	14	5	3	190
““.....F	1	4	3	4	2	5	38	54	21	9	1	2	144
Total	4	6	6	10	12	15	69	123	55	23	6	5	334
Cholera MorbusM	1				1	1	7	8	2	1		1	22
““.....F						3	4	3	2	1			13
Total.....	1				1	4	11	11	4	2		1	35
Cynanche Trachealis (Membranous Croup) M	14	23	16	10	11	5	1	3	11	9	19	23	145
““.....F	11	17	14	10	9	7	4	6	12	10	14	17	131
Total.....	25	40	30	20	20	12	5	9	23	19	33	40	276
Diarrhoea Acuta (Acute Diarrhoea)M	6	1	6	8	6	7	47	68	31	11	10	7	208
““.....F	3	3	3	4	7	16	48	53	29	8	2	1	177
Total.....	9	4	9	12	13	23	95	121	60	19	12	8	385
Diarrhoea Chronica (Chronic “ Diarrhoea).....M	3	2			1		1	4	6	1	3	1	22
““.....F	3	2	1	2			1		1	3	1		14
Total.....	6	4	1	2	1		2	4	7	4	4	1	36
Dysentery.....M	3	1	3	2	5	5	6	9	6	8	6	4	58
““.....F	3	2	2		3	1	3	13	7	4	6	6	50
Total.....	6	3	5	2	8	6	9	22	13	12	12	10	108
Diphtheria.....M	43	31	55	37	34	35	40	38	38	55	70	75	551
““.....F	41	39	46	27	29	19	26	27	44	38	60	59	455
Total.....	84	70	101	64	63	54	66	65	82	93	130	134	1006
Erysipelas.....M	8	9	11	5	6	4	4	3	1	4	2	10	67
““.....F	1	9	6	9	9	5	6	2	1	5	1	6	60
Total.....	9	18	17	14	15	9	10	5	2	9	3	16	127

DEATHS.

of Deaths from various specified Causes (arranged in Classes) during the year 1885.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....								1	1	1				4
Females.....														
Total.....								1	1	1				4
Males.....	161	29												190
Females.....	121	23												144
Total.....	282	52												334
Males.....		2					5	3	6	5	1			22
Females.....	1					5		1	2	2	1			13
Total.....	1	2				5	5	4	8	7	2			35
Males.....	38	74	30	2										145
Females.....	40	63	23	2		1								131
Total.....	78	137	53	4		1								276
Males.....	158	30	3	2	1		2		2	1	3	4	1	208
Females.....	123	33	4		1	2	2	2	1	4	1			177
Total.....	281	63	7	2	2	2	4	2	3	5	4	4	1	385
Males.....		1					1	1	2	7	9	1		22
Females.....	1	1				1		1	2	1	3	2		14
Total.....	1	2				1	1	2	4	8	12	3		36
Males.....	21	16	3		1	6	4	2		2	2	1		58
Females.....	20	6	1			1	4	3	1	5	3	3		50
Total.....	41	22	4		1	7	8	5	1	7	5	4		108
Males.....	47	249	157	48	36	7	1	2			1			551
Females.....	39	181	137	59	21	7			4	1				455
Total.....	86	430	294	107	57	14	1	2	4	1	1			1006
Males.....	8	2	2	2		4	5	5	5	13	13	4		67
Females.....	14	7	2	1	2	1	4	7	4	6	7	4		60
Total.....	22	9	4	3	2	5	9	12	9	19	20	8		127

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Enterocolitis.....M	2	1	1	1
.....F	1	1	1	2	1	2
Total	3	1	1	3	2	3
Febris Biliosa (Bilious Fever).....M	2	2	4	2	2	1	1	3	3	2
.....F	4	4	3	1	1	1	1	1	1	2	1	1
Total	6	4	5	5	3	3	2	2	4	5	3	1
Febris Cerebro-Spinalis (Spinal Fever)....M	9	10	6	13	6	6	7	3	5	4	3	2
.....F	4	4	5	7	6	5	8	7	6	4	5	3
Total	13	14	11	20	12	11	15	10	11	8	8	5
Febris Congestiva (Congestive Fever).....M	1	1	1
.....F	1	1
Total	1	1	1	2
Febris Intermittens (Intermittent Fever)....M	1	1	2	1	1	1
.....F	4	2	1	2	1	1	1
Total	5	3	2	2	1	2	2	1	1
Febris Remittens (Remittent Fever).....M	1	1	1	2	1
.....F	1	1	3	2	2	1	1	2
Total	1	1	4	2	1	3	1	1	2	2	1
Febris Typhoides (Typhoid Fever).....M	27	24	18	17	14	5	13	10	31	34	31	32
.....F	15	26	14	16	8	7	12	14	28	25	22	19
Total	42	50	32	33	22	12	25	24	59	59	53	51
Influenza.....M	4	4	2	1	2	1	3	3	3
.....F	4	4	3	1	1	2	1	1
Total	4	4	8	2	1	3	3	2	2	4	3	4
Morbilli (Measles).....M	2	5	4	3	5	6	2	3	2
.....F	4	9	10	8	7	1	1	1	2	3
Total	2	9	13	13	13	13	1	1	3	5	5

DEATHS.—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....	3	2												5
Females.....	6	2												8
Total.....	9	4												13
Males.....		3	4			3	1		5	2	1	1		22
Females.....	2	1		1	1	4	2	2	3	4	1			21
Total.....	2	4	4	1	1	7	3	2	8	6	2	1		43
Males.....	18	19	12	7	4	6	5	1		1				74
Females.....	17	18	7		6	5	4	3	1					64
Total.....	35	37	19	7	10	11	9	4	1	1				138
Males.....							1	1			1			3
Females.....		1			1									2
Total.....		1			1		1	1			1			5
Males.....	1	1					2				2	1		7
Females.....			1			4	5	1						12
Total.....	1	1	1			4	7	1			2	1		19
Males.....		2		1		1	1			1				6
Females.....	3	4	1			1	1				1			13
Total.....	3	6	1	1		2	2			1	1			19
Males.....	1	8	16	13	29	72	45	19	13	14	7	3		256
Females.....	7	10	8	22	23	60	29	12	13	9	3	2		206
Total.....	8	18	24	35	52	132	74	31	26	23	10	5		462
Males.....	7	3	1	1		3			3	3		2		23
Females.....	7	3	2	1			1	2	1					17
Total.....	14	6	3	2		3	1	2	4	3		2		40
Males.....	9	11	6	1	2	3								32
Females.....	11	20	5	2	2	3	2			1				46
Total.....	20	31	11	3	4	6	2			1				78

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Parotitis (Mumps)	M												
“ “													

DEATHS.—*Continued.*

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....															
Females.....	1														1
Total.....	1														1
Males.....	67	31	3												101
Females.....	59	24	6	1	1										91
Total.....	126	55	9	1	1										192
Males.....	4	5	3		6	2	1	13	9	9	4	2	2	3	63
Females.....	2	2	2		2	13	6	6	4	4	1			3	45
Total.....	6	7	5		8	15	7	19	13	13	5	2	2	6	108
Males.....	14	85	37	12	6	1	1							3	159
Females.....	11	77	32	12	5	9	2	1			1			5	155
Total.....	25	162	69	24	11	10	3	1			1			8	314
Males.....		1	1			1	1		1						5
Females.....				1										1	2
Total.....		1	1	1		1	1		1					1	7
Males.....		5	1	2	2	3			2					1	16
Females.....	1	2	2	3	3	2		1							14
Total.....	1	7	3	5	5	5		1	2					1	30
Males.....															
Females.....															
Total.....															
Males.....	4						1							1	6
Females.....	1													1	2
Total.....	5						1							2	8
Males.....															
Females.....															
Total.....															
Males.....						4	8	8	6	3	3			5	37
Females.....						1									1
Total.....						5	8	8	6	3	3			5	38

TABLE E.--

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Bronchocele (Goitre).....M													
“ “ “.....F					1	1							2
Total					1	1							2
Purpura.....M	1						2						3
“ “ “.....F		2	1	1	1			2					7
Total	1	2	1	1	1		2	2					10
Rachitis (Rickets).....M		1							1				2
“ “ “.....F								1					1
Total		1						1	1				3
Scorbutis (Scurvy).....M													
“ “ “.....F								2	1	1			4
Total								2	1	1			4
ORDER 4. PARASITIC DISEASES. <i>Parasitici.</i>													
Aphæ (Thrush).....M		2	1		1	2	1	3	3	1	2	2	18
“ “ “.....F	1	1	2	1	1	2	3	4	2	1	1	1	20
Total	1	3	3	1	2	4	4	7	5	2	3	3	38
Vermes (Worms).....M		1			1	1		1	2		1	1	8
“ “ “.....F		1	1				1	1	1			2	7
Total		2	1		1	1	1	2	3		1	3	15
Total Zymotic Diseases.....M	164	146	166	137	134	118	197	255	210	190	190	206	2113
“ “ “.....F	105	156	147	126	107	104	189	222	178	143	150	158	1785
Total	269	302	313	263	241	222	386	477	388	333	340	364	3898

DEATHS.—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	Over 90.	Unknown.	Total.
Males.....															
Females.....								1	1						2
Total.....								1	1						2
Males.....															
Females.....	3	5	2												37
Total.....	8	2													10
Males.....	1	1													2
Females.....		1													1
Total.....	1	2													3
Males.....															
Females.....	1	1	1	1											4
Total.....	1	1	1	1											4
Males.....															
Females.....	17	18	12												1820
Total.....	35	3													38
Males.....															
Females.....		65	12	1											87
Total.....		11	3	1											15
Males.....	582	587	280	92	87	116	85	56	55	62	47	19	3	42	2113
Females.....	511	489	236	106	68	120	62	43	37	37	22	11	43	1785
Total.....	1093	1076	516	198	155	236	147	99	92	99	69	30	3	85	3898

TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
CLASS II. CONSTITUTIONAL DISEASES. <i>Cachectici.</i>														
ORDER I. DIATHETIC DISEASES. <i>Diathetici.</i>														
Anæmia	M	81	66	81	71	79	62	86	84	88	64	46	54	862
“	F	50	48	82	55	66	49	72	71	79	55	50	55	735
Total		131	114	163	129	145	111	158	155	167	119	96	109	1597
Anasarca (General Dropsy).....	M	11	14	24	25	13	20	14	21	11	12	6	13	184
“	F	29	18	23	23	18	19	19	18	11	21	14	20	233
Total		40	32	47	48	31	39	33	39	22	33	20	33	417
Asthma	M	3	6	4	2	2	2	2	2	2	4	5	2	36
“	F	1	4	2	5	...	4	3	1	5	4	2	1	32
Total		4	10	6	7	2	6	5	3	7	8	7	3	68
Carcinoma (Cancer)	M	22	12	15	13	21	13	16	14	21	15	17	18	197
“	F	22	18	27	25	21	18	23	24	20	22	23	23	266
Total		44	30	42	38	42	31	39	38	41	37	40	41	463
Leucocythæmia	M	1	1	1	1	2	6
“	F	...	2	1	1	1	1	2	8
Total	2	2	1	1	...	1	1	1	2	1	2	14
Mortification	M	3	...	3	4	1	2	1	1	3	...	2	2	22
“	F	1	1	1	...	3	1	7
Total		3	...	4	5	2	2	4	1	3	1	2	2	29
Noma (Canker)	M	1	2	1	2	...	6
“	F	...	1	1	1	...	1	1	1	...	6
Total	1	1	...	1	2	1	...	1	2	3	...	12
Tabes Mesenterica	M	2	...	1	2	1	1	1	...	2	10
“	F	1	2	3
Total		2	...	1	3	3	1	1	...	2	13
Rheumatism	M	5	6	8	11	9	9	10	2	5	3	5	4	77
“	F	7	9	11	5	7	2	6	5	7	4	7	6	76
Total		12	15	19	16	16	11	16	7	12	7	12	10	153

DEATHS.—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males.....	680	85	16	9	4	11	10	8	10	28	1	862
Females.....	553	77	7	8	5	24	16	7	10	22	6	735
Total.....	1233	162	23	17	9	35	26	15	20	50	7	1597
Males.....	8	4	6	5	4	9	5	11	28	46	34	15	4	5	184
Females.....	3	5	5	3	6	13	16	26	40	45	39	22	3	7	233
Total.....	11	9	11	8	10	22	21	37	68	91	73	37	7	12	417
Males.....	2	2	2	8	8	10	4	36
Females.....	4	4	4	9	5	3	3	32
Total.....	2	6	6	12	17	15	7	...	3	68
Males.....	1	1	1	10	12	21	34	58	38	14	7	197
Females.....	1	1	1	7	20	48	70	60	33	11	14	266
Total.....	1	1	2	1	1	17	32	69	104	118	71	25	21	463
Males.....	2	1	1	1	1	6
Females.....	1	1	3	1	1	1	8
Total.....	1	1	5	1	2	2	1	1	14
Males.....	1	1	3	2	7	5	1	2	22
Females.....	1	2	1	1	1	1	7
Total.....	1	2	5	3	8	6	1	3	29
Males.....	5	1	6
Females.....	5	1	6
Total.....	10	1	1	12
Males.....	5	3	1	1	10
Females.....	1	1	1	3
Total.....	5	3	1	1	1	2	13
Males.....	5	7	5	11	6	8	10	12	8	2	1	2	77
Females.....	1	2	6	14	12	7	7	6	11	7	2	1	76
Total.....	1	7	13	19	23	13	15	16	23	15	4	1	3	153

TABLE E.—

CAUSE OF DEATH.	MONTHS.													Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
ORDER 2. TUBERCULAR DISEASES. <i>Phthisici.</i>														
Hydrocephalus	M	6	3	14	8	4	5	7	8	5	12	2	5	79
“	F	5	6	10	6	10	7	11	6	5	5	4	6	81
Total		11	9	24	14	14	12	18	14	10	17	6	11	160
Tubercular Meningitis	M	4	8	8	6	4	7	5	7	3	5	1	4	62
“	F	6	8	5	7	6	8	8	5	3	7	2	4	69
Total		10	16	13	13	10	15	13	12	6	12	3	8	131
Scrofula	M	...	2	5	2	2	2	2	...	2	2	...	2	21
“	F	1	...	4	3	2	...	5	1	...	1	...	4	21
Total		1	2	9	5	4	2	7	1	2	3	...	6	42
Phthisis	M	92	75	96	103	111	80	80	60	66	77	65	80	985
“	F	120	126	125	132	109	110	89	188	88	112	115	114	1328
Total		212	201	221	235	220	190	169	248	154	189	180	194	2313
Total Constitutional Diseases	M	229	192	260	247	248	205	225	200	209	197	151	184	2547
“	F	241	240	292	267	243	217	240	219	219	233	219	235	2865
Total		470	432	552	514	491	422	465	419	428	430	370	419	5412
CLASS III. LOCAL DISEASES. <i>Monorganici.</i>														
ORDER 1. DISEASES OF THE NERVOUS SYSTEM. <i>Cephalici.</i>														
Apoplexia (Apoplexy)	M	15	24	25	15	15	19	22	9	14	18	14	10	200
“	F	18	16	12	15	9	16	6	6	10	10	10	13	141
Total		33	40	37	30	24	35	28	15	24	28	24	23	341
Atropia Musculorum (Progressive Locomotor Ataxia)	M	...	1	1	1	...	1	1	...	1	...	6
“	F
Total	1	1	1	...	1	1	...	1	...	6
Chorea (St. Vitus' Dance)	M	1	1	2
“	F	1	1	2
Total	1	1	1	1	4

DEATHS.—Continued.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males.....	56	20	2
Females.....	59	16	1	1	1	1	1	1
Total.....	115	36	3	1	1	1	1	1
Males.....	23	17	8	3	3	4	1	1
Females.....	20	21	7	4	4	2	2	4
Total.....	43	38	15	3	7	8	2	3	5
Males.....	16	1	2	1	1
Females.....	13	3	1	1	2	1
Total.....	29	3	2	2	2	3	1
Males.....	12	18	8	8	64	333	198	115	86	72	29	6
Females.....	8	30	13	34	128	512	254	140	90	59	36	3
Total.....	20	48	21	42	192	845	452	255	176	131	65	9
Males.....	806	147	48	35	85	383	234	167	180	227	126	47	6
Females.....	662	153	38	54	160	580	319	236	227	209	122	43	3
Total.....	1468	300	86	89	245	963	553	403	407	436	248	90	9
Males.....	2	2	4	15	16	27	50	55	22	1
Females.....	1	1	7	7	12	18	37	38	14	1
Total.....	2	1	3	11	22	28	45	87	93	36	2
Males.....	2	1	1	1	1
Females.....
Total.....	2	1	1	1	1
Males.....	1	1
Females.....	1	1
Total.....	1	1	1	1

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
ConvulsionsM	27	26	36	42	23	36	31	31	17	15	23	16	323
.....F	17	27	27	20	20	22	22	18	15	11	13	14	226
Total	44	53	63	62	43	58	53	49	32	26	36	30	549
Encephalitis (Inflammation of the Brain)..M	14	10	19	20	15	20	14	19	14	18	10	18	191
.....F	11	21	20	19	20	16	18	15	17	13	6	13	189
Total	25	31	39	39	35	36	32	34	31	31	16	31	380
EpilepsyM	4	4	5	6	3	3	2	1	2	3	3	36
.....F	5	3	6	7	1	7	3	2	6	1	3	5	49
Total	9	7	11	13	4	10	5	2	7	3	6	8	85
HemiplegiaM	1	2	1	1	2	1	1	1	1	11
.....F	1	1	1	3
Total	1	2	2	1	2	2	1	2	1	14
HysteriaM
.....F	1	1	1	1	1	5
Total	1	1	1	1	1	5
InsanityM	2	2	2	2	1	2	2	3	2	2	1	1	22
.....F	2	3	1	1	1	3	1	3	3	3	3	24
Total	4	5	2	3	2	3	5	4	5	5	4	4	46
MeningitisM	4	5	6	10	8	7	8	11	9	10	3	5	86
.....F	10	10	10	11	7	5	6	5	8	7	7	3	89
Total	14	15	16	21	15	12	14	16	17	17	10	8	175
Insolatio (Sunstroke).....M	3	2	1	6
.....F
Total	3	2	1	6
Myelitis (Inflammation of Spinal Cord)..M	2	1	1	4	1	2	1	2	3	17
.....F	2	3	3	2	1	2	1	1	1	16
Total	2	2	1	4	7	2	1	3	2	2	3	4	33
Necrencephalus (Softening of Brain)M	3	4	2	3	2	3	2	3	3	3	3	31
.....F	2	2	3	4	7	2	4	3	3	7	37
Total	3	6	4	3	3	6	10	4	7	6	6	10	68

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....	249	65	9												323
Females.....	167	54	5												226
Total.....	416	119	14												549
Males.....	67	56	10	8	9	12	5	6	3	6	4			5	191
Females.....	50	51	15	9	9	16	12	6	7	4	4	1		5	189
Total.....	117	107	25	17	18	28	17	12	10	10	8	1		10	380
Males.....					2	9	5	4	6	3	4	2		1	36
Females.....				1	7	12	13	5	4	4	1			2	49
Total.....				1	9	21	18	9	10	7	5	2		3	85
Males.....								1	1	2	6			1	11
Females.....					1					1		1			3
Total.....					1			1	1	3	6	1		1	14
Males.....															
Females.....						1	1	1	1	1					5
Total.....						1	1	1	1	1					5
Males.....						1	3	4	4	5	1			4	22
Females.....					1	6	1	3	5	3	4			1	24
Total.....					1	7	4	7	9	8	5			5	46
Males.....	31	19	4	5	2	3	2	5	6	1	1			7	86
Females.....	19	23	13	4	3	6	6	2	1	7	1	2		2	89
Total.....	50	42	17	9	5	9	8	7	7	8	2	2		9	175
Males.....		1			1	1			1	2					6
Females.....															
Total.....		1			1	1			1	2					6
Males.....		4				3	3	2	3	1		1			17
Females.....	1	3	1	1	1	2	3	2		1	1				16
Total.....	1	7	1	1	1	5	6	4	3	2	1	1			33
Males.....	2				1	3		5	3	4	7	4		2	31
Females.....	1	3	1			2	4	1	1	13	9		1	1	37
Total.....	3	3	1		1	5	4	6	4	17	16	4	1	3	68

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
ParalysisM	31	27	34	28	24	19	21	14	22	21	28	22	291
“F	23	24	28	27	29	16	20	18	18	19	20	14	256
Total	54	51	62	55	53	35	41	32	40	40	48	36	547
Tetanus (Lockjaw)M		2				3	2			1			8
“F				1			1			2			4
Total		2		1		3	3			3			12
NeuralgiaM			1		1				1				3
“F	1		1	1			1			2			6
Total	1		2	1	1		1		1	2			9
ORDER 2. DISEASES OF THE CIRCULATORY SYSTEM— <i>Cardiac</i> .													
Angina Pectoris (Breast Pang)M		1	1	1	1		1		1	1	1		8
“F		1							2				3
Total		2	1	1	1		1		3	1	1		11
Atrophia Cordis (Atrophy of Heart)M													
“F				1	1								2
Total				1	1								2
Carditis (Inflammation of Heart)M		2											2
“F													
Total		2											2
Degeneratio Cordis — (Fatty Degeneration of Heart)M	2		1	1	1				1		1		7
“F	1		1	1	1	2	1					1	8
Total	3		2	2	2	2	1		1		1	1	15
Endocarditis (Inflammation of Membrane lining Heart)M	1		2			2	1		1				7
“F				1		1		1					3
Total	1		2	1		3	1	1	1				10

DEATHS.—*Continued.*

SEX.	AGES.													
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males.....		3	1	2	1	2	7	26	37	75	83	48	1	5
Females.....		6	3	1	4	7	9	25	30	64	64	35	4	4
Total.....		9	4	3	5	9	16	51	67	139	147	83	5	9
Males.....			1	1	1	1	1		1	1				1
Females.....		1				1			1					1
Total.....		1	1	1	1	2	1		2	1				2
Males.....									2	1				
Females.....						1		2	2	1				
Total.....						1		2	4	2				
Males.....			1			1	1	1	1	2	1			
Females.....					1		1				1			
Total.....			1		1	1	2	1	1	2	2			
Males.....														
Females.....		1												1
Total.....		1												1
Males.....									1					1
Females.....														
Total.....									1					1
Males.....							1	1		1	4			
Females.....								1	4	2	1			
Total.....							1	2	4	3	5			
Males.....						3		3		1				
Females.....							1	1			1			
Total.....						3	1	4		1	1			

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....							1	1	3	1	1	3			10
Females.....					1		1	2	4	5	4	1			18
Total.....					1		2	3	7	6	5	4			28
Males.....				1				1	4	8	1	1			16
Females.....			1	2	1	1	1	2	2						10
Total.....			1	3	1	1	1	3	6	8	1	1			26
Males.....	12	7	6	12	10	31	33	38	65	112	106	36		14	482
Females.....	7	8	13	10	25	50	47	52	58	102	69	15	1	13	470
Total.....	19	15	19	22	35	81	80	90	123	214	175	51	1	27	952
Males.....			1		1		1								3
Females.....			1		2	1	1		1	1		1			8
Total.....			2		3	1	2		1	1		1			11
Males.....							1	1		1					3
Females.....					1	1	1			1					4
Total.....					1	1	2	1		2					7
Males.....	49	37	7	3	2	6	18	16	16	16	16	5		4	195
Females.....	56	42	14	7	1	6	11	10	7	18	16	7	2	2	199
Total.....	105	79	21	10	3	12	29	26	23	34	32	12	2	6	394
Males.....	97	44	5	2	1	1	7	13	12	15	31	12		10	250
Females.....	78	36	5	7	3	10	4	15	9	23	29	14	3	15	251
Total.....	175	80	10	9	4	11	11	28	21	38	60	26	3	25	501
Males.....	1	1			1	1	3								7
Females.....						1	1	1							3
Total.....	1	1			1	2	4	1							10

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Laryngitis.....M		2	1	6	3	1	1	1	...	3	2	4	24
“.....F	1	5	1	2	2	1	2	1	2	2	2	1	22
Total	1	7	2	8	5	2	3	2	2	5	4	5	46
Pleurisy.....M	5	3	2	3	3	1	...	2	3	3	1	3	29
“.....F	1	3	2	3	...	3	1	1	2	2	2	3	23
Total	6	6	4	6	3	4	1	3	5	5	3	6	52
Ascites.....M										1	...	1	2
“.....F							4	...	1	1	...	1	7
Total							4	...	1	2	...	2	9
Pneumonia.....M	106	110	100	74	76	41	30	26	33	45	42	57	740
“.....F	73	76	102	69	63	39	19	22	20	35	37	53	608
Total	179	186	202	143	139	80	49	48	53	80	79	110	1348
ORDER 4. DISEASES OF THE DIGESTIVE ORGANS.— <i>Enterici.</i>													
Cirrhosis of Liver.....M	2	1	2	1	2	3	...	1	...	3	3	...	18
“.....F		1	2	2	...	2	1	...	1	...	9
Total	2	2	2	1	4	5	...	3	1	3	4	...	27
Colica.....M								1	...				1
“.....F									1	...	1	...	2
Total								1	1	...	1	...	3
Dyspepsia.....M	2	3	4	4	2	2	...	8	3	2	5	2	37
“.....F	2	2	4	1	3	1	3	5	1	3	2	1	28
Total	4	5	8	5	5	3	3	13	4	5	7	3	65
Enteritis (Inflammation of the Bowels).....M	33	24	24	20	23	23	24	23	21	18	23	13	269
“.....F	16	18	25	22	18	18	19	19	17	16	19	9	216
Total	49	42	49	42	41	41	43	42	38	34	42	22	485

DEATHS.—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males.....	3	7	4	1	3	2	1	2	1	24
Females.....	2	8	4	1	1	1	2	1	2	22
Total.....	5	15	8	1	1	2	5	3	3	2	1	46
Males.....	2	1	3	3	6	2	7	1	2	2
Females.....	3	1	2	3	2	4	1	2	4	1	23
Total.....	5	1	1	2	6	5	10	3	9	5	3	52
Males.....	1	1	2
Females.....	1	1	2	1	1	1	7
Total.....	1	1	1	2	2	1	1	9
Males.....	185	86	25	13	18	59	42	61	66	79	65	17	24
Females.....	117	75	25	12	22	68	55	56	44	49	40	16	29
Total.....	302	161	50	25	40	127	97	117	110	128	105	33	53
Males.....	5	7	6	18
Females.....	1	2	4	2	9
Total.....	1	7	11	8	27
Males.....	1	1
Females.....	1	1	2
Total.....	1	1	1	3
Males.....	2	3	3	8	9	10	2	37
Females.....	3	2	2	4	1	10	3	2	1
Total.....	3	4	5	7	9	19	13	4	65
Males.....	64	27	13	15	24	30	23	13	16	14	16	7	7
Females.....	45	23	11	16	9	25	15	17	10	23	12	3	1	6
Total.....	109	50	24	31	33	55	38	30	26	37	28	10	1	13

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Gastritis (Inflammation of Stomach).....M	3	6	9	8	5	7	6	5	4	4	4	10	71
“ F	5	5	4	6	3	3	5	9	8	3	2	6	59
Total	8	11	13	14	8	10	11	14	12	7	6	16	130
HæmatemesisM	3	1	2	1	2	1	2	1	1	4	18
“ F	4	2	2	1	2	11
Total.....	7	3	2	1	2	1	4	2	1	6	29
Hepatitis.M	10	10	10	8	4	5	11	8	4	6	5	7	88
“ F	8	3	15	6	12	11	8	7	3	6	3	4	86
Total.....	18	13	25	14	16	16	19	15	7	12	8	11	174
Hernia (Rupture).....M	1	1	5	2	3	3	3	2	4	1	5	30
“ F	1	3	1	1	2	2	3	1	14
Total.....	2	4	6	3	5	5	3	2	4	4	6	44
Icterus (Jaundice)M	1	4	1	1	4	2	5	3	2	1	2	2	28
“ F	1	4	1	3	4	1	3	3	2	2	4	5	33
Total.....	2	8	2	4	8	3	8	6	4	3	6	7	61
Intus-susceptioM	1	1	1	3
“ F	1	1	2
Total.....	1	1	1	1	1	5
Obstipatio (Constipation)M	2	1	1	2	1	3	1	1	1	1	14
“ F	2	1	1	4	1	4	1	1	3	18
Total.....	4	2	2	4	2	1	4	4	1	2	2	4	32
PeritonitisM	12	3	7	3	5	6	9	8	4	5	5	2	69
“ F	6	8	13	8	10	5	10	9	9	8	9	2	97
Total.....	18	11	20	11	15	11	19	17	13	13	14	4	166
Splenitis (Inflammation of Spleen).....M	1	2	1	4
“ F	1	1	2
Total.....	2	2	1	1	6

DEATHS.—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males.....	5	5	3	1	3	7	1	10	8	10	10	5	3
Females.....	5	4	1	1	2	4	4	9	7	10	7	3	2
Total.....	10	9	4	2	5	11	5	19	15	20	17	8	5
Males.....	1	2	2	3	5	1	4
Females.....	1	1	4	2	2	1
Total.....	2	3	6	3	7	1	2	5
Males.....	3	2	1	2	3	7	14	13	23	15	5
Females.....	2	3	2	2	6	10	15	18	15	9	2	2
Total.....	5	5	3	4	9	17	29	31	38	24	7	2
Males.....	1	1	3	2	5	4	8	5	1
Females.....	1	2	3	2	2	1	3
Total.....	1	1	4	4	8	6	10	6	4
Males.....	10	2	1	1	3	5	3	2	1
Females.....	5	1	1	1	2	1	3	7	3	3	3	3
Total.....	15	3	2	2	2	4	3	12	6	5	3	4
Males.....	1	1	1
Females.....	2
Total.....	1	1	2	1
Males.....	4	1	3	3	1	1	1
Females.....	3	2	1	5	2	1	3	1
Total.....	7	2	1	4	3	6	2	2	3	2
Males.....	2	2	3	4	7	15	8	11	1	5	6	5
Females.....	4	2	3	7	9	23	18	10	5	4	3	9
Total.....	6	4	6	11	16	38	26	21	6	9	9	14
Males.....	1	1	1	1
Females.....	1	1
Total.....	1	2	2	1

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Stomatitis (Inflammation of Mouth).....M	1			1					1	3			6
.....F			1						2				3
Total	1	1	1	1					3	3			9
Stricture Intestini.....M	1		1	1		1	3				3	1	11
.....F			3		1			2	2		1		9
Total.....	1		4	1	1	1	3	2	2		4	1	20
Ulceration of Intestines.....M	2	2	2	2	2	1	4	2	1	3	2		21
.....F	5		1	1	1	1			5	2	1	2	19
Total.....	5	2	3	3	3	2	4	2	6	5	3	2	40
Ulcer of Stomach.....M	1	1	2	1	3	2		1	3	3		1	18
.....F	1	1			2	1		1	2	1	1	3	13
Total	2	2	2	1	5	3		2	5	4	1	4	31
ORDER 5. DISEASES OF THE URINARY SYSTEM.— <i>Nephritici</i> .													
Calculus (Stone).....M	1	4				1	1	1	2				10
.....F													
Total	1	4				1	1	1	2				10
Cystitis (Inflammation of Bladder).....M	2	2	1	3	5	3	3		5	11	4	2	41
.....F									1		1	1	3
Total	2	2	1	3	5	3	3		6	11	5	3	44
Diabetes.....M	4	8		4	4	5	4	4	4	4	4	2	47
.....F	2	4	1	3	2	2	3	3	3	3	2	4	32
Total	6	12	1	7	6	7	7	7	7	7	6	6	79
Ischuria (Retention of Urine).....M						1		1		1			3
.....F			1						1	1		1	4
Total			1			1		1	1	2		1	7

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....	2				2	1	1								6
Females.....	1					1			1						3
Total.....	3				2	2	1		1						9
Males.....		1						1	3	4	1	1			11
Females.....	1			2	1		2			2	1				9
Total.....	1	1		2	1		2	1	3	6	2	1			20
Males.....	1		3		1	1	2	1	2	5	2	1		2	21
Females.....	5			1	2	4	2	1	2	1	1				19
Total.....	6		3	1	3	5	4	2	4	6	3	1		2	40
Males.....						1	2	3	4	6	2				18
Females.....						4	2	2	2	2	1				13
Total.....						5	4	5	6	8	3				31
Males.....				1	1	2	2	1	1	1	1				10
Females.....															
Total.....				1	1	2	2	1	1	1	1				10
Males.....						2	4	1	3	11	16	2		2	41
Females.....				1					2						3
Total.....				1		2	4	1	5	11	16	2		2	44
Males.....		1	2	4	4	6	6	7	7	7	2	1			47
Females.....		3	2	6	2	5	3	3	4	1	1			2	32
Total.....		4	4	10	6	11	9	10	11	8	3	1		2	79
Males.....					1	1						1			3
Females.....	2					1	1								4
Total.....	2				1	2	1					1			7

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Lithiasis (Gravel).....M	3	4	3	1	3	1	1	2	2	20
“““													

DEATHS.—*Continued.*

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....	1							1	2	3	6	6	1	20
Females.....									1	2	3
Total.....	1							1	3	5	6	6	1	23
Males.....								2	2	5	5	4	...	1	19
Females.....															
Total.....								2	2	5	5	4	1	19
Males.....		2	1	1	3	8	11	14	7	29	16	6	9	107
Females.....		1	1	6	5	12	12	8	6	7	5	63
Total.....		3	1	2	9	13	23	26	15	35	23	11	9	170
Males.....	2	6	4	3	1	9	11	12	11	21	27	10	3	120
Females.....	1	5	1	2	2	6	15	7	6	12	1	2	2	62
Total.....	3	11	5	5	3	15	26	19	17	33	28	12	5	182
Females.....						2	1	5	1	9
Females.....					1	7	11	8	2	2	4	35
Females.....						3	4	4	1	12
Females.....						2	1	2	1	6
Females.....				1	4	11	8	11	9	4	1	3	52
Males.....				3	1	1	2	1	2	10
Females.....		1		1	2	1	2	1	8
Total.....		1	4	3	2	2	1	2	3	18

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Caries.....M			1				1					
“.....F								1	1		1	
Total			1				1	1	1		1	
Necrosis.....M				1					3		1	
“.....F												
Total				1					3		1	
Synovitis.....M						1				1		
“.....F	1											
Total	1					1				1		
ORDER 8. DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici</i> .												
Abscess.....M	3	4	3	6	4	9	5	7	6	7	7	4
“.....F	4	3	4	7	7	6	5	5	4	3	5	6
Total	7	7	7	13	11	15	10	12	10	10	12	10
Phlegmon.....M			1	1	1				1	2		
“.....F	1											
Total	1		1	1	1				1	2		
Total Local Diseases.....M	409	446	471	406	346	323	300	292	266	298	304	315
“.....F	345	370	417	348	343	284	254	245	259	259	259	277
Total	754	816	888	754	689	612	554	537	525	557	563	592
CLASS IV. DEVELOPMENTAL DISEASES.— <i>Metamorphici</i> .												
ORDER 1. DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici</i> .												
Anus Imperforatus.....M			1		1							
“.....F												
Total			1		1							

DEATHS.—Continued.

[illegible]

TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Atelectasis Pulmonum	M	1	1	2	3	5	2	3	3	1	13	10	2	46
“ “	F	3	1	2	2	5	5	5	5	5	33
Total		1	1	5	4	7	4	8	8	6	18	15	2	79
Cyanosis	M	1	5	2	1	4	2	1	1	2	1	4	1	25
“ “	F	1	1	2	1	1	1	7
Total		1	5	2	2	4	3	3	2	2	2	5	1	32
Teething	M	2	4	9	3	5	6	7	9	10	12	5	5	77
“ “	F	3	4	3	3	6	4	8	12	10	11	3	5	72
Total		5	8	12	6	11	10	15	21	20	23	8	10	149
Hæmorrhagia Umbilicalis	M	1	1	3	1	6
“ “	F	1	1	1	1	1	2	7
Total	1	1	1	1	1	1	4	3	13
Still Birth.....	M	27	16	28	22	28	15	28	23	24	16	27	25	279
“ “	F	12	14	11	12	8	10	12	13	13	16	16	21	158
Total		39	30	39	34	36	25	40	36	37	32	43	46	437
Premature Birth.....	M	15	9	16	9	13	11	15	18	6	17	9	8	146
“ “	F	11	8	7	10	14	8	10	13	5	10	13	4	113
Total		26	17	23	19	27	19	25	31	11	27	22	12	259
Spina Bifida	M	1	2	2	2	1	1	9
“ “	F	2	4	1	7
Total		3	2	2	2	1	4	2	16
ORDER 2. DEVELOPMENTAL DISEASES OF WOMEN.														
Abortion and Miscarriage.....	F	1	1	1	1	1	2	3	10
Climacteria (Turn of Life).....	F	1	2	1	2	1	7

DEATHS.—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males.....	44	2													46
Females.....	25	8													33
Total.....	69	10													79
Males.....	23	2													25
Females.....	6			1											7
Total.....	29	2		1											32
Males.....	42	35													77
Females.....	32	40													72
Total.....	74	75													149
Males.....	6														6
Females.....	7														7
Total.....	13														13
Males.....	279														279
Females.....	158														158
Total.....	437														437
Males.....	146														146
Females.....	113														113
Total.....	259														259
Males.....	9														9
Females.....	5	2													7
Total.....	14	2													16
Females.....						2	4	4							10
Females.....								4	2					1	7

TABLE E.—

[illegible]

DEATHS.—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Females						1	1								2
Females					5	42	31	10						8	96
Females						3	5	1							9
Females						9	8								17
Females				1	10	112	101		23					10	257
Females						1									1
Males											447	455	130		1032
Females											478	434	129		1041
Total											925	889	259		2073
Males	551	39									447	455	130		1622
Females	346	50		2	15	170	150	19	25		478	434	129	19	1837
Total	887	89		2	15	170	150	19	25		925	889	259	19	3459
Males															
Females															
Total															
Males	4	25	2		1	2	2	1	1	2					40
Females	3	12	3	3	1	2	1	1	3	1		1		1	32
Total	7	37	5	3	2	4	3	2	4	3		1		1	72
Males							1								1
Females						1									1
Total						1	1								2

TABLE E.—

CAUSE OF DEATH.		MONTHS.												
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Concussion of Brain	M			1	1			2	3	1	1	1	2	12
“	F	1			1	1		1			2		1	7
Total		1		1	2	1		3	3	1	3	1	3	19
Killed in Battle	M								2					2
“	F													
Total									2					2
Explosion	M	1	2					2	2		1			8
“	F													
Total		1	2					2	2		1			8
Frozen	M	3	8	4								2	1	18
“	F	2	1	1						1	2	1	1	9
Total		5	9	5						1	2	3	2	27
Lightning	M						1	4		1	1			7
“	F							1		1				2
Total							1	5		2	1			9
Suffocation	M	1		2				4	1	2			2	12
“	F		1			3	2		2	1	4	1	1	15
Total		1	1	2		3	2	4	3	3	4	1	3	27
Drowning	M	5	1	2	7	19	34	26	27	10	9	5	15	160
“	F			1	2	3	4	4	4	5	5	5	2	35
Total		5	1	3	9	22	38	30	31	15	14	10	17	195
Poison	M	3	3	2		1			2			1	4	16
“	F	1		1	3	2	2	1	2	2	2	1		17
Total		4	3	3	3	3	2	1	4	2	2	2	4	33
Wounds	M	22	14	13	15	19	17	25	27	25	25	14	23	239
“	F	2	3	6	3	3	2	7	4	4	4	6	6	50
Total		24	17	19	18	22	19	32	31	29	29	20	29	289

DEATHS.—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....	1		1					1	4	4	1			12
Females.....	1	1						1			2		2	7
Total.....	2	1	1					2	4	4	3		2	19
Males.....														
Females.....													2	2
Total.....													2	2
Males.....						2	2		1	1				
Females.....													2	8
Total.....						2	2		1	1			2	8
Males.....			2		1			1	2	8	3			18
Females.....			2		1	2	2	1	1	1			1	9
Total.....			4		1	3	2	1	3	9	3		1	27
Males.....					1	4	1	1						7
Females.....							1	1	1					2
Total.....					1	4	2	1	1					9
Males.....	3	2		1		1	3			1			1	12
Females.....	3	5	3	1			1		1				1	15
Total.....	6	7	3	2		1	4		1	1			2	27
Males.....	1	14	28	20	24	33	9	7	5	2	5	1	11	160
Females.....		7	9	5	3	4	1	3	3					35
Total.....	1	21	37	25	27	37	10	10	8	2	5	1	11	195
Males.....	1	1				4	2	2	2	3	1			16
Females.....	2	1		1	1	4	2	4		1	1			17
Total.....	3	2		1	1	8	4	6	2	4	2			33
Males.....	1	9	17	12	12	55	32	23	22	24	16	6	10	239
Females.....			9	3	5	6	5	4	3	5	2	3	5	50
Total.....	1	9	26	15	17	61	37	27	25	29	18	9	15	289

TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Killed by Cars.....	M	5	3	2	2	3	6	6	4	7	9	4	1	52
“ “.....	F	1				1			3			1	1	7
Total		6	3	2	2	4	6	6	7	7	9	5	2	59
ORDER 2. HOMICIDE.														
Murder and Manslaughter	M		1			3	3	3	2	1		2	2	17
“ “.....	F				1				1					2
Total			1		1	3	3	3	2	2		2	2	19
ORDER 3. SUICIDE. —Autophenici.														
Submersis (Drowning)	M								1	1	1			3
“ “.....	F		1		2		1							4
Total			1		2		1		1	1	1			7
Suspendium (Hanging).....	M	1	1	2	1	1	2	3	3	2	3	7		26
“ “.....	F	1	1	1										3
Total		2	2	3	1	1	2	3	3	2	3	7		29
Venenatio (Poison)	M	1							1		1	1		4
“ “.....	F				1			1		1				3
Total		1			1			1	1	1	1	1		7
Vulnera (Wounds).....	M			1		1			2	1			1	6
“ “.....	F				1		1							2
Total				1	1	1	1	2	1				1	8
Total Violent Deaths	M	45	35	31	31	50	69	76	82	56	53	39	56	623
“ “.....	F	10	10	14	17	17	16	18	15	17	21	16	18	189
Total		55	45	45	48	67	85	94	97	73	74	55	74	812
Other Diseases and Cause not Specified	M	24	29	34	22	25	26	38	30	30	40	33	33	364
“ “.....	F	25	23	35	36	25	27	30	20	20	34	24	20	319
Total		49	52	69	58	50	53	68	50	50	74	57	53	683

DEATHS — *Continued.*

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males.....	1			1	2	11	5	10	3	7	5	1		6	52
Females.....			1	2		1	2				1				7
Total.....	1		1	3	2	12	7	10	3	7	6	1		6	59
Males.....	1				1	6	4	1	2	1	1				17
Females.....								1			1				2
Total.....	1				1	6	4	2	2	1	2				19
Males.....						1			1		1				3
Females.....	1					1	2								4
Total.....	1					2	2		1		1				7
Males.....					1	4	5	1	7	3	2	3			26
Females.....							1				1			1	3
Total.....					1	4	6	1	7	3	3	3		1	29
Males.....							1	1	1	1					4
Females.....								1		2					3
Total.....							1	2	1	3					7
Males.....					1	1		2	1	1					6
Females.....					2										2
Total.....					3	1		2	1	1					8
Males.....	13	51	50	34	43	125	67	51	52	58	35	11		33	623
Females.....	10	26	27	15	13	21	18	15	12	10	8	4		10	189
Total.....	23	77	77	49	56	146	85	66	64	68	43	15		43	812
Males.....	1	12	18	22	26	50	41	55	42	43	2	3		49	364
Females.....		2	10	21	29	58	45	56	42	17	1	1		37	319
Total.....	1	14	28	43	55	108	86	111	84	60	3	4		86	683

TABLE E.—DEATHS BY

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
CLASS I.													
Total Zymotic Diseases—Males	164	146	166	137	134	118	197	255	210	190	190	206	2113
Females	105	156	147	126	107	104	189	222	178	143	150	158	1785
Total	269	302	313	263	241	222	386	477	388	333	340	364	3898
CLASS II.													
Total Constitutional Diseases—Males....	229	192	260	247	248	205	225	200	209	197	151	184	2547
Females ..	241	240	292	267	243	217	240	219	219	233	219	235	2865
Total	470	432	552	514	491	422	465	419	428	430	370	419	5412
CLASS III.													
Total Local Diseases—Males.....	409	446	471	406	346	328	300	292	265	298	304	315	4181
Females	345	370	417	348	343	284	254	245	259	259	259	277	3660
Total	754	816	888	754	689	612	554	537	525	557	563	592	7841
CLASS IV.													
Total Developmental Diseases—Males...	154	153	173	139	133	101	129	127	117	131	137	128	1622
Females.....	180	160	224	178	154	132	110	135	124	149	133	158	1837
Total	334	313	397	317	287	233	239	262	241	280	270	286	3459
CLASS V.													
Total Violent Deaths—Males	45	35	31	31	50	69	76	82	56	53	39	56	623
Females	10	10	14	17	17	16	18	15	17	21	16	18	189
Total	55	45	45	48	67	85	94	97	73	74	55	74	812
Total Deaths from other Causes and Causes not specified—Males.....	24	29	34	22	25	26	38	30	30	40	33	33	364
Females.....	25	23	35	36	25	27	30	20	20	34	24	20	319
Total	49	52	69	58	50	53	68	50	50	74	57	53	683
Total—Males	1025	1001	1135	982	936	847	965	986	888	909	854	922	11450
Females.....	906	959	1129	972	889	780	841	856	817	839	801	866	10655
Grand Total.....	1931	1960	2264	1954	1825	1627	1806	1842	1705	1748	1655	1788	22105

CLASSES.—RECAPITULATION.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males.....	582	587	280	92	87	116	85	56	55	62	47	19	3	42
Females.....	511	489	236	106	68	120	62	43	37	37	22	11	43
Total.....	1093	1076	516	198	155	236	147	99	92	99	69	30	3	85
Males.....	806	147	48	35	85	383	234	167	180	227	126	47	6	56
Females.....	662	153	38	54	160	580	319	236	227	209	122	43	3	59
Total.....	1468	300	86	89	245	963	553	403	407	436	248	90	9	115
Males.....	797	386	116	84	110	252	267	337	382	578	540	207	3	122
Females.....	576	357	128	102	133	328	317	340	304	460	348	136	13	118
Total.....	1373	743	244	186	243	580	584	677	686	1038	888	343	16	240
Males.....	551	39	447	455	130	1622
Females.....	346	50	2	15	170	150	19	25	478	434	129	19	1837
Total.....	897	89	2	15	170	150	19	25	925	889	259	19	3459
Males.....	13	51	50	34	43	125	67	51	52	58	35	11	33
Females.....	10	26	27	15	13	21	18	15	12	10	8	4	10
Total.....	23	77	77	49	56	146	85	66	64	68	43	15	43
Males.....	1	12	18	22	26	50	41	55	42	43	2	3	49
Females.....	2	10	21	29	58	45	56	42	17	1	1	37
Total.....	1	14	28	43	55	108	86	111	84	60	3	4	86
Males.....	2750	1222	512	267	351	926	694	666	711	968	1197	742	142	302
Females.....	2105	1077	439	300	418	1277	911	709	647	733	979	629	145	286
Total.....	4855	2299	951	567	769	2203	1605	1375	1358	1701	2176	1371	287	588

H. S. CREWE,

Inspector.

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Group).	Diarrhea Acuta (Acute Diarrhea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Algoma :									
Males	4		3	4	9	11	3	9	
Females	3		3	2		14		1	
Total	7		6	6	9	25	3	10	
Brant :									
Males	6	1	2	3		6		2	
Females	4			3	3	3	2	9	6
Total	10	1	2	6	3	9	2	11	6
Bruce :									
Males	2	1	3	4		2	2	2	1
Females	1	1	2	2		1	1	6	
Total	3	2	5	6		3	3	8	1
Carleton :									
Males	15		9	39	5	15		3	4
Females	10		5	33	1	29	4	3	6
Total	25		14	72	6	44	4	6	10
Dufferin :									
Males						1	2	1	1
Females		1			1		1	2	
Total		1			1	1	3	3	1
Elgin :									
Males	3		3	3	1	7		9	
Females	4		5	5	3	8	2	2	
Total	7		8	8	4	15	2	11	
Essex :									
Males	5	2	6	3	1	52		18	1
Females	3		3	4	1	42	1	8	
Total	8	2	9	7	2	94	1	26	1
Frontenac :									
Males	1		9	3	1	10	2	3	28
Females	3		6	1	2	3		2	24
Total	4		15	4	3	13	2	5	52
Grey :									
Males	1		4	5	11		4	9	1
Females	2			1	10		3	5	2
Total	3		4	6	21		7	14	3

CAUSES OF DEATHS, 1885.

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
7 1	1	1	3	54 25	23 9	1	1	2
8	1	1	3	79	32	1	1	2
1 2	1	6 3	5 4	4	33 43	12 12	4 3	3 4	1 4
3	1	9	9	4	76	24	7	7	5
1 1	5	4	2 4	29 19	41 28	3 8	2	2 7	2 3
2	5	4	6	48	69	11	2	9	5
2 1	1 1	5 16	1	5 6	3	1	3 3	111 118	98 90	4 7	3	11 9	6 4
3	1	1	21	1	11	3	1	6	229	188	11	3	20	10
1 3	1	7 8	12 7 4 1	1 5	1
4	1	15	19	4	1	6	1
1 6	1 1	2 1	3	1	1 1	34 39	11 8	6 9	2 3 1
7	2	3	3	1	2	73	19	15	5	1
3 10	1	4 2 2	1	3	100 76	32 32	3 4	2 1	3 3	2 3
13	1	6	2	1	3	176	64	7	3	6	5
.....	1	1	1	60 48	17 22	6 8 1	11 8	1 1
.....	1	2	3	1	3	108	39	14	1	19	2
.....	1 3 1	7 4	1 5	1	1 1	46 37	25 19	8 5	3	3 5	4 2
.....	4	1	11	6	1	2	83	44	13	3	8	6

TABLE F.—DEATHS BY COUNTIES.

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Algoma :									
Males		6			32	7	7	3	2
Females		12		4	26		2	1	
Total		18		4	58	7	9	4	2
Brant :									
Males		16	1	3	40	8	11		
Females		28		4	55	3	1	1	2
Total		44	1	7	95	11	12	1	2
Bruce :									
Males	1	17		2	70	3	13	7	2
Females	1	25		1	73	2	7	5	
Total	2	42		3	143	5	20	12	2
Carleton :									
Males	13	43	12	2	192	5	11	7	
Females	19	60	8	1	198	1	9	15	
Total	32	103	20	3	390	6	20	22	
Dufferin :									
Males	1	4		1	20	1	1	5	
Females	1	8			26	1	3	4	
Total	2	12		1	46	2	4	9	
Elgin :									
Males	1	20		3	43	2	7		2
Females		16			37	2	6	2	2
Total	1	36		3	80	4	13	2	4
Essex :									
Males	1	24	1	1	69	5	15	9	
Females	2	25		3	73	2	9	8	1
Total	3	49	1	4	142	7	24	17	1
Frontenac :									
Males	1	16			52	4	4	4	2
Females	2	41		3	86	2	3	2	1
Total	3	57		3	138	6	7	6	3
Grey :									
Males	2	25		3	73	5	5	2	2
Females	1	25		1	58	1	6	4	
Total	3	50		4	131	6	11	6	2

CAUSES OF DEATHS, 1885.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	4	3	6	1	8	1	4	1	1
.....	1	4	3	8	1	13	1	9	1	1
.....	4	6	11	4	6	10	4	1	2
.....	3	3	12	5	4	1	16	8	2	1
.....	7	9	23	9	10	1	26	12	3	3
.....	1	1	5	6	2	8	2	22	4	4	3	2
.....	1	2	2	8	4	3	24	1	4	2
.....	2	3	7	14	6	11	2	46	1	8	4	5	2
.....	5	1	18	27	13	23	2	3	31	13	1	3
.....	1	2	16	22	3	21	1	25	2	12	3	6	3
.....	6	3	34	49	16	44	2	4	56	2	25	4	9	3
.....	1	1	3	9	1
.....	2	3	5	4	6	2	1
.....	2	1	3	6	7	15	1	2	1
.....	1	1	3	10	6	1	12	8	2	3
1	1	7	7	5	2	14	1	4	2	5
1	1	2	10	17	11	3	26	1	12	4	8
2	2	1	10	6	3	3	2	24	2	9	3	1	1
2	1	1	6	8	3	3	3	25	5	1	3
4	3	2	16	14	6	6	3	2	49	2	14	3	2	4
5	2	12	17	3	8	2	12	1	6	2	5
1	11	18	6	7	1	11	4	4
6	2	23	35	9	15	1	2	23	1	10	2	9
.....	3	2	6	16	5	6	1	2	16	4	2	3
.....	2	7	17	5	10	14	2	4	1
.....	5	2	13	33	10	16	1	2	30	2	8	3	3

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.— <i>Continued.</i>							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Algoma :									
Males			1	1		2	50	3	1
Females						4	22		
Total			1	1		6	72	3	1
Brant :									
Males	1	2	2	1	3	8	84		1
Females			3	1	2	10	78		
Total	1	2	5	2	5	18	162		1
Bruce :									
Males		1	2	4		15	107	2	2
Females		1				6	72		2
Total		2	2	4		21	179	2	4
Carleton :									
Males	3	1	1	2	3	21	194	24	20
Females			1	2		20	165	18	5
Total	3	1	2	4	3	41	359	42	25
Dufferin :									
Males	1		1		1	1	26		3
Females				1	2		34		2
Total	1		1	1	3	1	60		5
Elgin :									
Males	1		1	3		8	71		2
Females				2	2	3	68		2
Total	1		1	5	2	11	139		4
Essex :									
Males			1	1		5	105	2	10
Females			1	1	1	6	90	6	7
Total			2	2	1	11	195	8	17
Frontenac :									
Males		3	3	4	1	9	109	2	3
Females		1	1	3		3	79	1	5
Total		4	4	7	1	12	188	3	8
Grey :									
Males	1		1	3	3	18	106		8
Females		2				11	86	3	3
Total	1	2	1	3	3	29	192	3	11

CAUSES OF DEATHS, 1885.—Continued.

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.								Cause not Specified.	Total Number of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.			
2	4	5	1	12	24	3	1	1		13	42	7	197	
				4	2			1		3	6	5	88	
2	4	5	1	16	26	3	1	2		16	48	12	285	
2		24	3	30	3	1				2	6	4	197	
2	12	30		44	1		1	1		1	4	5	220	
4	12	54	3	74	4	1	1	1		3	10	9	426	
1		32		37	4	1		1		8	14	7	264	
1	13	25	5	46						2	2	13	225	
2	13	57	5	83	4	1		1		10	16	20	489	
7		42	4	97	13	2	1			10	26	28	648	
17	22	34	2	98	1	3					4	25	608	
24	22	76	6	195	14	5	1			10	30	53	1256	
		17	4	24	1	2				1	4	5	86	
	8	9	4	23									91	
	8	26	8	47	1	2				1	4	5	177	
		14	5	21	8	4				3	15	2	186	
	3	23	10	38	1					2	3		185	
	3	37	15	59	9	4				5	18	2	371	
10		28	5	55	3	1	2	1		6	13	8	350	
8	8	19		48	1					4	5	12	304	
18	8	47	5	103	4	1	2	1		10	18	20	654	
4		27		36	7		2	2		13	24	7	288	
2	7	27		42						4	4	12	271	
6	7	54		78	7		2	2		17	28	19	559	
1		30	1	40	7	2		1		3	13	8	286	
2	19	30	1	58	3			1		5	9	9	257	
3	19	60	2	98	10	2		2		8	22	17	543	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Haldimand :									
Males	1	1	4	2	3	1	6
Females	1	3	2	6
Total	1	1	4	3	8	3	12
Halton :									
Males	2	2	2	1	7	1
Females	1	4	1	2	4	2
Total	2	1	6	3	3	11	3
Hastings :									
Males	1	2	7	7	1	16	2	8	18
Females	6	8	1	21	4	12
Total	1	2	13	15	2	37	2	12	30
Huron :									
Males	3	4	3	1	1	4	6	3
Females	4	5	3	3	3	1	5	4
Total	7	9	6	4	4	5	11	6
Kent :									
Males	4	1	6	3	17	4	7	7
Females	4	5	4	2	12	2	9	10
Total	8	1	11	7	2	29	6	16	17
Lambton :									
Males	8	1	2	12	2	9	1
Females	7	1	3	6	1	17	2
Total	15	1	3	1	2	18	3	26	3
Lanark :									
Males	1	1	6	2	1	4	6
Females	1	2	3	4	2	1
Total	2	1	8	5	1	8	8	1
Leeds and Grenville :									
Males	9	4	4	1	43	11	10
Females	2	3	3	16	7	7
Total	11	7	7	1	59	18	17
Lennox and Addington :									
Males	1	1	4	2	1	10
Females	2	1	3	3	12
Total	3	1	1	7	2	4	22

CAUSES OF DEATHS, 1885.—Continued.

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.	
3		1						1	18	7	2		4	1	
5		5						1	30	5	5		8	3	
8		6						2	48	12	7		12	4	
2			3						20	2	2	1	2		
1			3						18	6	4		5	1	
3			6						38	8	6	1	7	1	
2	2		4		1		2	1	74	15	12	1	3	3	
6	3		2	1	1				65	9	5		6	1	
8	5		6	1	2		2	1	139	24	17	1	9	4	
4			5	3			2	2	41	11	4	2	5	2	
3			1	4				2	37	7	6	1	11	1	
7			6	7			2	4	78	18	10	3	16	3	
2	2	1	2	1					57	18	4	1	7	3	
1			1	3				1	54	11	3		7	3	
3	2	1	3	4				1	111	29	7	1	14	6	
9				2			2		48	12	4	1	10	1	
11		2						3	53	13	7		3		
20		2		2			2	3	101	25	11	1	13	1	
1		1	1	1					25	8	2		6	1	
1		1	4					1	20	11	3	1	3	2	
2		2	5	1				1	45	19	5	1	9	3	
4	1	4		2				2	95	24	13		7	1	
4	1	9			1				53	14	4		8	2	
8	2	13		2	1			2	148	38	17		15	3	
2					3		1		25	5	2			2	
				1				1	23	4	2		2		
2				1	3		1	1	48	9	4		2	2	

TABLE F.—DEATH BY COUNTIES—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Haldimand :									
Males		11		1	26	1	4	3
Females		19	1		41	1	4	1
Total		30	1	1	67	2	8	4
Halton :									
Males		5			12	1	5	3
Females		13			29	3	1	2
Total		18			41	4	6	5
Hastings :									
Males	4	35		2	75	3	7	5	1
Females	3	58			82	10	8	8	5
Total	7	93		2	157	13	15	13	6
Huron :									
Males	2	27		3	56	3	5	1
Females	4	42	2		74	5	4	3
Total	6	69	2	3	130	8	9	4
Kent :									
Males	4	32		4	73	3	4	4
Females	2	31		1	58	1	2	4	1
Total	6	63		5	131	4	6	8	1
Lambton :									
Males	1	22		7	58	4	9	8
Females		38		4	65	3	3	3
Total	1	60		11	123	7	12	11
Lanark :									
Males	5	12		1	35			3
Females	3	25		1	49	1		3
Total	8	37		2	84	1		6
Leeds and Grenville :									
Males	3	43		7	98	6	3	4
Females	2	57		2	89	4	4	15	2
Total	5	100		9	187	10	7	19	2
Lennox and Addington :									
Males	2	15		3	29	2	1	
Females		16			24	1	1		1
Total	2	31		3	53	3	2		1

CAUSES OF DEATH, 1885—Continued.

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	1	3	5	1	5	10	2	2	2	2	1
.....	1	3	3	3	2	6	2
.....	1	2	6	8	4	7	16	2	2	2	2	3
.....	1	4	6	6	2	7	3	1	1	1
.....	4	5	7	2	7	15	1
.....	5	9	13	8	7	2	22	4	1	1	1
1	1	1	2	11	8	8	3	13	8	2	2	2
.....	3	1	8	10	10	4	11	2	11	1	1	2
1	4	2	10	21	18	12	3	24	2	19	3	3	4
.....	2	2	12	18	4	7	3	32	1	11	2	4	3
.....	1	20	19	4	7	2	20	1	5	2	5	7
.....	2	3	32	37	8	14	5	52	2	16	4	9	10
.....	2	1	16	3	11	20	1	6	2	1	1
.....	2	2	4	15	2	6	1	1	19	7	1	1	3
.....	4	2	5	31	5	17	1	1	39	1	13	3	2	4
.....	13	13	2	2	14	4	7	4	1	4
.....	1	2	11	2	18	8	2	1	1
.....	1	15	24	4	2	32	4	15	6	2	5
.....	2	11	3	6	1	1	16	2	3	1	1
.....	1	3	10	3	3	10	3	2	1
.....	1	5	21	6	9	1	1	26	2	6	3	2
.....	4	9	19	12	3	2	24	1	7	1	1
.....	2	8	14	11	1	17	2	4	1	2	3
.....	4	2	17	33	23	3	3	41	3	11	2	3	3
.....	4	4	5	1	1	1	5	1	2	2	2	1
.....	2	5	1	2	2	3	2	1
.....	6	9	6	3	3	1	8	1	4	3	2	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.						CLASS IV.		
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus enortus (Still Birth).
Haldimand :									
Males	1	1	1	1	4	51	1
Females				2	4	32	
Total	1	1	1	3	8	83	1
Halton :									
Males	1	1	2	1	10	56	2
Females			3	1	1	5	57	
Total	1	1	3	3	2	15	113	2
Hastings :									
Males	2	2	2	2	7	93	1	6
Females		1	1	6	103	4	6
Total	2	3	2	3	13	196	5	12
Huron :									
Males	2	2	2	4	1	10	131	5
Females			1	2	2	12	122	1	2
Total	2	2	3	6	3	22	253	1	7
Kent :									
Males	1	1	6	1	8	92	2	3
Females			2	1	2	77	3	4
Total	1	3	6	2	10	169	5	7
Lambton :									
Males	2	1	1	1	11	101	1	6
Females			2	2	2	5	66	1
Total	2	3	3	3	16	167	2	6
Lanark :									
Males	1	2	5	4	62	1	3
Females	2	2	1	3	48	1
Total	3	2	7	1	7	110	2	3
Leeds and Grenville :									
Males	2	1	4	5	3	14	125	3
Females		1	4	1	3	9	108	1	2
Total	2	2	8	6	6	23	233	1	5
Lennox and Addington :									
Males	2	3	1	38
Females	2	1	4	28
Total	4	1	3	1	4	66

CAUSES OF DEATHS, 1885.—*Continued.*

DEVELOPMENTAL DIS-EASES.					CLASS V.—VIOLENT DEATHS.								
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Dis-eases.	Total Developmental Dis-eases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.	Cause not specified.	Total Number of Deaths.
		14		15	2	2				4	8		118
	4	10		14								1	118
	4	24		29	2	2				4	8	1	236
1		9		12	3	3				1	7	4	111
	4	11		15	3					3	6	2	127
1	4	20		27	6	3				4	13	6	238
6		31		44	5					8	13	9	308
2	15	27		54	5					3	8	6	318
8	15	58		98	10					11	21	15	626
4		33	1	43	3	3		1		3	10	16	297
4	17	37		61	3			1		3	7	13	314
8	17	70	1	104	6	3		2		6	17	29	611
3		21	2	31	9	2		2		12	25	11	289
	11	20	2	40						5	5	8	242
3	11	41	4	71	9	2		2		17	30	19	531
1		20	4	32	5			1		4	10	7	256
	15	14	2	32	1					1	2	5	223
1	15	34	6	64	6			1		5	12	12	479
		18		22	2					2	4	8	156
	5	24		30								3	150
	5	42		52	2					2	4	11	306
		35		38	3					2	5	18	319
1	8	39		51	1		1			6	8	13	322
1	8	74		89	4		1			8	13	31	701
		15		15	3	1				3	7	4	118
	5	21	1	27						1	1	4	107
	5	36	1	42	3	1				4	8	8	225

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhea Acuta (Acute Diarrhea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Lincoln :									
Males	2		4	1	4	4	1	1	1
Females	4		1	3	1	2	2	6	1
Total	6		5	4	5	6	3	7	2
Middlesex :									
Males	17		1	20		7	2	9	4
Females	8		7	13		17	3	9	2
Total.	25		8	33		24	5	18	6
Muskoka and Parry Sound :									
Males	2		3	4	2	3	2	6	4
Females	1		6	2		9		2	4
Total	3		9	6	2	12	2	8	8
Norfolk :									
Males	5		3	4	3	4	4	3	2
Females	1		1	2	1	2	1	5	2
Total	6		4	6	4	6	5	8	4
Northumberland and Durham :									
Males	3		2	2		8	4	10	2
Females	2	1	2	9	3	4	4	3	2
Total	5	1	4	11	3	12	8	13	4
Ontario :									
Males	8	1	1	1		6		9	3
Females	2		4		1	5	2	6	1
Total	10	1	5	1	1	11	2	15	4
Oxford :									
Males	1			1		14	4	3	
Females		2	1	1	1	10	1	1	3
Total	1	2	1	2	1	24	5	4	3
Peel :									
Males	4	6		3		6	1	5	2
Females	2					2		2	1
Total	6	6		3		8	1	7	3
Perth :									
Males	4		1	2	2	5	1	6	3
Females	4				1	4	1	2	
Total	8		1	2	3	9	2	8	3

CAUSES OF DEATHS, 1885.—*Continued.*

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
1		1	3					1	24	13	2		1	2
		2	2			1		2	27	7	5	1	7	1
1		3	5			1		3	51	20	7	1	8	3
5			2	4		1	1	2	75	27	9		9	9
3			2	3				2	69	26	17	4	11	1
8			4	7		1	1	4	144	53	26	4	20	10
	1		3				1		31	14	2		2	
			1	2				4	31	18	3			
	1		4	2			1	4	62	32	5		2	
5		3		2					38	7	7		5	1
5	1	3		1					25	2	5		3	6
10	1	6		3					63	9	12		8	7
4	1		6	3			2		47	24	12	2	7	3
6				3	1				40	9	14	3	12	2
10	1		6	6	1		2		87	33	26	5	19	5
8	1	1	2					3	44	16	5	3	3	3
7			3	1					32	15	6		8	2
15	1	1	5	1				3	76	31	11	3	11	5
3	3		2	2			1		34	9	5		8	2
		1	1	2					24	3	7		7	3
3	3	1	3	4			1		58	12	12		15	5
	1		2						30	6	4		4	1
1		1	2						11	3	1	1	4	2
1	1	1	4						41	9	5	1	8	3
	1	1	2	4				1	33	12	1		4	1
4									16	20	9	2	3	3
4	1	1	2	4				1	49	32	10	2	7	4

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Lincoln :									
Males		12		5	35	6	2	2
Females		22		4	47	6	6	1	1
Total		34		9	82	12	8	3	1
Middlesex :									
Males	3	48		1	106	16	18	11	6
Females	4	36		6	155	5	7	12	6
Total	7	134		7	261	21	25	23	12
Muskoka and Parry Sound :									
Males	1	12			31	1	15	4
Females		7			28	1	6	1	2
Total	1	19			59	2	21	5	2
Norfolk :									
Males		15			35	1	4	5
Females		20			36	6	1	2	1
Total		35			71	7	5	7	1
Northumberland and Durham :									
Males	3	52		2	105	11	8	11	2
Females	2	84		1	127	7	10	10	2
Total	5	136		3	232	18	18	21	4
Ontario :									
Males		25	1	2	58	9	6	6	1
Females	1	31		1	64	4	3	4	1
Total	1	56	1	3	122	13	9	10	2
Oxford :									
Males	1	17		2	44	3	9	6
Females	1	25		3	49	1	7	6	3
Total	2	42		5	93	4	16	12	3
Peel :									
Males		10		1	26	5	3	2	1
Females		16		1	28	4	2	3	1
Total		26		2	54	9	5	5	2
Perth :									
Males	2	20		1	41	10	7	3	1
Females	1	28		2	68	4	5	3	1
Total	3	48		3	109	14	12	6	2

CAUSES OF DEATH, 1885.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels.)	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver.)	Peritonitis (Inflammation of Abdomen).
.....	1	7	4	2	7	16	1	4	2	4	2
.....	2	1	3	7	5	13	17	3	2	3
.....	3	1	10	11	7	20	33	1	7	4	4	5
5	2	3	16	30	11	15	1	33	18	4	11	2
4	3	13	24	17	12	1	1	36	2	18	4	9	5
9	5	3	29	54	28	27	1	2	69	2	36	8	20	7
.....	3	3	4	3	10	7	3	1	1
.....	3	8	4	6	2	3	1	2
.....	6	11	4	7	16	2	10	4	3	1
.....
.....	2	5	4	4	15	2	1	4
.....	3	9	6	3	1	11	1
.....	5	14	10	7	1	26	2	1	5
.....
.....	7	2	12	21	4	2	1	5	26	4	10	3	2	2
2	6	4	7	10	8	10	2	16	11	3	5	5
2	13	6	19	31	12	12	1	7	42	4	21	6	7	7
.....
1	2	2	13	3	3	26	10	2	1	4
.....	4	11	10	4	5	2	22	3	2	1	3
1	6	13	23	7	8	2	48	13	4	2	7
.....
.....	2	2	10	9	4	5	26	1	9	2
.....	1	3	11	2	4	1	32	5	5	1	2
.....	3	2	13	20	6	9	1	58	1	14	7	1	2
.....
.....	1	4	4	1	5	7	2	2
.....	4	4	5	1	1	1	3
.....	1	8	8	1	10	1	8	2	1	5
.....
.....	1	5	4	9	7	2	1	1	18	2	9	3	1	3
.....	3	2	3	14	5	12	1	15	1	6	1	3	4
.....	3	3	8	18	14	19	3	1	33	3	15	4	4	7

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.	CLASS III.— <i>Continued.</i>							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still-Birth).
Lincoln :									
Males			6	1	3	16	86	2	8
Females		1	1	1	2	6	81		
Total		1	7	2	5	22	167	2	8
Middlesex :									
Males	3	1	7	9	6	13	241	1	12
Females		1	4	3	11	8	206		3
Total	3	2	11	12	17	21	447	1	15
Muskoka and Parry Sound :									
Males	1	1	4	4		6	71	5	6
Females		1				4	44	3	4
Total	1	2	4	4		10	115	8	10
Norfolk :									
Males						4	51	1	
Females		1	1	1	1	7	55		
Total		1	1	1	1	11	106	1	
Northumberland and Durham :									
Males		1	4	4		17	159	1	6
Females		2	6	2	3	24	155	2	4
Total		3	10	6	3	41	314	3	10
Ontario :									
Males		1	5	3		4	102		2
Females				3	1	10	93		2
Total		1	5	6	1	14	195		4
Oxford :									
Males		2	2	8	1	8	109	2	2
Females		1	2	2	1	10	100	2	6
Total		3	4	10	2	18	209	4	8
Peel :									
Males	2	2		2		2	45		4
Females			1			5	35		1
Total	2	2	1	2		7	80		5
Perth :									
Males	2		2		3	4	97	1	4
Females		1	1			6	91		3
Total	2	1	3		3	10	188	1	7

CAUSES OF DEATHS, 1885—Continued.

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total No. of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
5 5	4	17 22	1 2	33 33	6 2	2		1		10 4	18 7	9 11	205 206
10	4	39	3	66	8	2		1		14	25	20	411
4	18	53 59	3 3	73 83	12 3	5		1		12 6	30 9	26 12	551 534
4	18	112	6	156	15	5		1		18	39	38	1085
3	8	12 10 2	26 27	4			4 1		13 1	21 2	7 6	187 138
3	8	22	2	53	4			5		14	23	13	325
.....	4	20 14	3	24 18	5			1		3 2	9 2	1 3	158 139
.....	4	34	3	42	5			1		5	11	4	297
1 2 18	59 59	2 2	69 87	10 3		1	5 2		14 4	30 9	14 14	424 432
3	18	118	4	156	13		1	7		18	39	28	856
3 3 9	26 28	31 42	2		2	2		11 4	17 4	10 5	262 240
6	9	54	73	2		2	2		15	21	15	502
4 3 7	24 29	4	36 47	2	1 1		2		7 2	12 3	7 7	242 230
7	7	53	4	83	2	2		2		9	15	14	472
.....	2	17 20	21 23	6 2	1		1		5 2	12 5	7 12	141 114
.....	2	37	44	8	1		1		7	17	19	255
1 12	21 24 3	27 42	4 1	2	2			1 2	9 3	6 7	213 227
1	12	45	3	69	5	2	2			3	12	13	440

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea)	Dysentery Acuta (Acute Dysentery)	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Peterborough :									
Males	1		4	6		4	1	4	4
Females	1		2	3	1	3	3	4	1
Total	2		6	9	1	7	4	8	5
Prescott and Russell :									
Males	6	2	17	1	3	69	1	3	3
Females	1		16	1	1	65		7	4
Total	7	2	33	2	4	134	1	10	7
Prince Edward :									
Males			1	1		4	3	2	5
Females			2		1	2	3	3	4
Total			3	1	1	6	6	5	9
Renfrew :									
Males	4		5	8		12		4	4
Females	7		3	2		11	1		4
Total	11		8	10		23	1	4	8
Simcoe :									
Males			2	6	2	29		10	4
Females	1	3	3	2		22	4	5	2
Total	1	3	5	8	2	51	4	15	6
Stormont, Dundas and Glengarry :									
Males	3		6	4	1	27		1	3
Females	6		3	3		22	5	3	5
Total	9		9	7	1	49	5	4	8
Victoria :									
Males	3		1	1	1	11		6	
Females	3		3			5	2	1	
Total	6		4	1	1	16	2	7	
Waterloo :									
Males	11	2	2	4	1	3	3	3	1
Females	3	1	1	3	2	1	4	7	
Total	14	3	3	7	3	4	7	10	1
Welland :									
Males	7		2	2		6			8
Females	4	1	2	3		4	1	6	4
Total	11	1	4	5		10	1	6	12

CAUSES OF DEATHS, 1885.—Continued

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox.)	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
3				2					29	15	4	3	1	1
4			1						23	10	4	1	6	2
7			1	2					52	25	8	4	7	3
5		5	1		1			1	113	67	3		3	1
			3		1				104	63	6		4	1
5		5	4		2			1	217	130	9		7	2
4		1		1				1	23	8	2		4	1
2		3	2						22	5	4		5	
6		4	2	1				1	45	13	6		9	1
4	2		1		1			2	47	28	4	1		3
	6							2	36	20	1		3	4
4	8		1		1			4	83	48	5	1	3	7
	1			1				1	56	21	4		5	3
3	1		1	1				2	50	26	12		6	1
3	2		1	2				3	106	47	16		11	4
4	1	9	2	2			1	4	68	16			3	2
2	1	8	1		3			3	65	15	10	2	7	1
6	2	17	3	2	3		1	7	133	31	10	2	10	3
4	1		2						30	7	2	1	3	
4									18	9	1	1	2	1
8	1		2						48	16	3	2	5	1
2				2				1	35	13	6	3	3	1
3			2	3					30	8	8		3	2
5			2	5				1	65	21	14	3	6	3
2		2	1				1		31	3	8	1	4	1
		2	2	1					30	5	7		6	2
2		4	3	1			1		61	8	15	1	10	3

TABLE E.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phtisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Peterborough :									
Males		17		2	43	3	7	10
Females	1	24			48	1	3	8
Total	1	41		2	91	4	10	18
Prescott and Russell :									
Males		22	2	1	99	3	3	9
Females	1	34			109	3	2	2
Total	1	56	2	1	208	3	6	11	2
Prince Edward :									
Males		13		2	30	2	3	1
Females		26	1	1	42	3	1	2
Total		39	1	3	72	3	3	5	1
Renfrew :									
Males	1	15	1	1	54	3	4	1	1
Females	1	16	1		46	1
Total	2	31	2	1	100	3	4	2	1
Simcoe :									
Males		28		1	62	6	22	2
Females	3	33		1	82	2	12	5	2
Total	3	61		2	144	8	34	7	2
Stormont, Dundas and Glengarry :									
Males	2	35		3	61	5	4	2	1
Females	3	62		2	102	2	5	3	2
Total	5	97		5	163	7	9	5	3
Victoria :									
Males	1	16			30	2	1	6
Females	4	24	2	1	45	1	2	1
Total	5	40	2	1	75	3	3	7
Waterloo :									
Males	1	18	1	1	47	6	7	6
Females		26		2	49	2	10	7	5
Total	1	44	1	3	96	8	17	13	5
Welland :									
Males	1	23		1	42	4	9	2	1
Females	1	18	2	2	43	3	5	3
Total	2	41	2	3	85	7	14	5	1

CAUSES OF DEATH, 1885.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach.)	Hepatitis (Inflammation of Liver.)	Peritonitis (Inflammation of Abdomen).
.....	2	1	5 3	8 11	5 3	4 4	11 4	2	4 10	6 1
.....	2	1	5	19	8	8	1	15	2	14	1	7	4
.....	1	1	3 2	6 3	1 2	5 6	1 1	7 7	2 4
.....	1	1	5	9	3	11	2	4	14	1	6	2	1
1	1	5 3	6 7	1 2	1	11 4	1 1	4 3	2 1
1	1	8	13	3	1	15	2	7	1	1	3
.....	2 2	1	3 5	8 7	1	5 3	1	1 1	9 7	2 1	5 3	1 1	2 2
.....	4	1	8	15	1	8	1	2	16	3	8	2	4
3 1	1	4 3	13 20	2 9	8 11	1 2	1 1	16 8	3 2	8 2	2 3	2 1	1 2
4	1	7	33	11	19	3	2	24	5	10	5	3	3
.....	1	2	6 8	10 12	3 5	8 11	2 1	12 8	3 4	5 3	3 1	3 1	2 2
1	2	1	14	22	8	19	3	1	20	7	8	4	4	4
.....	1	6 3	12 5	2	1 7	13 6	11 4	3 2	3 1
1	1	1	9	17	2	8	19	1	15	5	4
1	3 3	8 11	11 11	2 1	5 6	20 12	1 1	5 5	3 3	1 2
1	6	1	19	22	3	11	32	2	10	6	3	3
.....	1	9 14	8 6	4 8	1 3	11 8	1	4 1
.....	4	1	23	14	12	4	19	5	1	5	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Peterborough :									
Males	3	1	3	3	1	4	81	3	2
Females	1		1	4	1	7	70		2
Total	4	1	4	7	2	11	151	3	4
Prescott and Russell :									
Males		1		1	1	3	46	3	11
Females			1	2		6	51	5	4
Total		1	1	3	1	9	97	8	15
Prince Edward :									
Males	1		1	2		6	47		1
Females			1			6	38		
Total	1		2	2		12	85		1
Renfrew :									
Males		1		1		4	56	2	1
Females		1		2	1	8	45	1	1
Total		2		3	1	12	101	3	2
Simcoe :									
Males	1	2	5	1	3	8	115	1	3
Females	1		1	3	1	10	102	1	2
Total	2	2	6	4	4	18	217	2	5
Stormont, Dundas and Glengarry :									
Males		2	3	3	1	15	93	3	3
Females			2	3		8	86	2	
Total		2	5	6	1	23	179	5	3
Victoria :									
Males	2		2	2	6		73		5
Females				2	4		41	1	2
Total	2		2	4	10		114	1	7
Waterloo :									
Males	1	1	2	3		9	95	2	2
Females		1	4	3		16	107	2	3
Total	1	2	6	6		25	202	4	5
Welland :									
Males	1	2	5	1		9	73		3
Females		3	2		1	9	76		3
Total	1	5	7	1	1	18	149		6

CAUSES OF DEATH, 1885.—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total No. of Deaths.
Partus Intermittens (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
3		18		26	3		1			9	13	8	200
1	8	21	1	33	1					2	3	4	181
4	8	39	1	59	4		1			11	16	12	381
		19		33	4					1	5	13	309
	10	23	2	44								19	327
	10	42	2	77	4					1	5	32	636
1		21	1	24	1			1		1	3	5	132
1	10	21	2	34								3	139
2	10	42	3	58	1			1		1	3	8	271
5		21	1	30	5			1		6	12	13	212
1	9	10		22						8	8	4	161
6	9	31	1	52	5			1		14	20	17	373
4		30		38	8			1		10	19	9	299
6	12	27	1	49	2					9	11	8	302
10	12	57	1	87	10			1		19	30	17	601
1		37		44	2					4	6	10	282
1	8	46	1	58	1					2	3	14	328
2	8	83	1	102	3					6	9	24	610
1		18		24	4			1		3	8	6	171
2	5	8		18								3	125
3	5	26		42	4			1		3	8	9	296
7		21	3	35	3		1	2		4	10	7	229
3	4	27	3	42	3			1		2	6	6	240
10	4	48	6	77	6		1	3		6	16	13	469
2		18		23	3	3				8	14	4	187
	6	19		28	2	2				5	9	4	190
2	6	37		51	5	5				13	23	8	377

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Wellington :									
Males.....	2	3	7	3	14	3	8
Females	1	1	3	3	2	8	4	2
Total	3	1	6	10	5	22	3	12	2
Wentworth :									
Males.....	4	9	16	50	3	8	1
Females	3	7	13	39	1	9	3
Total	7	16	29	89	4	17	4
York :									
Males.....	38	2	11	47	2	59	6	43	13
Females	41	1	9	51	7	47	2	30	17
Total	79	3	20	98	9	106	8	73	30
Total Males	190	22	145	230	58	551	67	256	159
Total Females	144	13	131	191	50	455	60	206	155
Grand Total.....	334	35	276	421	108	1006	127	462	314

CAUSES OF DEATHS, 1885.—*Continued.*

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
4		1	2	1				1	44	24			6	1
				1					30	20	13	2	14	4
4		1	2	2				1	74	44	13	2	20	5
2			1	4	3		4	1	104	34	4	1	12	4
			1	1	1		1	3	84	30	3	1	21	4
2			2	5	4		5	4	188	64	7	2	33	8
13		5	24	12	2	2	12	9	300	125	20	5	30	4
6		3	27	3				8	252	114	10	8	37	3
19		8	51	15	2	2	12	17	552	239	30	13	67	7
112	23	33	101	63	16	6	37	44	2113	862	184	36	197	77
112	17	47	91	45	14	2	1	51	1785	735	233	32	266	76
224	40	80	192	108	30	8	38	95	3898	1597	417	68	463	153

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain.	Epilepsy.
Wellington :									
Males		29		3	63	6	7	8	2
Females	5	34		2	94	8	8	8	2
Total	5	63		5	157	14	15	16	4
Wentworth :									
Males	7	64		11	137	8	17	6	2
Females		47	1	14	121	11	13	10
Total	7	111	1	25	258	19	30	16	2
York :									
Males	15	121	2	23	345	29	56	18	6
Females	13	126	3	25	339	27	44	16	3
Total	28	247	5	48	684	56	100	34	9
Total Males	79	985	21	106	2547	200	323	191	36
Total Females	81	1328	21	93	2865	141	226	189	49
Grand Total	160	2313	42	199	5412	341	549	380	85

CAUSES OF DEATHS, 1885.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	2	12	15	7	5	21	1	14	1	1
.....	2	3	5	12	12	4	1	4	18	9	1	5	2
.....	4	3	17	27	19	9	1	4	39	1	23	2	5	3
3	5	3	11	28	12	14	1	1	28	15	2	4	2
5	5	2	9	36	10	10	30	8	3	9	8
8	10	5	20	64	22	24	1	1	58	23	5	13	10
1	26	2	44	63	31	42	5	2	119	24	7	10	18
5	26	4	21	59	29	37	6	1	81	1	24	10	7	19
6	52	6	65	122	60	79	11	3	200	1	48	17	17	37
22	86	31	291	482	195	250	24	29	740	37	269	71	88	69
24	89	37	256	470	199	251	22	23	608	28	216	59	86	100
46	175	68	547	952	394	501	46	52	1348	65	485	130	174	169

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Wellington:									
Males	1	2	4	7	4	9	129	2	9
Females		2	3	5	2	12	128	4	7
Total	1	4	7	12	6	21	257	6	16
Wentworth:									
Males	1	3	2	4	1	12	185	33
Females		2	2	2	3	29	207	2	20
Total	1	5	4	6	4	41	392	2	53
York:									
Males	4	7	24	15	14	59	626	10	83
Females	1	5	11	4	9	64	514	8	51
Total	5	12	35	19	23	123	1140	18	134
Total Males	41	47	107	120	65	367	4181	77	279
“ Females	3	32	63	62	59	368	3660	72	158
Grand Total	44	79	170	182	124	735	7841	149	437

CAUSES OF DEATHS, 1885.—*Concluded.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total Number of Deaths.
Partus Intempestivus (Premature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
3 1 5	49 34 3	63 54	11	2	3 6	16 6	12 6	327 318
4	5	83	3	117	11	2	9	22	18	645
14 15 12	40 50	2 6	89 105	13 1	6	6 1	9 4	34 6	14 11	563 534
29	12	90	8	194	14	6	7	13	40	25	1097
42 30 28	76 90	38 16	249 223	26 7	5 1	2	2 1	44 10	79 19	23 24	1622 1371
72	28	166	54	472	33	6	2	3	54	98	47	2993
146 113 379	1032 1041	88 74	1622 1837	239 50	52 7	17 2	39 12	276 118	623 189	364 319	11450 10655
259	379	2073	162	3459	289	59	19	51	394	812	683	22105

H. S. CREWE,

Inspector.

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.		CLASS I.—ZYMOTIC							
		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).
Brantford :									
Males	5			4		2		1	
Females	1			3	1	2	1	4	2
Total	6			7	1	4	1	5	2
Walkerton :									
Males				2		1			
Females									
Total				2		1			
Ottawa :									
Males	10		8	33	2	13		2	3
Females	6		5	26	1	21	3	2	6
Total	16		13	59	3	34	3	4	9
St. Thomas :									
Males	2		1			5		3	
Females	2		1			5		1	4
Total	4		2			10		4	4
Windsor :									
Males	2			1		2		3	1
Females	1		1	1		2		3	
Total	3		1	2		4		6	1
Kingston :									
Males	1		3	2		3	2	2	24
Females	1		2	1	1	1		2	18
Total	2		5	3	1	4	2	4	42
Owen Sound :									
Males							1	3	
Females	1		1				1	1	
Total	1		1				2	4	
Belleville :									
Males	1		2	2				3	8
Females			1	2		3		1	4
Total	1		3	4		3		4	12
Goderich :									
Males							1	2	
Females									2
Total							1	2	2

TOWNS.—CAUSES OF DEATHS, 1885.

DISEASES.

CLASS II.—CONSTI-
TUTIONAL DISEASES.

Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
			4	1				1	18	12	1		1	
			3	2				1	20	7	1	1	2	
			7	3				2	38	19	2	1	3	
			1						4	2				1
			1						4	1				
										3				1
2			3	1	5	1	1	3	86	86	4	1	6	5
1			9		6			1	87	71	6		7	3
3			11	1	11	1	1	4	173	157	10	1	13	8
1			2	1				1	16	6	2		2	
			1			1		1	16	2	1		1	
1			3	1		1		2	32	8	3		3	
1							1		11	10			1	
1									9	5	1			
2							1		20	15	1		1	
			2	1					37	8	6		5	
									29	8	4		7	1
			2	1					66	16	10		12	1
									4		2		1	
									4	3				
									8	3	2		1	
1			1					1	18	5	3			
			2						14	5	3		2	
1			3					1	32	10	6		2	
				1			1		5	2				
				1				1	4		1		1	
				2			1	1	9	2	1		1	

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Brantford :									
Males		6	1		21	5	7		
Females		12			23	1			
Total.....		18	1		44	6	7		
Walkerton :									
Males		2			5		2		
Females					1		1		
Total.....		2			6		3		
Ottawa :									
Males	13	29	12	1	157	4	10	6	
Females	17	37	8		149		7	10	
Total.....	30	66	20	1	306	4	17	16	
St. Thomas :									
Males		3			13		3		
Females		4			8	1	3	2	
Total.....		7			21	1	6	2	
Windsor :									
Males		5	1	1	18	1	1	2	
Females		1		1	8	1	1	1	
Total.....		6	1	2	26	2	2	3	
Kingston :									
Males	1	11			31	3	3	3	1
Females	1	18		1	40		2	2	
Total.....	2	29		1	71	3	5	5	1
Owen Sound :									
Males	2	3			8	1			
Females.....	2	3			8				
Total	4	6			16	1			
Belleville :									
Males	4	14		2	28		3	2	1
Females	1	16			27	4	2	3	1
Total	5	30		2	55	4	5	5	2
Goderich :									
Males		3			5			1	
Females	1	1			4	1		1	
Total	1	4			9	1		2	

TOWNS.—CAUSES OF DEATHS, 1885—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	2	3	1	1	2	2	1
.....	3	4	3	1	5	4	1
.....	4	2	7	4	2	7	6	1	1
.....	1	1	1
.....	1	1	1
.....	4	1	15	19	10	16	2	2	20	10	3
.....	2	2	13	18	2	13	1	18	1	6	2	3
.....	4	3	28	37	12	29	2	3	38	1	16	2	6
.....	1	1	3	2	1	2
.....	1	2	1	1	8	1	3	3
.....	2	3	1	1	11	1	5	1	6
.....	1	1	1	2
.....	1	2	1	1	3	2	1
.....	1	1	3	1	1	4	4	1
.....	2	7	6	1	4	6	1	4	2	1
.....	4	10	4	6	5	3	1
.....	2	11	16	5	10	11	1	7	2	2
.....
.....	1	5	1	2	1
.....	3	1	2
.....	1	8	2	2	2	1
.....
1	6	5	3	2	3	2
.....	3	2	3	2	1	3	2	1
1	3	2	9	7	4	5	5	1	2
.....
.....	1	1	2	1	1
.....	2	1	1	1
.....	2	1	1	1	2	1	2	1

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III. —Continued.						CLASS IV.		
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortus (Still Birth).
Brantford :									
Males		2	1		2		30		
Females			1			3	26		
Total		2	2		2	3	56		
Walkerton :									
Males						2	7		
Females							1		
Total						2	8		
Ottawa :									
Males	2		1	1	2	15	143	24	18
Females			1	2		14	113	17	5
Total	2		2	3	2	29	256	41	23
St. Thomas :									
Males						2	15		1
Females						3	29		2
Total						5	44		3
Windsor :									
Males						1	10		1
Females			1			2	17	1	3
Total			1			3	27	1	4
Kingston :									
Males		1	1	3	1	3	53	2	1
Females			1	1			39	1	2
Total		1	2	4	1	3	92	3	3
Owen Sound :									
Males	1		1			1	12		
Females						1	9		
Total	1		1			2	21		
Belleville :									
Males	1					2	31		4
Females		1				2	30		4
Total	1	1				4	61		8
Goderich									
Males					1	1	9		1
Females							7		
Total					1	1	16		1

TOWNS.—CAUSES OF DEATHS, 1885—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.								Cause not Specified.	Total No. of Deaths.
Partus Interpestivus (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnra (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Killed in Battle.	Total Violent Deaths.		
1 1	3	7 13	8 17	1 1	1	1	1 1	1 1	4 4	4	81 94
2	3	20	25	2	1	1	2	2	8	4	175
.....	1 2	1	1 3	17 5
.....	3	1	4	22
5 9 15	23 24	2 2	72 72	5	2 2	1	2	2	12 2	20 14	490 437
14	15	47	4	144	5	4	1	2	2	14	34	927
.....	1	2 1	1 2	4 6	3	3	2	6 2	54 61
.....	1	3	3	10	3	3	2	8	115
1 3 1	8	10 8	1	1	4 6	54 48
4	1	8	18	1	1	10	102
3 2 2	7 5	13 12	1	8 3	9 3	4 2	147 125
5	2	12	25	1	11	12	6	272
1	2 2	1	3 3	2	2	1 1	30 25
1	4	1	6	2	2	2	55
2 2 2	3 9	9 17 1	4 1	4 2	1 3	91 93
4	2	12	26	1	5	6	4	184
.....	6 2	7 2	1	1 1	27 18
.....	8	9	1	1	2	45

TABLE G.—DEATHS BY CITIES AND PRINCIPAL TOWNS.—

CITIES AND TOWNS.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Chatham :									
Males			1	1		8	1	2	3
Females	1		1	2		6		4	2
Total	1		2	3		14	1	6	5
Sarnia :									
Males						9		2	
Females								1	
Total						9		3	
Perth :									
Males			1	1				3	
Females				1		1		1	1
Total			1	2		1		4	1
Brockville :									
Males	1		3	2	1	13		2	
Females			2	2		4		3	
Total	1		5	4	1	17		5	
Napanee :									
Males						2			1
Females									7
Total						2			8
St. Catharines :									
Males	1		2		1	2			
Females	1		1			1			
Total	2		3		1	3			
London :									
Males	11		1	12		3	1	4	2
Females	5		2	5		8		3	1
Total	16		3	17		11	1	7	3
Cobourg :									
Males							1	1	
Females	1			2		1	1		
Total	1			2		1	2	1	
Whitby :									
Males						1			
Females									
Total						1			

CAUSES OF DEATHS, 1885.—*Continued.*

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox)	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
		1		1					18				1	
									16	1	1		4	
		1		1					34	1	1		5	
3									14	1			1	
1									2	2	1			
4									16	3	1		1	
									5	1				
		1							5	3				1
		1							10	4				1
2	1			1				1	27	8	2			
1									12	2			3	
3	1			1				1	39	10	2		3	
1									4	1				
									7	2				
1									11	3				
								1	7	6				
									3	2	1		3	
								1	10	8	1		3	
1			1	1		1			38	9	3		3	4
1				1				2	28	10	4	3	5	
2			1	2		1		2	66	19	7	3	8	4
							1		3					
									5				3	1
							1		8				3	1
			1						2	6				
									2	2			2	1
			1						2	8			2	1

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phtisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Chatham :									
Males		7			8		1	2	
Females		7			13		2	1	
Total		14			21		3	3	
Sarnia :									
Males		3			5	1	1		
Females		2		2	7				
Total		5		2	12	1	1		
Perth :									
Males	3	3		1	8				
Females		5		1	10			1	
Total	3	8		2	18			1	
Brockville :									
Males		11		2	23		1	2	
Females		5			10			4	1
Total		16		2	33		1	6	1
Napanee :									
Males	1	4		1	7	1	1		
Females		6			8				
Total	1	10		1	15	1	1		
St. Catharines :									
Males	1	4		2	13		1		
Females		8			14	3	4		1
Total	1	12		2	27	3	5		1
London :									
Males	2	17			38	5	8	1	
Females	3	35		4	64	4	7	5	1
Total	5	52		4	102	9	15	6	1
Cobourg :									
Males		3			3				
Females		2			6	1		1	
Total		5			9	1		1	
Whitby :									
Males		3			9			1	
Females		4			9	1		1	
Total		7			18	1		2	

TOWNS.—CAUSES OF DEATHS.—*Continued.*

LOCAL DISEASES

Insanity.	Meningitis.	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis. (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
		1	1 3	2 4	1	4 1			6 1		2	2 1	1	
		1	4	6	1	5			7		2	3	1	
			1 1	1 1					2		1 1			
			2	2					2		2			
				2 3		2 1			5 5				1	
				5	1	3			10		2		1	
			2 4	5 5		2		1	5 5		2	1		1
			6	10	2			1	10		2	1		1
	1 1		1 1	2 1	1 2				4 1					1
	2		2	3	3				5					1
	1		5 1	1 3	1 1	2 7			7 5		1	2	2	2 2
	1		6	4	2	9			12		1	2	2	4
1	1 1	1	6 7	8 8	6 3	10 6	1		12 12		5 2	2 1	5 3	1 1
1	2	1	13	16	9	16	1		24		7	3	8	2
	1		2	3	1		1		1					
	1		2	3	1		1		1					
1	1 1		3						2		1			
1	2		3						2		1			

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III. —Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Chatham :									
Males						1	20		1
Females							17	1	
Total						1	37	1	1
Sarnia :									
Males							5		
Females							5	1	
Total							10	1	
Perth :									
Males				1			10	1	1
Females						1	15		
Total				1		1	25	1	1
Brockville :									
Males			1			1	21		2
Females		1	1			1	25		1
Total		1	2			2	46		3
Napanee :									
Males							12		
Females						1	7		
Total						1	19		
St. Catharines :									
Males			3		1	7	33	1	7
Females		1	1	1	1	3	37		
Total		1	4	1	2	10	70	1	7
London :									
Males				3	6	3	83		8
Females				2	2	8	75		1
Total				5	8	11	158		9
Cobourg :									
Males			1			1	9		
Females				1		1	6		
Total			1	1		2	15		
Whitby :									
Males				1		1	5		
Females							9		
Total				1		1	14		

TOWNS.—CAUSES OF DEATHS, 1885—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.									
Partus Intempestivus (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Killed in Battle.	Total Violent Deaths.	Cause not Specified.	Total No. of Deaths.
1	5	7	1	1						4	6	1	60	
	4	5								2	2		53	
1	9	12	1	1						6	8	1	113	
	2	2								1	1	2	29	
	1	2										1	17	
	1	4								1	1	3	46	
	1	3	1							1	2		28	
	4	4											34	
	5	7	1							1	2		62	
	4	6	1							1	2		79	
	1	9	1							1	1	7	64	
	1	15	1							2	3	7	143	
	4	10										1	23	
	4	10										1	33	
	4	10										1	56	
3	5	16	1	1						6	8	4	81	
3	9	13						1		1	2	6	75	
6	14	29	1	1				1		7	10	10	156	
2	14	25	2	2						4	8	2	194	
	3	18	1							2	2	5	192	
2	27	43	2	2						6	10	7	386	
	2	1										1	17	
	2	4											21	
	2	5										1	38	
	3	3				1					1		20	
	2	2										2	22	
	5	5				1					1	2	42	

TABLE G.—DEATHS BY CITIES AND PROVINCIAL

CITIES AND TOWNS.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Woodstock :									
Males	1					2		1	
Females.....				1	1	1		1	
Total.....	1			1	1	3		2	
Brampton :									
Males	2			1					
Females.....	1							1	
Total.....	3			1				1	
Stratford ;									
Males					1	1		1	
Females					1	1			
Total.....					2	2		1	
Peterborough :									
Males			1	4				3	
Females.....			1	1			1	3	
Total.			2	5			1	6	
Picton :									
Males				1			1		
Females					1	1	2		
Total.....				1	1	1	3		
Pembroke :									
Males				4		2		1	1
Females.....	2					1			
Total.....	2			4		3		1	1
Barrie :									
Males				3		1		2	
Females.....				1		3		1	1
Total				4		4		3	1
Cornwall :									
Males			3		1	2		1	1
Females			1	1		2		2	2
Total.....			4	1	1	4		3	3
Lindsay :									
Males				1	1			1	
Females.....	1		1						
Total	1		1	1	1			1	

TOWNS.—CAUSES OF DEATHS, 1885.—*Continued.*

DISEASES.										CLASS II.—CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
							1		5					1
									4	1	1		1	
							1		9	1	1		1	1
				1					4	2			2	
				1					3	1	1		1	1
				2					7	3	1		3	1
			1	3				1	8	9			1	
									2	10		2	1	
			1	3				1	10	19		2	2	
			1						8	1				1
									7	1		1		2
			1						15	2		1		3
1									3	2				
									4	1	1		2	
1									7	3	1		2	
1			1						10					1
									3	1				1
1			1						13	1				2
									6	4			1	
									6	1	1		2	
									12	5	1		3	
		1		1					10	3				
1	1								10	1				
1	1	1		1					20	4				
1									4	3			3	
2									4	1			1	1
3									8	4			4	1

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Woodstock :									
Males					1		1		
Females		1			4				
Total		1			5		1		
Brampton :									
Males		3			7	1	1	2	
Females		3			7		2		
Total		6			14	1	3	2	
Stratford :									
Males	1	3		1	15	2		2	
Females		3			16		1	3	
Total	1	6		1	31	2	1	5	
Peterboro' :									
Males		8			10		3	3	
Females		8			12		2	3	
Total		16			22		5	6	
Picton :									
Males		2			4		1	1	
Females		6			10	1			
Total		8			14	1	1	1	
Pembroke :									
Males		3	1		5	1	2	1	
Females		1			3				
Total		4	1		8	1	2	1	
Barrie :									
Males		2			7	1	3		
Females		4			8			1	
Total		6			15	1	3	1	
Cornwall :									
Males	1			1	5	2	1		1
Females		11		1	13	1	2		
Total	1	11		2	18	3	3		1
Lindsay :									
Males	1	4			11	2		2	
Females	3	6			12				
Total	4	10			23	2		2	

TOWNS.—CAUSES OF DEATHS, 1885—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of the Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	1	3	3
.....	1	1	2	5
.....	2	1	4	2	8
.....	1	2	2	2	4	1
.....	3	3	1	2	1	1
.....	1	5	3	4	5	1	1
.....	1	2	1	2	2	1
.....	2	4	1	2
.....	2	1	4	3	1	4	2	1
.....	1	4	2	1	4
.....	1	1	3	2	1	2	4	1
.....	1	2	7	4	1	3	4	4	1
.....	1	2	2	1	1
.....	1	3	1
.....	2	5	2	1	1	1
.....
.....	1	1	3	4	2
.....	1	1	1	2	1
.....	2	1	1	3	5	4	1
.....	2	1	1	1	1	1
.....	2	3
.....	2	3	1	4	1	1
.....	2	2	1	2	1	1
.....	1	1	1	1
.....	1	3	1	2	2	2	1	1
.....
.....	2	1	2	2
.....	2	2	2	1	2
.....	4	2	1	1	4	2

TABLE G.—DEATHS BY CITIES AND PRINCIPAL TOWNS.—

CITIES AND TOWNS.	CLASS III.— <i>Continued.</i>							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Woodstock :									
Males						1	10	1	
Females				1	1	1	12		1
Total				1	1	2	22	1	1
Brampton :									
Males	1						17		1
Females							10		
Total	1						27		1
Stratford :									
Males							13		2
Females							13		2
Total							26		4
Peterboro' :									
Males			1	3	1	3	26		
Females	1		1	2		3	27		
Total	1		2	5	1	6	53		
Picton :									
Males						3	12		
Females							6		
Total						3	18		
Pembroke :									
Males							15		
Females							6		
Total							21		
Barrie :									
Males			1				12		
Females						1	7		
Total			1			1	19		
Cornwall :									
Males		1	1			3	18	2	
Females			1	1		2	11	1	
Total		1	2	1		5	29	3	
Lindsay :									
Males				1		5	17		
Females				1		2	10	1	1
Total				2		7	27	1	1

CAUSES OF DEATHS, 1885.—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total No. of Deaths.
Partus Intempestivus (Pre-mature Birth).	Diseases Incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds.)	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other violent Deaths.	Killed in Battle.	Total Violent Deaths.	
1	3	4 5		5 10	2 1			1		2		2 4	23 35
1	3	9		15	3			1		2		6	58
		4 4		5 4	1					1		2	38 28
		8		9	1					1		2	66
1		4 3		7 9		2				2		2 2	46 43
1	4	7		16		2				2		4	89
	2	4 1		4 3		1				1 1		2 1	51 51
	2	5		7		1				2		3	102
1 1		3 5		4 9	1					1		2	25 32
2	1	8	2	13	1					1		2	57
1		2		3						1		1	34 12
1		2		3						1		1	46
1 2		1 2		2 5						2		2 1	31 28
3	1	3		7	1					2		3	59
	1	2 4		4 6						1		1	39 40
	1	6		10						1		1	79
		1 3		1 7	2					2		4	38 34
1	1	4		8	2					2		4	72

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhœa Acuta (Acute Diarrhœa).	Dysenteria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Berlin :									
Males	1			2					1
Females		1	1	2				1	
Total	1	1	1	4				1	1
Guelph :									
Males	1		1	1		6		2	
Females	1		2	1		2		2	
Total	2		3	2		8		4	
Hamilton :									
Males	3		5	13		37	1	5	
Females	3		6	10		22	1	3	1
Total	6		11	23		59	2	8	1
Toronto :									
Males	37	2	10	40	2	51	6	35	5
Females	35	1	7	46	7	35	2	24	14
Total	72	3	17	86	9	86	8	59	19
Total:									
Males	79	2	42	130	9	166	15	85	50
Females	63	2	36	108	13	123	12	64	65
Grand Total	142	4	78	238	22	289	27	149	115

TOWNS.—CAUSES OF DEATHS.—*Continued.*

DISEASES.										CLASS II. CONSTITUTIONAL DISEASES.				
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
.....	1	5	3	2	1
.....	5	1
.....	1	10	4	2	1
.....
1	1	11	10	2	1	2
.....	10	5	4	2
1	1	21	15	2	1	6	2
.....
1	1	3	3	2	1	74	25	4	7	3
.....	1	1	1	1	1	52	24	2	1	19
1	2	4	4	3	2	126	49	6	1	26	3
.....
6	4	19	8	2	2	12	9	252	99	8	5	22	4
.....	3	20	3	6	209	89	8	6	27	3
14	7	39	11	2	2	12	15	461	188	16	11	49	7
.....
22	1	7	34	23	10	4	19	19	717	324	35	6	61	21
17	1	4	39	10	7	1	1	14	580	263	40	15	98	17
39	2	11	73	33	17	5	20	33	1297	587	75	21	159	38

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Berlin :									
Males		1	1	1	9			2	
Females		2			3				
Total		3	1	1	12			2	
Guelph :									
Males		7		2	21	4	2		
Females	1	7			22	3		3	1
Total	1	14		2	43	7	2	3	1
Hamilton :									
Males	5	39		11	94	5	12	3	
Females		17		12	75	7	8	5	
Total	5	56		23	169	12	20	8	
Toronto :									
Males	14	95	2	23	272	20	41	17	5
Females	11	98	3	21	266	23	36	12	3
Total	25	193	5	44	538	43	77	29	8
Total :									
Males	49	298	18	49	861	59	109	53	8
Females	40	333	11	43	860	52	80	59	8
Grand Total	89	631	29	92	1721	111	189	112	16

TOWNS.—CAUSES OF DEATHS, 1885.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	1	1	1
.....	1	1	2	1
.....	1	2	3	5	1	1	1	2	4	1	1
.....	1	1	1	5	1	1	1
.....	1	2	3	6	1	1	1	7	4	2	1	2
1	3	4	18	5	9	1	1	19	6	2	3	1
1	4	1	3	18	6	10	16	3	1	6	4
2	7	1	7	36	11	19	1	1	35	9	3	9	5
1	25	2	28	56	19	37	5	2	97	11	5	2	16
5	24	3	18	42	20	33	5	1	65	1	14	9	7	15
6	49	5	46	98	39	70	10	3	162	1	25	14	9	31
4	42	6	89	160	59	102	10	7	213	4	57	18	26	29
7	43	9	73	145	54	94	9	4	179	3	51	20	23	30
11	85	15	162	305	113	196	19	11	392	7	108	38	49	59

TABLE G.—DEATHS BY CITIES AND PRINCIPAL

CITIES AND TOWNS.	CLASS III.— <i>Continued.</i>							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Berlin :									
Males						1	6		
Females			1			3	6	2	
Total			1			4	12	2	
Guelph :									
Males	1	1	2	1	1	2	32	1	5
Females			1	1	1	1	24	2	6
Total	1	1	3	2	2	3	56	3	11
Hamilton :									
Males		3	2	3		8	109		31
Females		1	1	2	2	24	123	1	18
Total		4	3	5	2	32	232	1	49
Toronto :									
Males	3	4	15	10	10	51	482	10	82
Females		4	10	4	8	51	413	6	49
Total	3	8	25	14	18	102	895	16	131
Total :									
Males	9	12	31	27	25	118	1277	42	166
Females	1	8	21	19	15	128	1135	34	95
Grand Total	10	20	52	46	40	246	2412	76	261

TOWNS.—CAUSES OF DEATHS, 1885.—*Continued.*

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.								Cause not Specified.	Total Number of Deaths.
Partus Intermestivus (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Killed in Battle.	Total Violent Deaths.		
.....	10 4	10 6	2	2	1	32 21
.....	14	16	2	2	1	53
1	9 5	16 13	2	1	3 1	6 1	2 1	88 71
1	14	29	2	1	4	7	3	159
11 10 4	14 28	2 4	58 65	8 1	5	6	1 3	20 4	4 6	359 325
21	4	42	6	123	9	5	6	4	24	10	684
42 28 14	48 55	38 16	220 168	20 3	4 1	1	1 1	40 9	66 14	19 12	1311 1082
70	14	103	54	388	23	5	1	2	49	80	31	2393
76 64 67	200 224	45 28	529 512	55 8	26 3	3 1	8 4	85 32	2	179 48	74 83	3637 3218
140	67	424	73	1041	63	29	4	12	117	2	227	157	6855

H. S. CREWE,
Inspector.

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Algoma:											
Males	33	14	7	1	7	2				1	2
Females	15	8	6	3	1		3		1	2	4
Total	48	22	13	4	8	2	3		1	3	6
Brant:											
Males	49	10	4	2	1	1	1	1	3	1	
Females	29	8	2	1	5	2	1	2			
Total	78	18	6	3	6	3	2	3	3	1	
Bruce:											
Males	77	10	5	10	7		2	2	1		1
Females	45	10	3	2	1		3	5			
Total	122	20	8	12	8		5	7	1		1
Carleton:											
Males	245	28	15	10	10	6	5	3	4	5	6
Females	219	29	15	13	4	8	10	4	4	6	3
Total	464	57	30	23	14	14	15	7	8	11	9
Dufferin:											
Males	25	4	2		1					1	1
Females	15	2	3	2		1			2		1
Total	40	6	5	2	1	1			2	1	2
Elgin:											
Males	35	5	6	3	2	3	2			2	1
Females	38	9	7	3	3		2	1	3		
Total	73	14	13	6	5	3	4	1	3	2	1
Essex:											
Males	106	27	11	9	2	8	10	1	6	2	
Females	79	32	7	7	10	10	5	5	4	5	2
Total	185	59	18	16	12	18	15	6	10	7	2
Frontenac:											
Males	51	17	9	10	10	4	3		5	3	2
Females	37	8	8	8	1	3	6	1	2	3	4
Total	88	25	17	18	11	7	9	1	7	6	6
Grey:											
Males	62	11	4	7	4	3	5	3	1	1	2
Females	48	13	10	3	1	1	2			1	2
Total	110	24	14	10	5	4	7	3	1	2	4
Haldimand:											
Males	20	7	6	1		4	2		1		
Females	16	5	3	2	3	2	1			1	
Total	36	12	9	3	3	6	3		1	1	
Halton:											
Males	25	5	1	1	1					1	
Females	19	5	5	2		1					
Total	44	10	6	3	1	1				1	

BY COUNTIES, 1885.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1	1	1	1	1	2	1	4	1	3	5	2	6
1	4	5	1	1	1	3	1
2	5	1	1	1	1	2	6	4	2	4	6	5	7
3	1	1	2	2	2	2	1	1	4
3	2	3	2	2	2	3	1	8	4	3	4	3
3	3	4	2	2	2	2	5	3	10	5	4	8	3
1	1	3	1	1	2	2	3	2	3	2	1
2	1	1	3	1	4	3	1	5	5	4	4	4	4
3	1	2	6	1	2	6	5	1	5	8	6	7	6	5
3	1	3	5	3	4	7	6	6	3	5	1	2	4
3	5	2	2	6	8	6	10	4	3	2	1	4	5
6	6	5	7	9	12	13	16	10	6	7	2	6	9
1	2	1	1	1	1	1	2	1
.....	1	1	1	1	2	1	3	4	1
1	1	2	2	1	1	3	1	2	5	5	1
2	1	3	1	1	2	3	4
2	2	2	1	1	2	4	3	3	3
2	1	2	3	2	2	4	4	6	3	7
2	2	1	2	1	4	2	6	2	5	1	2	1
2	1	1	1	1	3	4	4	2	2	4	4	2	5
2	3	1	3	1	2	7	6	10	4	7	5	4	4	6
5	3	2	1	2	2	3	2	3	2
2	1	4	3	4	2	4	6	6	3	3	3	2
7	3	1	6	4	6	4	4	9	8	3	6	3	4
1	1	3	1	2	2	2	1	3	3	3	6	2	5	2
1	2	2	1	2	1	1	4	2	4	5	9	4	3
2	3	5	2	2	4	3	2	7	5	7	11	11	9	5
2	1	1	2	1	2
.....	1	2	1	1	1	3	1	5	2
2	1	2	1	2	3	1	4	1	7	2
.....	1	2	1	2	1	3	2	1	2	2	1	1
.....	1	3	2	2	2	1
.....	1	2	1	3	4	2	2	1	4	2	1	2

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Algoma :											
Males	3	2	6	1	5	6	6	1	6	7	1
Females	2			2	1	1	1				1
Total	5	2	6	3	6	7	7	1	6	7	2
Brant :											
Males		1	1		1		2		1	1	
Females	2	3	3	1	2	2	2	2	4	2	2
Total	2	4	4	1	3	2	4	2	5	3	2
Bruce :											
Males		4	1	1	1		1	1	2	1	2
Females	3	3	2	4	4		2	1	1		2
Total	3	7	3	5	5		3	2	3	1	4
Carleton :											
Males	7	4	4	5	5	6	2	3	4	3	5
Females	6	1	6	5	3		1	6	5	1	8
Total	13	5	10	10	8	6	3	9	9	4	13
Dufferin :											
Males						1				4	
Females			2	1	1	1			1		1
Total			2	1	1	2			1	4	1
Elgin :											
Males	2	1	1		1	2	1		5		1
Females		2	1		2	1	2	1	2	2	3
Total	2	3	2		3	3	3	1	7	2	4
Essex :											
Males	1		2		1	1	2	4	2	3	6
Females	4		4	3	4	1		2	1	2	3
Total	5		6	3	5	2	2	6	3	5	9
Frontenac :											
Males	1		1		1		1	3	1		
Females	7	2	4		1		2	4	2	3	2
Total	8	2	5		2		3	7	3	3	2
Grey :											
Males	1	4	1	2	2	1		1	1	2	
Females	6	6	3	3		3	2	1	2	1	3
Total	7	10	4	5	2	4	2	2	3	3	3
Haldimand :											
Males		2				1			1		
Females			1	1		1	1	2			1
Total		2	1	1		2	1	2	1		1
Halton :											
Males	1						2		1		
Females	1	2			3		1		1	1	1
Total	2	2			3		3		2	1	1

BY COUNTIES, 1885.—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
4 1	4	3	1 1	1	2 1	4	1	4 1	1	1	2
5	4	3	2	1	3	4	1	5	1	1	2
1	1 4	2 1	2 4	1 1	2 2	3 1 1	3	1	2 3 2
1	5	3	6	2	4	4	1	3	1	5	2
3	1 3	1 1	2 2	1 1 2	1 1	2 2	1 2	1 2	3 1	2 2	3 3	1 1
3	4	2	4	2	2	2	4	3	3	4	4	6	2
6 3	3 6	4 6	5 4	6 5	3 6	5 4	6 5	2 8	3 6	1 7	1 2	2 3	7 2 4
9	9	10	9	11	9	9	11	10	9	8	3	5	9	4
.....	1	1	1
.....	1	1	1
.....	1	1	1	1	1	1
3	1 1	1	3	1	1 3	3 1	2 1	1 1	2 1 1	3 2
3	2	1	3	1	4	4	3	2	3	1	5
5 1 5	4	2 1	1 1	2 1	1	2	3 1	1	1	2 1	3 1	1 1 1
6	5	4	3	2	3	1	2	4	1	2	3	4	2	1
1 4	3 1 6	2 3	1 1	2 1	1 1	2 4 1	1	3 4	4 2 1
5	4	6	5	2	3	2	6	1	2	7	6	1
2 2	1 1 2	1 2	2 1	1 4	1 2 6 3	3 4	1 3	1 3	4 2 4
4	2	2	3	3	5	3	6	3	7	4	4	6	4
1	1	2	2	1
.....	1	1	3	1	4	2	2	1	4	3	4	1
1	1	1	3	2	4	2	2	2	1	4	5	5	1
.....	1	1	4	2	1	1	1
2	1	2	1	1	1	2	1	2	2
2	1	3	2	4	1	1	2	3	1	3	3

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Algoma:											
Males.....		1				1			1		3
Females.....											
Total		1				1			1		3
Brant:											
Males.....		2		3	1	2	1	1	2	2	2
Females.....			2	3	1	3	3	1	2		4
Total		2	2	6	2	5	4	2	5	2	6
Bruce:											
Males.....	4	1	2		2		2		4	1	1
Females.....	3	1	3	2		1	1	1	3		1
Total	7	2	5	2	2	1	3	1	7	1	2
Carleton:											
Males.....	1	5	3	6	4	3	3	5	6	3	7
Females.....	4	1	2	6	2	6				4	3
Total	5	6	5	12	6	9	3	5	6	7	10
Dufferin:											
Males.....	1		1					1		1	
Females.....					1	1			2		
Total	1		1		1	1		1	2	1	
Elgin:											
Males.....		3	1	1				1	1	2	1
Females.....		1	2		2	1		2	2	1	1
Total		4	3	1	2	1		3	3	3	2
Essex:											
Males.....		2	4	1	1		2			4	3
Females.....		3	4	1	2		3	2	1		
Total		5	8	2	3		5	2	1	4	3
Frontenac:											
Males.....	1	2	3	4	1			1	3	3	2
Females.....	2	2	1	2	3		1	2	4	2	1
Total	3	4	4	6	4		1	3	7	5	3
Grey:											
Males.....			2		3	1	3	1	2	5	2
Females.....	1	3	1	3	1	2		3		2	3
Total	1	3	3	3	4	3	3	4	2	7	5
Haldimand:											
Males.....	1			3	2	3		1	1		
Females.....			1	1		1		1		1	
Total	1		1	4	2	4		2	1	1	
Halton:											
Males.....	2	1		1	1			1	1	2	2
Females.....	1	1		3	1	1	1	1	4	2	2
Total	3	2		4	2	1	1	2	5	4	4

BY COUNTIES, 1885—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
	1	1				1	4	1		1	1			
		2		1			1		4			3	2	2
	1	3		1		1	5	1	4	1	1	3	2	2
4	1	2	1	3	2	4	3	1	4	1	2	4	2	3
2	1	2	2	6	1	2	2	3	2	5	1	1	2	4
6	2	4	3	9	3	6	5	4	6	6	3	5	4	7
1	4	2	5	1	1	3	4	2	5	2	2	1	1	5
	2	3	1	3	1	1	3	1		4	3		3	1
1	6	5	6	4	2	4	7	3	5	6	5	1	4	6
3	3	6	5	4	2	3	10	3	3	3	4	7	5	6
1		5	3	3	1	2	7	8	3	2	2	2	4	4
4	3	11	8	7	3	5	17	11	6	5	6	9	9	10
1	1	2	1	2		1	2		1	2	2		1	2
2		3			1		2	2	1	4	3	2	1	4
3	1	5	1	2	1	1	4	2	2	6	5	2	2	6
6	2	4		2	1	2	2	3	3	3	6	1	2	1
1	6	1	2		1	2	1	1	3	4	3	4	1	2
7	8	5	2	2	2	4	3	4	6	7	9	5	3	3
3		2	3	3	2	3	2	1	4	4	3	6	2	
1	2	2	3			2	3	1	1	2	3	3		1
4	2	4	6	3	2	5	5	2	5	6	6	9	1	1
4	2	6	6	3	2	7	1	1	9	6	2	1	2	2
2	1	3	5			1	4	2	5	1	1	8	3	4
6	3	9	11	3	2	8	5	3	14	7	3	9	5	6
7	5	2	1	3	4	2	3	5	3	4	4	8	2	2
3		4	2		1		1		2	1	1	4	5	
10	5	6	3	3	5	2	4	5	5	5	5	12	7	2
	4	1		2	3		3		3			3	1	3
1	1			4		2	1	1	4	1	1	1	2	1
1	5	1		6	3	2	4	1	7	1	1	4	3	4
1	2	2	2				2	1	3			1	1	1
			4	1	2	1	1	2	2	1			2	2
1	2	2	6	1	2	1	3	3	5	1		1	3	3

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Algoma :											
Males						1					
Females	1										
Total	1					1					
Brant :											
Males	1	2	4	2	4	2			1	2	
Females	1	2	3	9	2	2	2	1	3		
Total	2	4	7	11	6	4	2	1	4	2	
Bruce :											
Males	3	2		1		5	5	2	2	3	
Females				1	1	1	2	4	1	3	
Total	3	2		2	1	6	7	6	3	6	
Carleton :											
Males	7			5	3			5		2	1
Females	2	8	4		2	5			3	4	1
Total	9	8	4	5	5	5		5	3	6	2
Dufferin :											
Males	2		1	1	1		1			1	1
Females	4			1					1		
Total	6		1	2	1		1		1	1	1
Elgin :											
Males	2	3	1	3	1	3	2		2		1
Females	3	1	1	2	1	1	3	3	1		2
Total	5	4	2	5	2	4	5	3	3		3
Essex :											
Males	2	4	1	1		2	2	2			
Females	2		2		1	1	1		1		
Total	4	4	3	1	1	3	3	2	1		
Frontenac :											
Males	6	5	6	4	1	1	1	4	2		4
Females	2	3	3	1	4		1	1	3	1	
Total	8	8	9	5	5	1	2	5	5	1	4
Grey :											
Males	2	6	8		4	1	2	1	1	2	2
Females	1	1	1	1	4	2	2	2			1
Total	3	7	9	1	8	3	4	3	1	2	3
Haldimand :											
Males	2		3			1	4	1	1	1	1
Females	2	1	1						2	1	
Total	4	1	4			1	4	1	3	2	1
Halton :											
Males	3	1	1	2	4	2		1	1		
Females	4		1	1	1		1	2			1
Total ...	7	1	2	3	5	2	1	3	1		1

BY COUNTIES, 1885—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
													11	197 88
													11	285
2 1	1 2	1		1 1	1			1	1		1	1	5 7	197 229
3	3	1		2	1			1	1		1	1	12	426
	2 1		1	2	1		1			1			11 6	264 225
	3		1	2	1		1			1			17	489
3	2 1	2 1		1 2	1	1	2		1			1	8 9	648 608
3	3	3		3	1	1	2		1			1	17	1256
	1			1		1							3 3	86 91
	1			1		1							6	177
2	1	2		1	1								7 6	186 185
2	1	2		1	1								13	371
1 1	1 1	1			1		1		1		1		15 12	350 304
1	2	1			1		1		1	1			27	654
1	2		1		1								11 8	288 271
1	2		1		1								19	559
	2 1		2		1 1							2 1	6 3	286 257
	3		2		2							3	9	543
2					1	1		1					5 1	118 118
2					1	1		1					6	236
	1					1		1	1				4 11	111 127
	1					1		1	1				15	238

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Hastings:											
Males	52	20	7	9	5	10	3	5	3	4
Females.....	57	14	11	8	13	8	4	2	1	1	2
Total.....	109	34	18	17	18	18	7	2	6	4	6
Huron:											
Males	46	10	7	3	6	2	2	1	2
Females.....	43	10	5	5	3	6	1	1	1
Total.....	89	20	12	8	9	8	3	2	3
Kent:											
Males	50	13	5	5	4	5	3	4	7	5	5
Females.....	41	8	9	4	8	6	5	2	1	2	1
Total	100	21	14	9	12	11	6	6	8	7	6
Lambton:											
Males	49	8	9	6	6	2	7	3	2	3
Females.....	39	16	2	2	2	2	2	2	6	1
Total	88	24	11	8	8	4	9	5	8	4
Lanark:											
Males	30	7	5	4	5	2	2	1	1	1
Females.....	21	4	5	6	2	3	2	1
Total	52	11	10	10	7	5	2	1	1	3	2
Leeds and Granville:											
Males	57	19	11	7	4	7	2	5	2	2	3
Females.....	28	19	10	8	2	5	2	7	3	3	3
Total	85	38	21	15	6	10	4	12	5	5	6
Lennox and Addington:											
Males	16	5	1	5	2	2	1	1
Females.....	10	4	2	3	3	1	1	1
Total	26	9	3	8	5	2	1	2	1	1
Lincoln:											
Males.....	45	8	4	3	5	1	1	2	2
Females.....	34	10	16	4	2	1	2	1
Total.....	79	18	20	7	7	2	1	4	2	1
Midhurst:											
Males.....	113	48	7	7	5	4	5	4	3	2	3
Females.....	80	37	15	4	3	1	4	2	1	1
Total	203	85	22	11	8	5	9	6	4	3	3
Mustake and Perry Sound:											
Males.....	66	8	1	5	7	2	4	5	3	2
Females.....	43	4	1	2	6	3	1	1
Total	109	12	2	5	9	8	7	1	5	4	2
Norfolk:											
Males.....	22	10	6	3	4	1	2	1	1
Females.....	8	7	1	2	1	2	2
Total	30	17	6	3	5	3	3	3	3

BY COUNTIES 1885.—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1 1	3 4	1	2 4	2	2 5	3 2	3 2	1 2	5 4	1 7	2 3	3 3	2 1	2 6
2	7	1	6	2	7	5	5	3	9	8	5	6	3	8
2 1	1		1 4	1 4	1 3	2 3	3 2	2 4	3 5	6 1	3 5	3 4	2 8	2 8
3	1		5	5	4	5	5	6	8	7	8	7	10	10
1 2	2 5	1	3 1	2 3	1 1	3	2 1	1 4	1	2 3	2	3 4	1 6	3 11
3	7	1	4	5	2	3	3	5	1	5	2	7	7	14
2 1	3	3	1 4	1 1	1 1	2	1	3	2	7 1	3 7	6 7	1 3	5 2
3	3	3	5	2	1	3	1	3	4	8	10	13	4	7
2	1 2	3	1	1 2	1	1	4 1	1	2 1	2 1	5 1	1 1	2	2
2	3	3	1	3	1	1	5	1	3	3	6	2	3	2
7	1	4		3 3	3 5	3	7 2	5 3	4 3	7 5	2 2	5 3	7 2	5
11	5	4		6	6	3	9	6	7	12	4	8	9	5
	1 2		1	2	1 2	1	2	2	1	2 2	1	1 1	1	1 2
	3		1	2	3	1	2	2	1	4	1	2	1	3
1	2	1 2	1	1	1 1	3 2	2		2	2	2 3	1 3	1 3	2 3
3	2	3	1	2	2	5	2	1	2	2	5	3	1	5
4 1	1 2	1 3	3 4	1 4	1 3	1 2	7 5	3 5	5 4	4 3	3 12	4 9	3 6	8 8
5	6	7	7	5	4	3	12	8	9	7	15	13	9	16
2	2	1 2	1 1	2			1		2 3		2	1 2	1 2	1 3
2	2	3	2	2			1		5		2	3	3	4
3	2	1 2		1	1		2	2	1	3 3	3		3	1 1
3	2	4	4	1	1	2	2	4	1	6	3	3	3	2

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Hastings :											
Males	3	1	1	6	1	2	1	5	2	1	2
Females	3	11	4	5	4	3	1	3	1	1	6
Total	6	12	5	11	5	5	2	8	3	2	8
Huron :											
Males	2	7	2	5	3	2	2	4
Females	5	2	2	3	1	2	6	2	3	2
Total	7	9	4	8	1	2	3	8	4	7	2
Kent :											
Males	6	2	6	2	5	2	4	1	2	4
Females	12	2	2	2	2	1	3	2	1	3
Total	18	4	8	4	7	2	5	4	4	5	3
Lambton :											
Males	3	3	1	1	2	3	1	1
Females	4	4	2	4	3	2	3	3	3	4
Total	7	7	3	4	4	2	3	5	6	5	1
Lanark :											
Males	2	1	2	2
Females	3	2	5	3
Total	2	1	3	2	2	7	3
Leeds and Grenville :											
Males	3	4	2	4	3	2	1	2	1	2
Females	4	1	4	5	4	5	5	6	8
Total	7	5	6	9	7	7	6	2	7	10
Lennox and Addington :											
Males	1	1	1	1	1	2	2	2	1
Females	2	2	1	3	3	1
Total	3	1	2	2	1	1	5	2	5	2
Lincoln :											
Males	1	4	2	5	1	2	1
Females	1	3	1	1	2	3	2
Total	2	7	2	6	2	4	4	2
Middlesex :											
Males	7	4	3	5	2	2	6	5	3	5	4
Females	7	4	5	8	6	6	7	9	4	3	6
Total	14	8	8	13	8	8	13	14	7	8	10
Muskoka and Parry Sound :											
Males	2	2	2	1	3	1	1	1	2
Females	2	1	1	1	1	2	1
Total	4	3	3	1	3	2	2	3	1	2
Norfolk :											
Males	2	1	2	1
Females	1	1	1	1	1	2	1
Total	3	1	1	2	3	2	1	1

BY COUNTIES, 1885.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
6 3	3	4	5	1 1	1 1	2 1	2 1	1 3	1	3	1 2	2 3	1 3	1 1
9	3	4	5	2	2	3	3	4	1	3	3	5	4	2
1 6	1	1 3	1 3	1 5	2 1	1 5	10 1	1 2	2 3	7 2	3	2 6	2 1	4 1
6	1	4	4	6	3	6	11	3	5	9	3	8	3	5
1	3	3	2	3	2 3	3	3 1	2	2	2	2	4	3 2	2
1	3	5	4	3	5	3	4	2	2	2	2	4	5	2
3 1	4 3	1 1	1 3	1 1	1	5 5	1	2	1 1	1	3 1	3 1
4	7	2	4	2	1	2	10	1	2	2	1	4	4
.....	2	1	1	2	1
.....	2	2	2	1	1	1	1	1	1	1	1
.....	2	2	2	2	2	1	1	1	1	3	1	2	1
2 2	1 4	2 2	2 5	8 2	4 3	6 5	2 4	5 3	2 2	3 4	11	3	1 1 1
4	5	4	7	10	7	11	6	8	4	7	11	3	2	1
2	1	1	1	2	1	4	3
2	1	2	1	2	2
2	1	2	3	1	2	3	6	3
2 3 1	1 1	2 1 3	2 2	1	1	3	3 2	3 2	1 2	1 1
5	1	2	3	3	4	1	1	3	5	6	3	5	2
1 5	8 7	4 4	4 4	5 7	6 2	10 1	1 2	4 4	3 3	7 5	5 3	7 1	7 2	4 4
6	15	8	8	12	8	11	3	8	6	12	8	8	9	8
1 2	1 4 4 1	2	2	2	1 1	2 1 1	1 1	2
3	5	4	1	2	2	2	2	3	1	2	2
1 4	2 4 1	1 2 1	1	1	1	1	1 1	1
5	6	1	3	1	1	2	2	1	3	2	2	2	1

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Hastings:											
Males	3	2	4	5	3	2	4	4	5	1
Females	4	1	2	1	1	3	1	1
Total	7	3	4	5	5	1	3	7	5	5	2
Huron:											
Males	3	1	3	3	3	4	3	5	4
Females	2	3	3	5	2	2	1	2	2	3	2
Total	5	4	3	8	5	5	5	2	5	8	6
Kent:											
Males	1	1	1	2	3	1	2	3	3
Females	1	1	1	1	1	1	1
Total	1	2	2	3	4	2	2	4	4
Lambton:											
Males	1	3	5	3	3	1	2	4	1
Females	4	2	1	1	1	2	2	1
Total	5	3	7	4	4	2	2	2	4	3	1
Lanark:											
Males	1	2	2	1	1	2
Females	2	1	1	1	2
Total	2	1	1	3	3	1	1	2	2
Leeds and Grenville:											
Males	3	1	5	1	3	2	6	3	4	5
Females	1	1	7	5	1	1	2	2
Total	4	2	12	6	3	3	6	1	5	4	7
Lennox and Addington:											
Males	1	1	1	1
Females	1	3	1	1	1
Total	1	1	3	1	1	1	2	1
Lincoln:											
Males	4	1	1	1	1	3	1	1	1	1	2
Females	4	2	1	1	1	2	1	1	3
Total	8	3	2	1	2	4	3	1	2	2	5
Madison:											
Males	5	7	3	2	8	9	6	3	8	5	4
Females	6	4	8	7	5	6	5	4	6	2	6
Total	11	11	11	9	13	15	11	7	14	7	10
Manitowish and Wabigoon:											
Males	1	3	1	2	2	2
Females	1	1
Total	2	4	1	2	2	2
Norfolk:											
Males	3	2	3	1	2	5	4
Females	1	1	2	3	1	1
Total	3	3	4	1	2	3	2	5	1	5

BY COUNTIES, 1885.—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1 1	2 1	6 2	4 2	1 3	2 3	3 1	4 2 1	1 3 2	7 1	4 2	3 6	3 3
2	3	8	6	4	5	4	6	1	4	2	8	6	9	6
4	6 3	4 2	3 2	6 1	1 1	2 3	3 2	8 1	2 6	7 4	4 6	7 3	2 1	1 4
4	9	6	5	7	2	5	5	9	8	11	10	10	3	5
7	2 1	5 2	4 2	2 1	3 2	3 1	5 3	4 1	1 4	2 1	3 1	7 4 1	4 4
7	3	7	6	3	5	4	8	5	5	3	4	11	1	8
3	2	2 1	7 6	3 2	1 1	3 3	3 4	1 1	4	3 4	2	4 1	1	1
3	2	3	13	5	2	3	7	2	4	7	2	5	1	1
2	3 3 4	2	2 1	3 1	2	2 2	2 1	1	2 1	5 2	2 1
9	6	4	2	3	1	2	4	3	1	3	7	3
1	2	3	1	5 2	1	5	1	6	7 3	4	5 7	6 4	2 4
6	3	3	4	7	8	1	8	1	10	10	4	6	10	6
1	3 1	2	2	4 1	1 2	3 2 1	1 1	2 1	1	3 4 4
1	4	2	2	5	3	5	1	2	4	4	8	7	4
3 2	2 1	3 2	2 2	2 2	1 1	3 1	3 4	2 4	3 3	4 3	2 6	2 6	1 4	1 3
5	4	5	4	3	2	4	7	6	5	7	8	6	4	4
5 2	7 10	3 5	2 3	4 5	5 1	6 6	11 5	5 4	12 4	3 3	6 11	4 10	7 8	6 10
7	17	9	5	9	10	12	15	9	16	6	19	16	15	15
1	2 2	2 1	2	2	4	3	7 2	3	1 3	3 1
1	4	8	2	2	4	3	3	2	4	1
1	4	3	2	4	3	3	1	6	2	4	1
3	7	6	2	4	7	4	5	8	5	2	7	3

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Hastings:											
Males.....	4	3	2	3	1	1	4	1	1
Females.....	2	3	2	2	1	3	2	1	2
Total	6	3	5	5	3	2	3	6	2	2	1
Huron:											
Males.....	3	4	3	3	1	3	4	2	3	1	4
Females.....	2	1	3	2	5	4	4	3	1
Total	5	5	6	5	6	7	4	6	6	1	5
Kent:											
Males.....	1	2	2	1	2	1	4	1	1	1
Females.....	2	1	2	2	4	1	2
Total	3	2	2	1	3	3	6	5	2	3
Lambton:											
Males.....	1	2	4	8	2	3
Females.....	1	2	1	2	2	1
Total	2	4	1	4	10	2	3	2	1
Lanark:											
Males.....	1	4	1	2	2	1	2	3	5
Females.....	4	1	3	1	3	2	4	1	1
Total	5	5	4	3	5	3	2	7	6	1
Leeds and Grenville:											
Males.....	2	1	10	6	4	2	6	7	8	2	2
Females.....	3	6	1	4	2	4	3	2	2	1
Total	5	7	10	7	8	4	10	10	10	4	3
Lennox and Addington:											
Males.....	2	1	2	1	1	1	1
Females.....	2	1	3	2	1	1
Total	4	1	4	2	3	1	1	2	1
Lincoln:											
Males.....	3	3	3	2	3	2	1	1	2
Females.....	3	1	1	3	1	2	2	1
Total	6	3	4	3	6	3	3	3	1	2
Middlesex:											
Males.....	4	3	6	3	5	6	6	12	3	2	2
Females.....	4	3	7	5	6	9	1	2	2	2
Total	8	6	13	8	11	6	15	13	5	4	4
Muskoka and Parry Sound:											
Males.....	1	1	1	2
Females.....	1	2	3	2
Total	1	1	2	3	2	1	1	2
Norfolk:											
Males.....	2	2	1	1	1	5	1	2
Females.....	2	2	2	3	1	3	2	1	2
Total	4	4	1	2	4	2	8	3	3	2

BY COUNTIES, 1885—Continued

[illegible]

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Northumberland and Durham:											
Males	61	8	16	10	6	5	4	4	1	4	2
Females	38	19	3	4	8	6	4	4	2	2	3
Total	99	27	19	14	14	11	4	4	3	6	5
Ontario:											
Males	52	10	10	3	3	2	1	1	1	3	2
Females	44	6	7	2	2	3	2	3	3	2	2
Total	96	16	17	5	5	5	3	3	1	3	4
Oxford:											
Males	58	6	4	2	3	2	2	1	2	1	1
Females	34	7	5	2	2	2	2	3	3	1	1
Total	92	13	9	4	3	2	4	1	5	1	1
Peel:											
Males	24	2	3	4	4	1	2	1	1	1	1
Females	11	1	3	1	1	1	1	1	1	1	1
Total	35	3	6	5	5	2	2	2	2	1	1
Perth:											
Males	43	3	2	4	4	4	1	1	1	2	2
Females	40	8	6	5	1	1	1	1	4	2	2
Total	83	11	8	9	5	4	2	1	4	2	2
Peterborough:											
Males	39	12	4	2	3	3	1	1	1	1	1
Females	30	4	1	1	1	4	5	1	1	1	1
Total	69	16	4	2	4	7	6	2	1	1	1
Prescott and Russell:											
Males	91	30	20	12	12	10	6	4	1	2	3
Females	75	30	10	17	9	10	7	2	4	2	3
Total	166	60	30	29	21	20	13	6	5	4	6
Prince Edward:											
Males	19	6	1	1	1	1	1	1	4	2	1
Females	17	2	1	2	1	1	1	1	4	2	1
Total	36	8	1	3	1	1	1	1	4	2	1
Renfrew:											
Males	53	23	8	7	2	2	1	3	1	1	3
Females	30	10	7	1	4	1	1	2	4	2	2
Total	83	33	15	7	6	3	2	5	5	3	5
Simcoe:											
Males	69	15	11	4	7	6	1	2	1	1	1
Females	61	11	5	7	2	5	2	5	2	4	1
Total	130	26	16	11	9	11	3	7	3	5	1
Stormont, Dundas & Glengarry											
Males	51	19	11	7	8	4	4	2	3	1	2
Females	48	13	14	6	1	6	5	1	1	1	2
Total	99	32	25	13	9	10	9	4	4	2	2

BY COUNTIES, 1885.—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
2	1	4	3	3	3	4	1	4	4	11	5	5	5	2
2	1	4	3	4	1	4	3	5	9	2	12	11	5	12
4	1	4	3	7	4	4	4	9	13	13	17	16	10	14
3	3	2	2	2	2	1	2	6	3	3	3	6	1	5
3	2	6	6	6	6	3	3	4	4	3	3	6	3	5
3	5	2	6	2	8	1	5	10	6	3	6	4	4	5
1	4	2	2	1	3	1	2	3	3	2	5	5	2	2
1	4	2	2	2	2	2	3	3	1	2	2	5	2	6
1	4	2	4	3	5	1	5	6	4	4	7	5	4	8
1	1	1	1	1	2	2	1	1	2	4	1	3	1	1
1	1	1	2	2	2	2	1	1	2	5	5	2	2	2
1	2	4	2	1	1	6	4	5	1	5	1	2	4	4
1	4	4	3	4	2	2	1	4	1	5	1	1	2	3
1	6	4	5	4	1	8	5	9	1	5	1	3	6	7
3	1	3	1	1	1	4	2	3	1	2	1	1	3	1
2	1	3	1	1	1	1	1	4	2	1	4	1	2	1
5	2	3	1	2	2	5	3	7	3	3	5	2	5	1
1	3	3	3	1	1	1	3	1	3	3	3	5	4	1
1	3	1	4	4	3	1	2	4	1	3	3	5	4	5
2	3	4	4	4	4	2	5	4	1	6	3	5	4	6
6	2	1	1	4	4	1	1	1	2	2	2	3	2	1
5	3	1	1	4	1	1	1	2	5	3	6	1	2	1
2	2	2	2	2	2	3	2	1	1	2	2	3	4	3
1	2	2	2	2	4	4	2	2	3	2	2	1	2	1
3	4	4	2	2	2	7	2	3	4	2	4	4	6	4
1	1	1	3	1	6	3	5	1	1	3	3	2	3	3
2	1	2	2	1	1	6	2	2	5	6	6	6	3	6
3	1	2	3	1	7	9	7	7	6	9	9	5	9	9
3	1	1	3	2	2	2	1	3	1	2	2	3	4	4
1	1	3	2	2	2	4	2	4	11	16	6	6	2	5
4	2	1	3	2	4	6	3	7	12	17	4	9	6	9

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Northumberland and Durham :											
Males	3	3	3	5	2	6	2	4	3	4
Females	8	6	5	3	6	4	3	6	2	9	8
Total	11	9	8	8	8	10	3	8	6	12	12
Ontario :											
Males	3	2	5	2	5	5	1
Females	9	4	1	3	1	1	2	4
Total	12	6	1	8	3	6	5	2	5
Oxford :											
Males	3	1	2	1	1	3	2
Females	5	1	3	2	2	4	5	3	3	3	4
Total	5	4	3	3	4	5	5	4	3	6	6
Peel :											
Males	1	3	1	1	1
Females	1	1	2	3	2	1	1
Total	2	3	2	2	3	3	1	1	1
Perth :											
Males	2	1	3	1	1	4	4	1	4	1
Females	2	3	3	3	1	1	2	2	4	4	1
Total	4	4	6	4	2	5	6	3	8	4	2
Peterborough :											
Males	2	2	1	2	1	1	1	1	1
Females	4	2	3	2	1	3	2	7	6	2
Total	6	4	4	4	1	2	4	2	8	6	3
Prescott and Russell :											
Males	1	1	1	2	1	1	2
Females	5	3	5	2	3	1	2	3	4	2
Total	6	3	6	3	3	3	3	4	4	4
Prince Edward :											
Males	1	1	2	1	1	2	2
Females	2	1	5	2	3	1	2	3	2
Total	3	2	7	2	3	1	1	2	1	5	4
Renfrew :											
Males	3	1	1	1	1	2	1	2
Females	3	1	1	1	2	1	4	2	1	1	1
Total	6	2	2	2	2	2	6	2	2	1	3
Simcoe :											
Males	2	3	2	1	4	1	1	2	4	1
Females	2	10	4	4	6	2	1	6	3	3
Total	4	13	6	5	10	3	2	2	10	3	4
Stormont, Dundas & Glengarry											
Males	5	1	1	2	1	1	1	4
Females	5	7	2	3	3	4	4	1	4	3
Total	10	8	3	5	4	5	4	2	4	7

BY COUNTIES, 1885—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
4 5	1 2	1 1	2 3 5	1 4	3 3	1 2	2 4 1	1 4	1 4	4 1	1 1	4 2
9	3	2	5	5	5	6	3	6	1	5	5	5	2	6
3 7	1 1 2	2 1 2	1 1 3	1	1 1	1 1	2 3	1 3	2	3 1	2
10	2	2	3	2	2	3	1	2	2	5	4	2	4	2
5 3	1 2	2 2	1	2 2	2 5	2 2 1	1 5	3 3	2 5	2 1
8	3	4	1	4	7	4	1	6	6	7	2	1
1 1	1	2	2 3 2 1	1 1	2 2
2	1	2	5	2	1	2	4
1 4	2 2 1 3	3 1	2 1 1 2	1 1	1 1	1 1	2 1	2
5	4	1	3	4	3	1	2	2	2	2	3	2
1 1	2 1	2	1 4 2 1	1 1	4 3	5 1	3 3
2	2	1	2	5	2	1	2	7	6	6
..... 2	1 3	2 1	1 1	2 1	3 2 1	1 2 1	2	2	1	4 2	4 3
2	4	3	2	3	5	1	3	1	2	2	1	6	7
.....	1	1	1	1	1 2 1	1	1	4	2	1	1	2
.....	1	1	1	1	3	1	1	1	4	2	1	1	2
1 2 1	1 1 2	1 1	1 1 1	1 1	1	1 2	2	1	2
3	1	2	2	2	2	1	1	1	3	2	1	2
3	4 3	1 6	2 4	1 3	2 1	2 2 1	4 3	2 1 1	1 4 3	1 2
3	7	7	6	4	3	4	1	7	3	1	5	3	3
1 1	1 2	2 2 4	2	1 5	2 1	2 1	1 3	2 1 1 1	2 3	1 2	1 1
2	3	4	4	2	6	3	3	4	3	1	1	5	3	2

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Northumberland and Durham:											
Males	4	1	2	4	2	4	2	1	3	4	2
Females	2	6	6	3	3	3	1	1	4	3
Total	6	7	8	7	5	7	2	2	4	8	5
Ontario:											
Males	1	3	2	1	1	1	2	1	1	3	1
Females	3	1	3	2	1	2	3	5	4	1
Total	4	4	5	3	1	2	4	4	6	7	2
Oxford:											
Males	1	1	2	1	1	2	1	2	3	2
Females	2	1	2	2	1	1	4	1	2
Total	3	2	4	1	3	2	2	1	6	4	4
Peel:											
Males	1	1	2	1	2	1	4
Females	1	1	2	1	3	2	1	1
Total	1	1	3	2	5	3	3	1	5
Perth:											
Males	3	2	1	2	2	3	3	2	4	5
Females	1	2	3	2	2	1	3
Total	4	4	4	4	2	3	3	4	5	8
Peterborough:											
Males	1	2	2	2	2
Females	4	1	2	1	6	2
Total	1	4	2	1	4	2	1	8	2
Prescott and Russell:											
Males	3	1	3	3	1	1	3	2	5	1
Females	3	8	1	2	1	2	2	7	1	2	2
Total	6	9	4	5	2	3	5	9	6	2	3
Prince Edward:											
Males	2	1	1	1	3	1	2	2
Females	2	1	1	1	1	1
Total	2	1	1	3	4	1	2	2	1	3
Renfrew:											
Males	1	1	3	1	1	1	1
Females	1	3	1	4	2	3	1
Total	1	4	2	3	4	2	4	2	1	1
Simcoe:											
Males	5	1	2	5	1	3	1	3
Females	1	3	1	2	6	2	3	7
Total	6	4	1	4	11	2	4	7	3	1	3
Stormont, Dundas & Glengarry:											
Males	5	3	1	1	3	1
Females	4	1	2	3	1	1	1	3	1
Total	4	1	7	6	1	2	2	6	2

BY COUNTIES, 1885—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
3 4	3	6 6	3 5	10 4	5 5	1 2	8 3	6 1	6 6	7 8	3 3	8 3	15 7	10 9
7	3	12	8	14	10	3	11	7	12	15	6	11	22	19
2	8 2	1 1	3	1 1	2	2	6 1	4 1	3 3	5 3	3 3	4	4 4	2 5
2	10	2	3	2	2	2	7	5	6	8	6	4	8	7
1 4	1 2	2 1	3 2	1 2	3 4	2 1 1	5 2	1 1	5 2	6 2	4 3	7 3
5	3	3	5	3	7	3	1	7	2	7	8	7	10
2	2 2	1 3	2	2 1	4 2	3 4	4	1 2	1 2	1 1	4 2	2 4	1 1
2	4	4	2	3	4	2	7	4	3	3	2	6	6	2
1 2	1 3	3 1	1	3 5	2 3	1 2 1 4	1 3	2 1	1 2	4	2 2	3 1
3	4	4	1	8	5	3	1	4	4	3	3	4	4	4
.....	2 1	3 3	5 1	2 2	2	2 1	3	3 1	1	5	1 2	2 2	2	2
.....	3	6	6	4	2	3	3	4	1	5	3	4	2	2
3 3 2	1 2	2 2	2 1	1	4 1	2 1	3 1	1 1	2 3	2	4
6	2	3	4	3	1	4	1	3	4	2	5	2	4
4 1	1 1	1 2	4 2 2	1 2	1	2	2 1	4 5	2 4	3 3	2 2	2 1	2 1
5	2	3	6	2	3	1	2	3	9	6	6	4	3	3
3	1	1 1	2 2 2	1	2 2	3 2 3	2 1 1	2	3 1	3 1
3	1	2	4	2	1	4	5	3	3	1	2	4	4
1 1	6 1	2 1	1 1	5 2	2	3 2	4 1	5 1	3 6	3 3	5 2	8 1	10 3	4 4
2	7	3	2	7	2	5	5	6	9	6	7	9	13	8
4 8	2	2 4	1 2	4 4	2 2 3	2 3	4 2	4 5 2	4 7	2 4	3 1	1 4
12	2	6	3	8	4	3	5	6	9	2	11	6	4	5

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Northumberland & Durham :											
Males.....	4	5	7	2	5	6	7	8	2	5	5
Females.....	5	7	6	1	7	2	15	2	3	1	1
Total.....	9	12	13	3	12	8	22	10	5	6	6
Ontario :											
Males.....	2	6	1	2	1	2	3	4	2
Females.....	1	4	1	1	2	1	1	1	2
Total.....	3	10	2	3	1	4	3	5	1	1	4
Oxford :											
Males.....	5	3	1	3	7	3	8	2	3	2	3
Females.....	2	3	8	1	2	2	1	1	1
Total.....	5	5	4	11	8	5	10	3	4	2	4
Peel :											
Males.....	1	2	2	2	1	3	2
Females.....	2	2	2	3	1	1	1	1
Total.....	3	2	4	5	3	2	4	3
Perth :											
Males.....	5	2	6	3	4	1	3	3	1
Females.....	3	2	4	2	4	2	1	3	1	2
Total.....	8	4	10	2	7	6	2	6	4	1	2
Peterborough :											
Males.....	6	2	4	1	1	3	4	2	1	2	1
Females.....	1	2	4	2	8	1	1	5	1
Total.....	7	2	6	5	3	11	5	3	6	3	1
Prescott and Russell :											
Males.....	2	1	1	1	1	2	1
Females.....	2	3	1	1	1	1	1
Total.....	4	1	4	1	2	1	2	2	2
Prince Edward :											
Males.....	1	4	2	3	2	2	1	4	1
Females.....	2	4	1	1	4	3	1	1
Total.....	3	4	6	4	3	2	5	7	2	1
Renfrew :											
Males.....	2	7	1	2	2	1	1
Females.....	1	1	1
Total.....	3	8	1	3	2	1	1
Simcoe :											
Males.....	3	2	3	2	2	1	2	3	2
Females.....	1	5	2	3	2	2	1	1	1
Total.....	4	7	5	3	2	4	3	3	4	3
Stormont, Dundas & Glengarry											
Males.....	1	2	4	5	6	3	4	4	2	3	2
Females.....	2	1	5	1	4	2	3	5	2	3
Total.....	3	3	9	6	6	7	6	7	7	5	5

BY COUNTIES, 1885—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
3	1	4	1									1	9	424
1				1		1							15	432
4	1	4	1	1		1						1	24	856
	2					1			1	1			12	262
						2	2						9	240
	2				1	3	2		1	1			21	502
			3		1									242
												1	3	230
			3		1							1	3	472
1	1					2							11	141
		2	1										8	114
1	1	2	1			2							19	255
			1	1									1	213
			1	1									8	227
			2	2									9	440
1													8	200
		1			1								6	181
1		1			1								14	381
1	2					1		3						309
2		1	1		1			1	1				11	327
3	2	1	1		1	1		4	1				11	636
1			1											132
1	1	1								1			3	139
2	1	1	1							1			3	271
												1	10	212
	1	1				1							10	161
	1	1				1						1	20	373
		1					2					2		299
1	1	2										1	4	302
1	1	3					2					3	4	601
	2	3	3		2		1						14	282
3	4	1		1	1									328
3	6	4	3	1	3		1						14	610

TABLE H.—DEATHS BY AGES

COUNTIES.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Victoria:											
Males	37	3	2	4	1	4	2	3	2	2
Females.....	31	5	4	3	3	1	3
Total.....	68	8	6	7	1	4	5	3	1	2	5
Waterloo:											
Males	63	13	4	3	2	2	1	2	1
Females.....	53	7	8	4	1	1	1	1	1
Total.....	116	20	12	7	2	3	2	3	1	1	1
Welland:											
Males	35	12	3	3	1	2	1	1	1	4	2
Females.....	28	11	3	3	3	1	1	3	4	4
Total.....	63	23	6	6	4	3	2	4	1	8	6
Wellington:											
Males	66	14	2	5	3	3	4	3	6	1	3
Females.....	47	15	4	6	5	2	1	1	1
Total	113	29	6	11	3	8	6	4	7	1	4
Wentworth:											
Males	160	31	19	7	5	14	2	5	8	8	2
Females.....	133	31	11	6	8	6	6	3	2	4	2
Total	293	62	30	13	13	20	8	8	10	12	4
York:											
Males	536	74	40	28	20	24	16	11	22	5	8
Females.....	411	91	24	22	20	13	12	9	9	9	13
Total	947	165	64	50	40	37	28	20	31	14	21
Total:											
Males	2750	540	291	217	174	155	104	75	103	75	64
Females.....	2105	513	265	180	130	128	109	72	66	64	67
Grand Total.....	4855	1053	556	397	304	283	213	147	169	139	131

BY COUNTIES 1885.—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1	3	1	2	1	3	2	3	3	1	3
.....	1	1	2	1	1	3	1	2	5
1	2	4	1	2	3	1	4	5	4	3	3	8
1	1	1	1	1	1	2	3	2	1	5
1	1	1	3	1	3	2	4	4	2	3	1
2	1	1	2	3	2	4	1	4	7	6	3	8	1
3	1	1	2	1	1	1	2	1	2	1	1	1
.....	1	2	1	2	1	1	6	1	1	1
3	2	3	2	1	1	2	4	2	3	6	2	1	1	2
1	3	3	13	5	2	2	4	5	1	7	1	1	1
3	2	2	6	2	3	4	4	3	7	5	3	3	7
4	3	2	5	19	7	5	6	8	8	8	12	4	4	8
1	4	4	2	1	4	2	4	2	9	11	3	5	6
4	6	2	2	1	3	2	2	3	3	4	5	6	11	8
5	10	2	6	3	4	6	4	7	5	13	16	9	16	14
8	3	4	6	7	9	7	8	8	10	10	10	17	17	12
2	2	4	4	4	11	10	10	12	10	11	20	25	19	12
10	5	8	10	11	20	17	18	20	20	21	30	42	36	24
69	50	28	56	59	60	68	87	77	91	110	109	99	95	89
54	57	60	62	68	74	83	83	110	101	139	142	152	131	161
123	107	88	118	127	134	151	170	187	192	249	251	251	226	250

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Victoria :											
Males	4	1	1	2	1	1	1
Females	2	2	2	1	1	2	4	2
Total	6	1	3	4	2	1	2	4	1	3
Waterloo :											
Males	1	1	1	3	1	1
Females	1	4	2	5	4	5	1	3	1	2
Total	1	5	1	3	8	4	6	2	3	1	2
Welland :											
Males	3	1	3	2	1	3
Females	1	3	3	2	2	4	5	1	3
Total	4	4	3	5	4	5	5	1	6
Wellington :											
Males	5	1	4	3	3	2	3	4
Females	5	2	1	4	6	3	3	4	1	3	4
Total	10	3	5	7	9	3	5	4	4	3	8
Wentworth :											
Males	2	4	8	2	6	6	8	1	3	4	5
Females	2	6	3	3	7	5	4	3	3	3	2
Total	4	10	11	5	13	11	12	4	6	7	7
York :											
Males	13	11	15	7	15	9	8	8	12	14	7
Females	10	11	12	11	15	8	12	10	16	7	14
Total	23	22	27	18	30	17	20	18	28	21	21
Total Males	94	89	81	69	83	66	69	56	75	73	62
“ Females	138	112	103	98	111	74	94	84	101	95	108
Grand Total	232	201	184	167	194	140	163	140	176	168	170

BY COUNTIES, 1885—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	2	2	2	2	2	2	2	2	2	2
2	1	1	1	1	3	3	3	3	2	1	2	2	2	2
.....	1	1	2	1	1	2	1	1	1	1	2	2	2	1
.....	1	1	8	2	1	2	3	2	2	1	2	2	4	1
.....	1	1	10	3	2	2	4	3	2	4	2	6	2
.....	1	1
2	2	1	5	1	2	3	1	1	1	1	2	1
2	3	1	5	1	2	3	1	2	2	3	2	3
.....	4	5	2	1	2	2	1	1	1	1	4
2	2	2	2	3	3	2	6	4	1	1	6
2	4	7	4	3	5	3	4	7	1	5	1	2	6	4
3	4	3	8	4	1	5	1	3	9	1	4	2	8	1
1	11	1	2	2	1	6	3	6	4	6	3	3	2	5
4	15	4	10	6	2	11	4	9	13	7	7	5	10	6
14	9	13	10	12	15	11	10	19	12	13	10	16	17	6
10	7	9	9	16	9	8	10	15	11	5	7	5	6	7
24	16	22	19	28	24	19	20	34	23	18	17	21	23	13
79	66	65	69	62	71	68	46	73	57	70	78	72	94	47
85	90	69	87	78	75	61	64	93	65	80	55	51	68	55
164	156	134	156	140	146	129	110	166	122	150	133	123	162	102

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Victoria :											
Males			3	1	1	1	3	1			3
Females			1	1	1		1		1	1	1
Total			4	2	2	1	4	1	1	1	4
Waterloo :											
Males	4	1	1	7		3	5		2	4	2
Females		1	1	3		2	1	3	1		3
Total	4	2	2	10		5	6	3	3	4	5
Welland :											
Males	3			1	1	2	1	2	2	1	2
Females	1	2			4	5		1			4
Total	4	2		1	5	7	1	3	2	1	6
Wellington :											
Males	1	3	3	1	1		3	3	2	1	
Females	4	1	3			3	3	3	1	3	3
Total	5	4	6	1	1	3	6	6	3	4	3
Wentworth :											
Males	4	4	2	3	2	3	3	2	2	1	4
Females	5	7	4	8	4	2	1	5	5	3	4
Total	9	11	6	11	6	5	4	7	7	4	8
York :											
Males	12	7	14	16	13	10	9	10	16	12	7
Females	5	7	3	5	5	7	10	6	10	4	6
Total	17	14	17	21	18	17	19	16	26	16	13
Total :											
Males	79	62	74	88	84	56	73	54	101	88	88
Females	61	79	61	74	64	62	55	68	75	52	69
Grand Total	140	141	135	162	148	118	128	122	176	140	157

BY COUNTIES, 1885.—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2	3	4	1	2	1	1	3	5	1	2
2	1	1	2	1	2
4	3	4	2	3	1	1	3	2	6	3	2
2	4	3	2	5	3	2	2	1	4	3	4	2	5
1	3	3	3	1	2	5	2	2	2	2	3	3	4	1
3	7	6	5	1	7	8	4	4	3	6	6	7	6	6
2	5	2	2	1	5	3	4	3	1	3	5
.....	1	5	2	1	2	3	2	5	1	1	2
2	6	5	2	4	1	3	8	2	3	9	3	2	4	7
3	5	1	1	4	3	4	4	4	4	5	7	8	3
3	3	6	3	5	3	2	1	5	3	3	2	9	5
6	8	7	4	9	3	3	6	5	9	7	8	9	17	8
3	2	6	3	4	5	4	5	10	1	7	6	5	1
4	3	6	4	5	5	6	5	2	8	7	5	4	3	5
7	5	12	7	9	5	11	9	7	18	8	12	10	8	6
6	9	12	11	9	11	9	18	9	8	13	12	15	11	5
12	8	6	10	9	8	6	10	5	12	14	8	13	9	10
18	17	18	21	18	19	15	28	14	20	27	20	28	20	15
105	110	111	100	104	72	89	152	93	128	121	118	153	131	106
65	67	101	85	80	66	73	93	66	117	108	100	101	114	112
170	177	212	185	184	138	162	245	159	245	229	218	254	245	218

TABLE H.—DEATHS BY AGES.

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Victoria:											
Males	1	1	2	1	3	1	3	1	1
Females	1	2	1	1	1	1
Total	2	1	4	2	1	4	1	3	1	1	1
Waterloo:											
Males	5	2	3	2	3	2	2	1
Females	3	1	2	4	2	3	3	2
Total	8	3	5	6	5	5	5	2	1
Welland:											
Males	1	2	1	1	1	2	2	1	2	1
Females	2	4	1	1	4	2	1	1
Total	3	6	2	2	1	6	4	2	2	2
Wellington:											
Males	4	2	5	6	5	2	5	2	4	1	1
Females	8	2	2	1	1	2	5	3	3	1
Total	12	4	7	7	6	4	10	5	4	4	2
Wentworth:											
Males	3	2	4	1	2	3	1	5	2	4
Females	2	2	5	1	5	3	1	3	2	2	2
Total	5	4	9	2	7	6	2	8	2	4	6
York:											
Males	10	4	8	3	6	6	6	4	9	3
Females	17	6	9	8	10	3	16	5	7	4	5
Total	27	10	17	11	16	9	22	9	16	7	5
Total:											
Males	106	89	117	72	86	83	93	105	68	50	46
Females	98	70	93	68	83	66	89	69	62	35	36
Grand Total	204	159	210	140	169	149	182	174	130	85	82

BY COUNTIES, 1885—*Continued*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
1 1	1	1	1	...	1	1	...	1	...	10 9	171 125
2	1	1	1	...	1	1	...	1	...	19	296
...	1	1	1 2	1	1	1	1	1	1	4	229 240
...	1	1	3	1	1	1	1	1	1	4	469
1 2	1	1	1	1	14 5	187 190
3	1	1	1	1	19	377
1 1	2 2	2	1	1	...	1	1 1	2	327 318
2	4	2	1	1	...	1	2	2	645
1	3	1 1	14 5	563 534
1	3	1	2	2	1	1	1	1	2	19	1097
...	1 3	1 2	1 1	1 1	2 1	1 1	1	45 17	1622 1371
3	7	3	2	2	3	2	1	1	...	1	62	2993
22 28	26 33	24 16	15 14	7 16	14 13	16 13	11 6	7 9	5 10	2 7	3 1	12 7	302 286	11450 10655
50	59	40	29	23	27	29	17	16	15	9	4	19	588	22105

H. S. CREWE,
Inspector.

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Brantford :											
Males	30	4	1				1		2		
Females	15	3			2	1	1				
Total	45	7	1		2	1	2		2		
Walkerton :											
Males	6		2		1						
Females	1										
Total	7		2		1						
Ottawa :											
Males	202	22	15	8	6	4	3	3	4	5	6
Females	179	19	10	10	3	4	7	4	3	6	1
Total	381	41	25	18	9	8	10	7	7	11	7
St. Thomas :											
Males	15	4	2	2	2	3	1			1	
Females	18	3	6	1	1		1	1	1		
Total	33	7	8	3	3	3	2	1	1	1	
Windsor :											
Males	19	3		2	2	1		1	2		
Females	18	2		1	2		2		2		
Total	37	5		3	4	1	2	1	4		
Kingston :											
Males	21	12	7	6	7	3			2	2	2
Females	19	5	3	5	1	2	4	1	2	1	2
Total	40	17	10	11	8	5	4	1	4	3	4
Owen Sound :											
Males	3			1			1				1
Females	6	2		1							
Total	9	2		2			1				1
Belleville :											
Males	25	4		4	2	4	1		2	1	
Females	21	1	3	2	2	2	2				
Total	46	5	3	6	4	6	3		2	1	
Goderich :											
Males	2		2	1							
Females			1	1	1						
Total	2		3	2	1						
Chatham :											
Males	7	4	1		4	4	2	3	1	2	2
Females	10	1	1	2	2	4	1		1	2	
Total	17	5	2	2	6	8	3	3	2	4	2
Sarnia :											
Males	1		2	1	2		3	1		1	
Females	4			1		1					
Total	5		2	2	2	1	3	1		1	

CITIES AND PRINCIPAL TOWNS, 1885.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
2	1	1		1	1	2		2		1	1	2	2	
2	2	1		1	1	2		2		7	1	2	2	
1														1
1														1
1	1	4	3	5	3	3	5	5	6	1	4		2	2
3	3	2	1	2	1	6	5	7	3	2	1	1	1	3
4	4	6	4	7	4	9	10	12	9	3	5	1	3	5
							1	1				1	2	1
							1	1				3	1	2
							1	2		1			1	1
							1	3		1		1	2	1
3	1		1	1	1	2	1		1			2		2
3	1		1	1	2	5	3		1	3	1	3	3	2
1					1			2			2			1
1					1			3	1		2			1
		1	2			1		1	1	1	1	3	1	1
		1	1			2	1		1	4	1	1		1
		1	3			3	1	1	2	5	2	4	1	1
					1								2	2
					1								2	1
							1							3
				1			1							
				1							1	1		1
				2			1				1	1		1
2										1	1	2		1
2										1	1	2		1

TABLE I.—DEATHS BY AGES IN THE

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Brantford:											
Males		1	1	1	2
Females	1	1	1	1	1	1	2	1	2
Total	1	1	2	2	1	3	2	1	2
Walkerton:											
Males			1
Females		1
Total		1	1
Ottawa:											
Males	6	4	2	5	3	1	2	1	4	2	3
Females	2	1	4	3	3	4	1	4	5	4
Total	8	5	6	8	6	5	3	5	9	2	7
St. Thomas:											
Males	2
Females	1	1	1	2
Total	1	2	1	1	2
Windsor:											
Males	1	1
Females	1	1	1	1	1
Total	1	1	2	2	1
Kingston:											
Males	1	1	1	1	1
Females	3	1	1	1	3	1	2
Total	4	1	2	1	1	4	2	2
Owen Sound:											
Males	1	1	1	1	1	1	1	1
Females	1	1	1	1
Total	2	2	1	1	1	1	2	1	1
Belleville:											
Males				4	1	4	1
Females	1	2	1	2	1	1	1	1	1
Total	1	2	1	6	1	1	1	4	2	1	1
Goderich:											
Males	1	1
Females	1
Total	1	1	1
Chatham:											
Males	1	1	1	2
Females	1	1	1	1
Total	1	2	1	1	1	3
Sarnia:											
Males	1	1	1
Females	1	1	1
Total	1	1	1	2	1

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
					1	1	1	3		2		1	1	
					2			1	1				1	1
					3	1	1	4	1	2		1	2	1
			1	1							2			
			1	1							2			
5	3	2	2	2	3	3	4	2	2	1	1	2	6	
	4	5	2	3	1	3	3	4	4	7	1		2	2
5	7	7	4	5	4	6	7	6	6	8	2	2	8	2
2		1				1	1		2		1		1	
		1							1	1		1		
2		2				1	1		3	1	1	1	1	
					1		1		1			3		
1	1									1	1			
1	1				1		1		1	1	1	3		
1			1	1	2	1		2					1	1
1			1		1			3			3		2	
2			2	1	3	1		5			3		3	1
			1										1	
			1							1	1			
			2							1	1		1	
	1					1	1	1						1
								2		1			3	1
	1					1	1	3		1			3	2
												1		
								1						
								1				1		
		3	1				1						2	
	1			1		3		1		1				1
	1	3	1	1		3	1	1		1			2	1
1						1							1	
1						1							1	

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Brantford :											
Males		1		2				1	1	1	1
Females			1	1		1	3	1	1		1
Total		1	1	3		1	3	2	2	1	2
Walkerton :											
Males											
Females			1								
Total			1								
Ottawa :											
Males	1	4	1	5	3	3	3	2	5	3	5
Females	4	1	2	5	1	5			3	2	2
Total	5	5	3	10	4	8	3	2	8	5	7
St. Thomas :											
Males		1	1							1	
Females			1		1						
Total		1	2		1					1	
Windsor :											
Males			1								1
Females			1	1			1	1			
Total			2	1			1	1			1
Kingston :											
Males				1	1				1		2
Females	1		1	1	2		1	1	3	1	
Total	1		1	2	3		1	1	4	1	2
Owen Sound :											
Males							1	1			
Females										1	
Total							1	1		1	
Belleville :											
Males				1	2		1		2	2	
Females	3	1				1	1		1	1	
Total	3	1		1	2	1	2		3	3	
Goderich :											
Males									1	1	
Females	1	1	1				1				1
Total	1	1	1				1		1	1	1
Chatham :											
Males	1			2					1		
Females											1
Total	1			2					1		1
Sarnia :											
Males											
Females					1					2	
Total					1					2	

CITIES AND PRINCIPAL TOWNS, 1885—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	5	1	1	1	1	1	3	1	1	1	2
2	1	3	1	6	1	2	2	1	2	4	1	1	1	3
										1				
										1				
.....	3	1	3	3	2	3	6	2	2	1	2	4	2	4
1	4	2	1	1	2	3	1	3	1	2	4	3
1	3	5	5	4	3	5	9	3	5	2	2	6	6	7
1	2	1	1	1	1	1	1
1	2	1	1	1	1	1	1
.....	1	1	1	1	1	1	1	1
.....	1	1	1	1	1	1	1	1
3	1	2	2	1	1	1	4	3	2	1
2	1	2	3	3	2	2	1	1	1
5	1	3	5	2	1	1	3	3	6	4	2	1	2
.....	1	1	1	1	1	2
1	1	1	1	1	1	2
1	1	1	1	1	1	2
.....	1	2	1	1	1	1	1	2
.....	1	1	1	2	1
.....	1	3	2	2	1	1	2	1	2
.....	2	1	1	1	1	1	1
.....	2	1	1	1
.....	4	2	1	1	1	1	1	1	1
1	1	2	1	1	2
.....	1	1	1	1	1	1	2	1
1	1	3	1	1	2	1	1	1	4	1
1	1	1
1	1	1
1	1	1	1

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Brantford:											
Males.....				3	3						
Females.....				1	1						
Total				3	4						
Walkerton:											
Males.....											
Females.....											
Total											
Ottawa:											
Males.....	4			2	2		1	5	3	2	1
Females.....	2		3		1	2			2	3	1
Total	6		3	2	3	2	1	5	5	5	2
St. Thomas:											
Males.....					1				1		
Females.....									1		
Total					1				2		
Windsor:											
Males.....					1		1	1			
Females.....											
Total					1		1	1			
Kingston:											
Males.....	3	3	2	3	1			1			
Females.....		1	2								
Total	3	4	4	3	1			1			
Owen Sound:											
Males.....											
Females.....							1				
Total							1				
Belleville:											
Males.....	2		1	2				1	1		
Females.....	1		1	2	1		2	1	1		
Total	3		2	4	1		2	2	2		
Goderich:											
Males.....		1				1		1			
Females.....			1		1	1					
Total		1	1		1	2		1			
Chatham:											
Males.....		1			1					1	
Females.....	1						1				
Total	1	1			1		1			1	
Sarnia:											
Males.....					1		1				
Females.....											1
Total					1		1				1

CITIES AND PRINCIPAL TOWNS, 1885—*Continued.*[illegible]

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Perth :											
Males.....	9	5	1		1	1					
Females.....	6	1		3	1						
Total	15	6	1	3	2	1					
Brockville:											
Males.....	19	8	1	3	2	4		2	1		
Females.....	4	3	3	3			1	2		3	
Total	23	11	4	6	2	4	1	4	1	3	
Napanee:											
Males.....	7	1		1		1					
Females.....	8		1	2	1		1				1
Total	15	1	1	3	1	1	1				1
St. Catharines :											
Males.....	19	6	1	1	2	1		1	1		
Females.....	13		7	1	1			2			
Total	32	6	8	2	3	1		3	1		
London:											
Males.....	61	8	4	1	3	2	1	2	1	1	1
Females.....	40	7	4	2	2		1	2			
Total	101	15	8	3	5	2	2	4	1	1	1
Cobourg:											
Males.....		1				1					1
Females.....	3					1					
Total	3	1				2					1
Whitby:											
Males.....	6			1							
Females.....	3										
Total	9			1							
Woodstock:											
Males.....	3	1			1		2				
Females.....	4		1			1					
Total	7	1	1		1	1	2				
Brampton:											
Males.....	10		1						1	1	1
Females.....	5	1		1				1			
Total	15	1	1	1				1	1	1	1
Stratford:											
Males.....	13		1	1		2					
Females.....	15	1		1				1	2	1	
Total	28	1	1	2		2		1	2	1	
Peterborough:											
Males.....	11	1	1	3					1		
Females.....	8	1		2		1	1				1
Total	19	2	1	5		1	1		1		1

CITIES AND PRINCIPAL TOWNS, 1885—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
				2			1			1	2	1	2	1
				2			1			1	2	2	2	1
3							3	1	1	1	1		1	
1		1	1			1			1			1		
4		1	1			1	3	1	2	1	1	1	1	
								1		2				
								1		1				
								1		3				
1	1			1		2	1				1			
1		1						1		1	1	2		1
2	1	1		1		2	1	1		1	2	2		1
2		1	1	1			1	1		3	1	2	1	1
	2		4	2			3	3		3	3	3	3	2
2	2	1	5	3			3	4		6	4	5	4	3
					1				1			1		
					1				1			1		
					1					1		1		2
					1					1		1		2
	1		1	1	1						1	1		2
	1		2	1	1						1	1		2
				1	2			1			2	1		1
				1	2			1			2	1		1
1						4		2					1	
	1		1									1		
1	1		1			4		2				1	1	
					1	1		1		1			2	
							2	1						1
					1	1	2	2		1			2	1

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Perth :											
Males.....					1					1	2
Females.....											
Total					1					1	2
Brockville :											
Males.....		1		1		1		1			1
Females.....					1	1				3	2
Total		1		1	1	1		1		3	3
Napanee :											
Males.....	1	1						2	1		
Females.....	2			1			3				
Total	3	1		1			3	2	1		
St. Catharines :											
Males.....		1	1		4		1	1	1		1
Females.....							1		2		1
Total		1	1		4		2	1	3		2
London :											
Males.....	1	1	1	1		1	2	2	2	4	2
Females.....	2	3	2	1	2	1	3		1	1	
Total	3	4	3	2	2	2	5	2	3	5	2
Cobourg :											
Males.....			1			1					
Females.....					2						
Total			1		2	1					
Whitby :											
Males.....	1	1			1						
Females.....						1					
Total	1	1			1	1					
Woodstock :											
Males.....								1			1
Females.....	2		1							1	
Total	2		1					1		1	1
Brampton :											
Males.....		1					1				
Females.....					1						
Total		1			1		1				
Stratford :											
Males.....			1			1	1				
Females.....				2				2		1	1
Total			1	2		1	1	2		1	1
Peterborough :											
Males.....		1	1			1		1		1	
Females.....	2		2		1	1	2			1	1
Total	2	1	3		1	2	2	1		2	1

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1					1								1	1
1					1								1	1
1			3		1	3	1	2		1			1	
2			3		1	4	3	2		2			1	
2										1		1		
2										1		1		
1	1	1	1	1					2	1	1	2	1	3
1	1	2	1	1					2	1	1	2	4	
3	2	1	2	2	4				1	1	2		3	
3	4	2	2	4		1			1			1		1
3	6	3	4	6	4	1			2	1	2	1	3	1
1	1		1		1		1	1			1			1
1	1		1		1		1	1			1			1
				2				1		1				
				2				1	1	1				
	2				1		1				1		1	
	2				3		1				2		1	
1				1		1					1			
3												1		
4				1		1					1	1		
	1		1	2	2		1	1		1	1		1	1
	1		2	3	2		1	1		1	1		1	2

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Perth :											
Males											
Females		2							1		1
Total		2							1		1
Brockville :											
Males				1	1	1	2		1		
Females	1			3					1	1	1
Total	1			4	1	1	2		2	1	1
Napanee :											
Males											
Females		1									
Total		1									
St. Catharines :											
Males		1	1	1		1		1	1		
Females		1			1	1	1		1		
Total		2	1	1	1	2	1	1	2		
London :											
Males		3	2	2	2	1			1	2	
Females	3	2	1	1	1	4	3	2	3	1	
Total	3	5	3	3	3	5	3	2	4	3	
Cobourg :											
Males	1			1	1			1			
Females											
Total	1			1	1			1			
Whitby :											
Males								1			
Females		1					1			1	
Total		1					1	1		1	
Woodstock :											
Males		1		1							
Females			1					1			1
Total		1	1	1				1			1
Brampton :											
Males								1		1	1
Females				1				2			1
Total				1				3		1	2
Stratford :											
Males		1						1	1		2
Females											
Total		1						1	1		2
Peterborough :											
Males					1	1	1				
Females			1	1	1		1				
Total			1	1	2	1	2				

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
				1			1						1	
		1	2	1			1						1	
		1	2	1			1						1	
	1		1	1			1					1		1
	1	3			1		1				1			
	2	3	1	1	1		2				1	1		1
	1				2		1			1				
						1			1				1	
	1				2	1	1		1	1			1	
2			1			1	2	1		3				1
		1	1	2	1	1		1		1		2	2	
2		1	2	2	1	2	2	2		4		2	2	1
2	5	3	2	2		2	3		3		6	2	3	1
1	4	4		1	3	2		2	1	3		4	2	4
3	9	7	2	3	3	4	3	2	4	3	6	6	5	5
				2									1	
1		1	1		1									1
1		1	1	2	1								1	1
	1		1		2				1					1
		1			1		1			1				
	1	1	1		3		1		1	1				1
		1	1			1				1				
		1	1			1			1				1	
1	1	1	2		1			1		1			1	
				1			1		1			1		
1	1	1	2	1	1		1	1	1	1		1	1	
1	1	2	1							1				1
	1			2						1	1			
1	2	2	1	2						2	1			1
3		1	2											1
				1			1	1		1				
3		1	2	1			1	1		1				1

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Perth :											
Males					1		1				
Females			1		1						
Total			1		2		1				
Brockville :											
Males				1				1		1	
Females		1		1	1		1		2		
Total		1		2	1		1	1	2	1	
Napanee :											
Males											
Females	1						1			1	1
Total	1						1			1	1
St. Catharines :											
Males	1				1		2	1			1
Females			1				1	1			
Total	1		1		1		3	2			1
London :											
Males		1			1	2	1		1	1	1
Females	1	2	2	1	4						
Total	1	3	2	1	5	2	1		1	1	1
Cobourg :											
Males						1					
Females			1		1						
Total			1		1	1					
Whitby :											
Males				1				1			
Females	1		1								
Total	1		1	1				1			
Woodstock :											
Males		1			1		3				
Females				4							
Total		1		4	1		3				
Brampton :											
Males			2		1						
Females	1	1			1		1	1			
Total	1	1	2		2		1	1			
Stratford :											
Males	1							1			
Females								1			
Total	1							2			
Peterborough :											
Males	1	1		1			1		1	1	
Females	1		1	1		1		1			
Total	2	1	1	2		1	1	1	1	1	

CITIES AND PRINCIPAL TOWNS, 1885—*Continued.*[illegible]

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	Under one year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Picton :											
Males	5	1							2		
Females	4										
Total	9	1							2		
Pembroke :											
Males	12	1	3	1			1				
Females	5	1			1						
Total	17	2	3	1	1		1				
Barrie :											
Males	12	2						1			
Females	5			1		1				2	1
Total	17	2		1		1		1		2	1
Cornwall :											
Males	11	3	2	2	2	1					
Females	7	1	1	1		1	2				
Total	18	4	3	3	2	2	2				
Liudsay :											
Males	9		1	1		1					1
Females	12	2	1								
Total	21	2	2	1		1					1
Berlin :											
Males	11	1				1					
Females	2	2	2								
Total	13	3	2			1					
Guelph :											
Males	21	2	2		1	1	2		2		2
Females	18	3		2		1			1		1
Total	39	5	2	2	1	2	2		3		3
Hamilton :											
Males	123	18	16	5	5	10	1	2	7	5	1
Females	102	14	7	4	1	3	5	3	1	2	2
Total	225	32	23	9	6	13	6	5	8	7	3
Toronto :											
Males	479	64	33	24	16	20	13	8	20	4	5
Females	349	79	21	18	19	15	12	6	7	8	12
Total	828	143	54	42	35	35	25	14	27	12	17
Total :											
Males	1172	176	99	69	59	65	32	24	49	23	23
Females	904	152	72	65	40	38	41	23	20	25	21
Grand total	2076	328	171	134	99	103	73	47	69	48	44

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
									1	2	3			
									1	2	3			
		1			1				1					1
		1			1				1					1
1						1						1		1
1						1						1	1	1
						3		1		1		1		2
						3		1		1		1		2
									1	2		1	1	
									1	2		1	1	
										1				
										1				
1		1	1		2		2	2	1	1	2	1	1	1
1		1	1		2		2	2	1	1	3	2	2	1
1 3	2 1	1	3	2		3 1	1 1	4 1	2 1	5 3	7 3	3 3	4 6	4 6
4	3	1	3	2		4	2	5	3	8	10	6	10	10
7 1	5 1	2 4	6 2	6 3	6 7	6 5	5 9	7 11	6 10	8 11	8 6	12 10	12 4	11 8
8	6	6	8	9	13	11	14	18	16	19	14	22	16	19
22 14	11 10	8 12	16 13	17 13	16 15	23 23	20 26	28 32	19 20	26 42	31 24	29 36	29 25	27 36
36	21	20	29	30	31	46	46	60	39	68	55	65	54	63

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Pictou :											
Males										1	
Females					2						
Total					2					1	
Pembroke :											
Males			1				1		1		
Females	1										
Total	1		1				1		1		
Barrie :											
Males			1			1					
Females		1	1							1	
Total		1	2			1				1	
Cornwall :											
Males	1			1		1				1	
Females	1					2	1		2		
Total	2			1		3	1		2	1	
Lindsay :											
Males		1		1	1						
Females	1		1			1			2		
Total	1	1	1	1	1	1			2		
Berlin :											
Males			1								1
Females					2	1	1			1	
Total			1		2	1	1			1	1
Guelph :											
Males			1	2	2		1		1		2
Females				2		1	2	1		1	
Total			1	4	2	1	3	1	1	1	2
Hamilton :											
Males	1	3	7	2	5	1	4	1	1	3	1
Females	2		1	3	2	2	1	2		2	
Total	3	3	8	5	7	3	5	3	1	5	1
Toronto :											
Males	8	7	13	7	12	8	5	5	9	10	6
Females	6	10	9	8	10	5	11	7	10	5	10
Total	14	17	22	15	22	13	16	12	19	15	16
Total :											
Males	23	25	35	25	30	19	22	22	25	27	18
Females	27	21	25	24	31	23	28	25	27	25	28
Grand Total	50	46	60	49	61	42	50	47	52	52	46

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
											2	1	1	
											2	1	1	
1			1	1				1			2			
1			1	1				1			2			
		1	1	1									1	1
		2	1	1									1	2
	1				1		1						1	
	2	1			2		1						1	
	1			1					2		1	1		
	1			1	1				2		1	1		
1													2	
1													2	
	2	3												1
			1	1	1	1	1	2		1	1	1	2	
	2	3	1	1	1	1	1	2		1	1	1	2	1
3	2	2	4	1	1	4	1	2	6	1	3		6	
	8	1	1	2	1	2	2	3	2	4	2	1	1	3
3	10	3	5	3	2	6	3	5	8	5	5	1	7	3
13	9	9	10	9	5	8	10	6	10	10	9	4	13	6
8	5	6	8	5	8	7	8	13	9	4	5	5	6	5
21	14	15	18	14	13	15	18	19	19	14	14	9	19	11
23	21	23	24	22	21	24	24	19	23	16	24	12	39	12
28	29	18	23	20	21	18	17	33	22	26	19	14	26	18
51	50	41	47	42	42	42	41	52	45	42	43	26	65	30

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Pictou :											
Males	1			1					1		
Females						1					
Total	1			1		1			1		
Pembroke :											
Males				1				1			
Females											
Total				1				1			
Barrie :											
Males	1									1	
Females						1					
Total	1					1				1	
Cornwall :											
Males					1	1			1		
Females		1									
Total		1			1	1			1		
Lindsay :											
Males			1		1		2	1			1
Females			1		1		1				1
Total			2		2		3	1			2
Berlin :											
Males	1					1					
Females		1					1				
Total	1	1				1	1				
Guelph :											
Males			2	1			1	2	1		
Females						1		1	1		
Total			2	1		1	1	3	2		
Hamilton :											
Males	1	3	2		1		1	2	1	1	1
Females	3	3	4	6	2	1	1	5	4	1	2
Total	4	6	6	6	3	1	2	7	5	2	3
Toronto :											
Males	9	5	9	11	11	10	8	7	23	10	5
Females	4	7	2	3	3	5	5	2	10	4	3
Total	13	12	11	14	14	15	13	9	33	14	8
Total :											
Males	16	20	20	31	25	19	20	22	42	23	20
Females	20	22	18	23	14	21	21	16	29	15	14
Grand total	36	42	38	54	39	40	41	38	71	38	34

CITIES AND PRINCIPAL TOWNS, 1885—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2 1			1 1	1			1	1 1	3	2	1 1	1	1	1 1
3			2	1			1	2	3	2	2	1	1	2
							1						2	
							1						2	
				1 1		1 1		2	1				1	
				2		2		2	1				1	
1 3		1				1		1				1		
4		1				1		1				1		
2	1	2								1		3	1 1	
2	1	2								1		3	2	
			1				1	1		1	1	1		1 1
			1		1		1	1		1	1	1		2
1 1	3	3		1 2		1	1		3 2		2	1	2 1	1 1
2	3	3		3		1	1		5		2	1	3	2
2 3	1 1	1 3	4 4	4 5	3	3 2	3 5	3 5	5 5	5	2 2	2 3	4 2	2
5	2	4	8	9	3	5	8	3	10	5	4	5	6	2
13 6	8 4	19 13	6 9	5 4	7 8	5 9	10 10	7 4	6 10	6 12	6 4	11 10	8 8	4 6
19	12	32	15	9	15	14	20	11	16	18	10	21	16	10
37 21	28 17	37 41	33 26	25 28	19 24	22 20	33 30	23 13	28 33	20 33	28 10	31 29	30 26	18 25
58	45	78	59	53	43	42	63	36	61	53	38	60	56	43

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Picton :											
Males				2	1						
Females							1		1		1
Total				2	1		1		1		1
Pembroke :											
Males			1								1
Females											
Total			1								1
Barrie :											
Males	1									1	
Females		1	1								
Total	1	1	1							1	
Cornwall :											
Males		1	1		1	2					
Females				1		1	1				
Total		1	1	1	1	3	1				
Lindsay :											
Males				1				1			
Females					1						
Total				1	1			1			
Berlin :											
Males	2			1	1		1		1		
Females	2			1	1						
Total	4			2	2		1		1		
Guelph :											
Males	1			1			1	1		1	
Females		1	1				2				
Total	1	1	1	1			3	1		1	
Hamilton :											
Males	1	1	2	3	1	1		4			
Females	5	1	2		4	1	2	2			1
Total	6	2	4	3	5	2	2	6			1
Toronto :											
Males	5	2	6	1	7	3		9	6	1	
Females	7	6	8	5	7	2	8	4	3	3	5
Total	12	8	14	6	14	5	8	13	9	4	5
Total :											
Males	22	12	15	19	26	10	13	23	14	8	4
Females	23	14	26	19	25	8	22	11	10	8	10
Grand Total	45	26	41	38	51	18	35	39	24	16	14

CITIES AND PRINCIPAL TOWNS, 1885.—*Continued.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
														25
	1									1				32
	1									1				57
														34
														12
														46
	1	1												31
														28
	1	1												59
														39
														40
														79
														38
														34
														72
														32
														21
														53
													2	88
														71
													2	159
		1		1									6	359
														325
		1		1									6	684
						1				1			22	1311
3	4	1		1									21	1082
3	4	1		1		1				1			43	2393
4	4	3		1	1	2				1	1	2	62	3637
3	9	7		5	4			1	1	1		1	67	3218
7	13	10		6	5	2		1	1	2	1	3	129	6855

H. S. CREWE,

Inspector.

TABLE J.—DEATHS BY

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....							1	40
Brant.....	1	45	1	21	1	63	1	45
Bruce.....	1	40	1	45			1	78
Carleton.....	2	74	1	57			3	199
Dufferin.....								
Elgin.....	1	45					2	145
Essex.....	1	49					1	79
Frontenac.....							3	159
Grey.....							3	119
Haldimand.....			1	35				
Halton.....	1	64			1	40	2	92
Hastings.....			1	48				
Huron.....								
Kent.....	1	29					1	65
Lambton.....							3	142
Lanark.....								
Leeds and Grenville.....	1	24					7	294
Lennox and Addington....			1	64			1	27
Lincoln.....	1	52					3	220
Middlesex.....	1	42			1	53	3	183
Muskoka and Parry Sound.....								
Norfolk.....							2	150
Northumberland and Durham.....	2	60					4	261
Ontario.....	1	29			1	63	2	140
Oxford.....							2	117
Peel.....	3	185					3	149
Perth.....	1	41					3	96
Peterborough.....	1	63	2	89				
Prescott and Russell.....								
Prince Edward.....							1	68
Renfrew.....							1	60
Simcoe.....	1	42					1	45
Stormont, Dundas and Glengarry.....	1	31					1	28
Victoria.....	1	42						
Waterloo.....	2	75			1	28	1	54
Welland.....	1	67					1	65
Wellington.....	1	69					1	81
Wentworth.....	4	236	3	139	1	21	3	190
York.....	10	443	4	205	1	72	8	442
Totals.....	40	1847	15	703	7	340	69	3833

OCCUPATIONS, 1885.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
								1	34				
		2	110					3	172				
		1	39			1	77	1	32				
						3	180	4	170	1	39		
						1	74	1	28			1	37
		1	49	1	85			1	53				
1	63					2	124	1	25	1	60	2	123
								3	124				
						1	77						
						3	194	1	38				
						1	52	7	208				
								3	76	1	86	1	25
				1	25	1	68	2	97				
						1	45	6	252			1	37
		1	30			1	21						
						1	21	2	67			1	21
								1	33				
								4	158				
3	207	1	64			1	55	7	224			3	134
						1	70	1	31			1	69
				1	32	1	67	3	83	1	67		
		1	66	1	31	1	35	2	60				
						6	282					2	71
				1	44			1	33			1	54
								1	30	1	58		
								2	48				
								1	21				
								2	69				
						1	32	1	28				
				1	33			3	79				
		2	80					3	121				
						1	63	1	21				
						1	64	3	71				
1	72			2	58	2	114	4	95			2	171
						3	177	11	360	1	59		
1	80	4	194	2	79	6	307	33	1271	6	260	5	235
6	422	13	632	10	387	40	2199	120	4212	12	629	20	977

TABLE J.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay	3	71						
Brant	2	110			1	78		
Bruce	3	199						
Carleton	9	531			1	72		
Dufferin	1	82						
Elgin	3	188	1	64	1	78		
Essex	5	334					2	111
Frontenac	2	111						
Grey	5	252	2	98				
Haldimand	2	134			1	70		
Halton	1	60						
Hastings	5	284	1	58	1	74		
Huron	5	203	1	29	2	119		
Kent	9	504	1	21	1	50		
Lambton	1	28			1	37		
Lanark			1	67			1	54
Leeds and Grenville	4	194	1	43				
Lennox and Addington								
Lincoln	3	151	1	65	2	132		
Middlesex	4	185	2	84	2	73		
Muskoka and Parry Sound								
Norfolk	1	24			1	84		
Northumberland and Durham	6	368						
Ontario	3	222	1	55	1	69		
Oxford	1	75	2	131	2	106		
Peel	2	109			2	161		
Perth	6	297			1	77		
Peterborough	2	133	1	81				
Prescott and Russell								
Prince Edward	2	106			1	87		
Renfrew	1	74			2	150		
Simcoe	4	235						
Stormont, Dundas and Glengarry	7	381						
Victoria	2	107	1	80				
Waterloo	5	218	1	21	2	127		
Welland	4	257						
Wellington	7	419			1	58		
Wentworth	9	456	1	27				
York	26	1439	4	152	3	179		
Totals	155	8541	22	1076	29	1881	3	165

OCCUPATIONS, 1885—Continued.

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Wagon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				3	136								
						1	48			1	63		
				1	45					4	163		
		1	59							1	31		
		2	120			1	67			2	81	1	53
						1	40			1	47		
2	70	1	60	1	73	3	176						
				1	43	2	132						
2	42	1	72			1	65						
1	32			2	88	3	143			1	69		
1	26	1	76			1	65						
		1	75							1	29		
		2	89							3	141		
						1	92			2	101		
						1	26			1	73		
				1	70					1	31		
		2	148	2	143	1	27			3	127		
		2	167					1	76				
		1	49	1	80	1	22						
1	40					1	46			1	49		
				1	94							1	27
1	37	1	80	1	61	1	22						
				1	51	1	47			1	53		
						3	113						
						1	72						
						1	63						
		1	32							1	38		
		1	60										
										1	63		
1	65	1	60	1	65	1	42						
		1	63	1	64	1	61						
		3	182	1	78	2	76						
1	21			1	69	3	111	1	46	4	236	1	31
4	136	3	217	7	489	3	132			8	374	1	66
14	469	25	1609	26	1649	35	1688	2	122	37	1769	4	177

TABLE J.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay	13	651	8	341				
Brant	45	2979	55	2763	1	81	3	146
Bruce	84	5393	62	3394			3	229
Carleton	55	3374	46	2594	1	65	6	410
Dufferin	25	1751	33	1943			3	194
Elgin	54	3383	45	2837	1	74	1	55
Essex	62	3901	34	1827	1	45	10	737
Frontenac	60	4019	50	3185	2	115	4	283
Grey	102	6487	76	4022			3	215
Haldimand	35	2413	45	2638			2	131
Halton	26	1538	38	2355	1	72	3	249
Hastings	69	4355	47	2777			6	385
Huron	129	8050	102	6142	1	38	7	501
Kent	75	4470	43	2360			4	274
Lambton	72	4080	44	2429			3	215
Lanark	59	3935	34	2110			1	76
Leeds and Grenville	133	8460	88	5142	2	145	8	566
Lennox and Addington	51	3171	22	1421			1	32
Lincoln	36	2284	37	2206			12	904
Middlesex	146	8929	112	6774	4	270	25	1737
Muskoka and Parry Sound	42	2345	24	1256			1	60
Norfolk	50	3099	67	4068	1	31	4	309
Northumberland and Durham	144	9194	116	6805			13	966
Ontario	47	2963	54	3350			13	973
Oxford	108	6938	58	3227			16	184
Peel	40	2574	32	1043			2	157
Perth	63	3134	51	3184	2	136	6	447
Peterborough	60	3627	51	3030			4	258
Prescott and Russell	56	3338	49	2808				
Prince Edward	42	2716	38	2333	1	54	4	320
Renfrew	52	3070	41	2183			2	168
Simcoe	94	5653	84	4424			1	80
Stormont, Dundas and Glengarry	108	7108	117	7434			2	144
Victoria	48	2955	27	526			9	758
Waterloo	50	3308	60	3641			8	624
Welland	56	3701	45	2840			2	168
Wellington	95	6191	84	5158	2	115	5	372
Wentworth	63	3948	50	2921	3	145	2	158
York	95	5574	78	2759	6	420	39	2412
Totals	2644	165059	2147	122250	29	1806	238	15897

OCCUPATIONS, 1885.—*Continued.*

Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.		Masons.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
2	69	6	181	65	2212	1	32
.....	76	4004	19	1144	1	45
.....	28	1352	12	605	1	21	3	93	3	186
.....	85	4939	56	3000	1	34	3	149	1	28
.....	13	553	2	52
.....	27	1437	10	634	2	100	1	26	1	22	1	69
1	70	49	2487	19	910	3	141
.....	54	2978	16	1000	1	65	1	45
1	23	36	1770	9	453	2	57	3	188
.....	8	478	4	264	2	59	1	94
.....	28	1558	7	398	1	51	1	26	2	125
.....	69	3622	35	1917	1	25	3	205
1	24	40	1965	12	640	1	26	2	75	1	73
.....	15	835	25	1188	1	75	2	51
.....	53	2422	19	1034	1	63	1	33
2	141	31	1682	8	328	2	53
.....	51	2778	15	738	1	42	2	92
1	64	21	1112	4	159	1	37
.....	53	3388	17	963	1	80
.....	124	7004	45	2324	7	247	3	162
1	63	13	748	6	228	2	54
.....	14	841	13	642	1	25	2	131
.....	70	3942	30	1543	3	89
.....	51	2640	21	1075	2	116
.....	56	2745	17	1006	1	66	2	67
.....	26	1569	11	645
.....	43	2163	13	733	2	84
.....	51	2559	16	926	1	21
.....	12	548	16	872
.....	35	2174	14	768
1	60	11	529	18	752	4	210	1	21	1	45
1	25	33	1372	17	845	4	187	1	21
.....	25	1302	15	789
.....	13	577	16	852	1	25
.....	49	2574	15	925	2	78	4	252
.....	52	2984	19	1101	1	59	1	74
.....	49	1918	28	1797	1	39	1	36	2	51	3	177
1	82	103	6122	54	2524	3	120	1	68
.....	273	16195	128	6603	1	46	4	183	4	173	3	182
12	621	1846	100047	866	44589	19	842	23	1038	39	1282	44	2533

TABLE J.—DEATHS BY

COUNTIES.	Machinists.		Moulders.		Millers.		Millwrights.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	1	42					1	57
Bruce	1	30						
Carleton	2	61			2	90		
Dufferin								
Elgin	1	48						
Essex					1	21		
Frontenac	1	40	1	43				
Grey	1	76	2	54	1	64		
Haldimand								
Halton								
Hastings			1	31			3	172
Huron			1	29	1	25		
Kent							1	84
Lambton					1	47		
Lanark	1	40			2	111		
Leeds and Grenville					1	31		
Lennox and Addington	1	33			1	68		
Lincoln	1	22						
Middlesex	3	114	1	23	3	162		
Muskoka and Parry Sound	1	69						
Norfolk								
Northumberland and Durham								
Ontario	1	47						
Oxford	1	69						
Peel	1	27			2	126		
Perth					2	118		
Peterborough	2	142			2	148		
Prescott and Russell					1	76		
Prince Edward								
Renfrew								
Simcoe								
Stormont, Dundas and Glengarry	1	35			1	65		
Victoria					2	132		
Waterloo	3	81			1	85		
Welland								
Wellington	1	29						
Wentworth	7	368	3	115			1	85
York	8	261	3	142	2	93	1	71
Totals	39	1634	12	437	26	1462	7	469

OCCUPATIONS, 1885—*Continued.*

Musicians.		Manufacturers.		Merchants.		Miners.		Other Mechanics.		Painters.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				1	69	1	35				
1	46	3	155	5	352			2	47	1	50
				2	106			2	126		
		1	60	2	130					1	40
				1	52			1	88		
				2	134			1	75	1	49
		1	54	1	35						
1	27			7	395			3	135	2	143
1	33			2	98			1	80	1	70
		2	94	5	256						
		3	144	1	75					2	107
				2	99			3	123		
		1	63	2	121			3	117		
				3	132			1	74	1	34
		1	77	3	151					3	96
		1	32	1	60						
				3	191					1	40
		2	79	1	46			1	46		
		1	52	4	167			2	90	1	29
1	66	1	34	14	590			2	89	2	93
				2	91			2	112	2	142
								2	118	1	46
		3	188	5	291			2	146	2	72
1	42	1	52	4	231			1	29		
		1	84	2	125			1	48	1	42
		1	25								
		1	32	4	257			2	83	2	101
				3	151						
1	55			1	63						
		1	70	1	28					1	54
				8	400			1	103		
1	71			5	297			1	42		
		1	58	3	123					1	25
		1	51	3	168			2	47	2	59
				1	51			1	70	1	62
1	23	1	62	11	514			2	165	1	25
		11	419	14	727	1	64	5	187	3	124
2	71	6	395	40	2287			17	873	11	563
10	434	45	2280	169	9063	2	99	61	3113	44	2057

TABLE J.—DEATHS BY

COUNTIES.	Printers.		Provincial Land Surveyors.		Public Officials.		Physicians.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....					1	83	1	34
Brant.....	1	48			2	124	1	74
Bruce.....	1	41	1	48			1	46
Carleton.....	1	29	1	57	22	1155		
Dufferin.....								
Elgin.....					1	46		
Essex.....			1	62				
Frontenac.....					7	482	1	23
Grey.....	1	28			1	70	2	141
Haldimand.....					2	132	1	56
Halton.....					1	50		
Hastings.....	1	22			1	85		
Huron.....					3	157	1	52
Kent.....					2	134	2	93
Lambton.....					2	72		
Lanark.....					2	103		
Leeds and Grenville.....					5	306	2	179
Lennox and Addington.....	2	42						
Lincoln.....					3	161		
Middlesex.....					3	205	1	41
Muskoka and Farry Sound.....								
Norfolk.....					1	62		
Northumberland and Durham.....					2	144	2	118
Ontario.....					1	53	1	29
Oxford.....	1	22			2	132		
Peel.....							1	90
Perth.....					3	144	1	65
Peterborough.....					2	116		
Prescott and Russell.....					3	142		
Prince Edward.....	1	62			3	225		
Renfrew.....					2	93		
Simcoe.....					5	316		
Stormont, Dundas and Glengarry.....			1	92	2	149	1	83
Victoria.....	1	21			1	63		
Waterloo.....					2	99	2	107
Welland.....					2	90	1	68
Wellington.....								
Wentworth.....	1	24	1	75	3	152	2	165
York.....	6	344	1	57	16	1002	8	448
Totals.....	17	683	6	391	108	6347	32	1912

OCCUPATIONS, 1885.—*Continued.*

Pedlars.		Plasterers.		Railroad Employés.		Stonecutters.		Shoemakers.		Sailors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				3	104	2	65	1	74	1	40
1	72	2	96	5	251	2	108	2	152	1	26
				1	25						
1	70			3	98	1	42	1	59		
				2	69			1	81		
				4	123			3	226		
								1	63	2	79
						1	43	3	181		
						1	85	4	223		
										1	87
						1	55	4	249	2	87
		1	75	1	41	1	51	3	123		
								2	160		
				2	98			2	66		
		1	45	1	53			1	45	1	23
1	35										
1	27			1	27	1	45	1	53	1	36
				1	49	1	78				
1	70			2	65	1	57			4	156
		1	59	2	54			5	303		
				1	33			1	79		
				3	213	1	33	1	62	2	108
										2	126
				1	35	2	133				
				4	201			1	77		
				2	84					1	38
				3	127						
		1	45	2	48			2	112		
										1	33
								3	145	1	21
						1	28	1	73		
								4	197		
				1	44			1	44		
1	52							3	175		
1	63	1	77	1	34	1	32	1	60		
		2	119	2	97	3	126	10	606		
2	101	2	88	7	295	1	41	15	754	6	365
9	490	11	604	55	2268	21	1022	77	4442	26	1225

TABLE J.—DEATHS BY

COUNTIES.	Saddlers and Harness- makers.		Seamstresses.		Servants— Females.		Tinsmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay.....								
Brant			2	126	2	67		
Bruce			1	58	2	48		
Carleton					1	21		
Dufferin.....								
Elgin					2	56	2	68
Essex	1	43	1	21	1	68		
Frontenac.....			2	100	7	293		
Grey.....	1	49						
Haldimand.....								
Halton					2	119		
Hastings.....			2	86	2	82	1	29
Huron			3	73	2	53		
Kent					2	158		
Lambton	1	54	1	54	1	66		
Lanark.....			3	233			2	93
Leeds and Grenville.....							1	22
Lennox and Addington.....			1	73			1	27
Lincoln	1	70			1	21		
Middlesex			3	82	6	219	2	131
Muskoka and Parry Sound.....								
Norfolk	1	64						
Northumberland and Durham.....	1	31	1	35				
Ontario			1	51	1	23		
Oxford			1	32	1	22		
Peel					1	25		
Perth					1	21	1	31
Peterborough.....					2	49		
Prescott and Russell.....					1	25		
Prince Edward								
Renfrew			1	56				
Simcoe					1	40		
Stormont, Dundas and Glengarry.....					5	170		
Victoria			1	32	2	49		
Waterloo.....							1	33
Welland								
Wellington.....			2	90	1	21	1	30
Wentworth.....			2	46	9	419	1	50
York.....	2	87	8	256	10	331	1	34
Totals.....	8	338	36	1504	66	2466	14	548

OCCUPATIONS, 1885.—*Continued.*

Teamsters.		Tavern-Keepers.		Tobacconists and Cigar- Makers.		Teachers.				Telegraph Operators.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	Male.		Female.		No.	Total Age
1	35	2	90							2	44
		1	43	1	30	1	91			1	34
		1	33								
2	105	2	123			2	143			3	66
						1	61				
1	72	2	111	1	31	1	81			1	25
		4	155								
		1	72			3	221	1	35		
		1	35			2	145	3	160		
1	40	1	64								
1	36	1	87								
		2	74			2	87				
		4	174			3	99			2	43
		2	108					1	29		
2	84	3	145	1	26	1	26				
1	75	1	85			1	82				
		1	60								
2	75	3	164								
		2	124			1	29	2	86		
1	53	1	52	3	75	1	82	4	154	1	21
		3	122			1	52	2	70	2	57
				1	38			2	112		
1	62	1	65			1	45	2	53	2	43
		2	92			2	50				
1	62			1	37	3	78	1	23	2	62
2	76	1	41			1	32			1	22
						2	106				
						1	21	1	28		
		1	46			1	87	1	31		
1	40	1	78			1	22				
		1	44			2	51				
1	62	1	38								
1	65	1	73			2	132	1	43	1	22
		2	121			2	65	2	52		
2	82	2	78					2	43	1	22
								1	41		
9	408	10	417	1	63	1	49	3	101	1	21
30	1432	61	3014	9	300	39	1937	29	1061	20	482

TABLE J.—DEATHS BY

COUNTIES.	Tailors.		Tanners and Curriers.		Undertakers.		Volunteers, Soldiers, and Pensioners.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	1	75					1	72
Bruce							1	45
Carleton	3	239					4	216
Dufferin								
Elgin								
Essex	1	39					3	222
Frontenac	1	63	1	42			6	326
Grey								
Haldimand	1	48						
Halton							1	78
Hastings	1	82					1	60
Huron								
Kent	2	128	1	50				
Lambton	2	127					1	51
Lanark	1	23						
Leeds and Grenville	2	80	1	57	1	80	3	221
Lennox and Addington								
Lincoln	4	204					1	84
Middlesex	1	63					4	272
Muskoka and Parry Sound								
Norfolk	2	86						
Northumberland and Durham	4	179	2	145				
Ontario	2	136						
Oxford	3	195					2	142
Peel	2	97					1	75
Perth	1	56						
Peterborough	1	80					2	127
Prescott and Russell							1	98
Prince Edward								
Renfrew	1	80					1	47
Simcoe							2	117
Stormont, Dundas and Glengarry			2	77				
Victoria	1	30						
Waterloo	2	126						
Welland	2	131			1	77		
Wellington	1	45						
Wentworth	4	147					3	203
York	8	429	1	38	1	60	8	390
Totals	54	2988	8	409	3	217	46	2846

OCCUPATIONS, 1885—*Concluded.*

Watchmakers and Jewellers.		Weavers.		Students.		Other Occupations.		Total Number of Deaths.	Total Ages.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.		Aggregate	Average.
								119	4440	37.3 years.
		1	63			1	67	253	14059	55.6 "
		4	242					227	12857	56.6 "
				1	21	13	807	352	19755	56.1 "
1	21							86	5037	58.6 "
				1	25	1	23	184	10729	58.3 "
				1	23			213	11922	55.9 "
				1	22			257	15420	60.0 "
		2	135					272	15354	56.4 "
				1	21			119	7345	61.7 "
		1	75	1	21			139	8111	58.3 "
		3	232					281	15629	55.6 "
								346	19804	57.5 "
								206	11404	55.3 "
1	73							239	12362	51.7 "
1	32	2	83					159	9477	59.6 "
		1	97	2	42			349	20403	58.5 "
								123	7042	57.3 "
								206	12266	59.5 "
1	38	2	167	1	29	1	83	573	32550	56.8 "
								109	5751	52.7 "
		2	83					180	16675	59.3 "
1	34	1	22					435	25616	58.8 "
				1	22			229	13186	57.6 "
		1	30	1	22			301	16419	54.5 "
				2	48			141	7510	53.3 "
1	32							221	11786	53.3 "
						1	84	216	12156	56.3 "
				1	23			143	8061	56.4 "
								153	9373	61.2 "
		1	52			1	42	150	8068	53.1 "
		2	145	1	24			272	14497	53.3 "
		2	137					306	18787	61.4 "
		1	67					142	6974	49.1 "
		2	117					233	13506	57.9 "
								204	12510	61.3 "
1	36	3	179	2	42	1	72	338	19177	56.7 "
				1	25	5	307	426	23118	54.2 "
2	83	4	240	4	102	18	1160	1016	53839	52.9 "
9	349	35	2166	21	490	42	2645	9918	556975	56.1 years.

